



**aqua-serv engineers, inc.**

2431 East 56th Street, Los Angeles, CA 90058 • (213) 582-8246

EPA EST. NO 10932-CA-1

EPA REG NO 10932-18

1721 10932-18

171

**PRECAUTIONARY STATEMENTS**


**HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Permits may be required for discharge containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

**WARRANTY**

Seller's guarantee shall be limited to the terms of the label, and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.



**NET WEIGHT:**

10933-18

**7618**

A SPECIALIZED FORMULATION OF ORGANIC SCALE AND CORROSION INHIBITORS CONTAINING A MICROBIOCIDAL FOR USE IN CONTROLLING ALGAE, BACTERIA, AND FUNGI IN COMMERCIAL AND INDUSTRIAL RECIRCULATING WATER COOLING TOWERS AND INDUSTRIAL AIRWASHING SYSTEMS. THIS PRODUCT IS SPECIFICALLY DESIGNED AS A COMPLETE ALL-IN-ONE LIQUID TREATMENT PROGRAM.

**ACTIVE INGREDIENTS:**

Poly (oxyethylene (dimethyliminio) ethylene-(dimethyliminio) ethylene dichloride] ..... 5%

**INERT INGREDIENTS:** ..... 95%

This product contains 0.43 lbs. of active ingredient per gallon and weighs 8.71 lbs. per gallon.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

If Swallowed - Rinse mouth with copious amounts of water then drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention.

If In Eyes - Flush with plenty of water for 15 minutes. Get medical attention.

If On Skin - Wash with plenty of soap and water. Get medical attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

7618 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 12 to 30 fluid ounces of 7618 per 1000 gallons of water to provide a concentration of 96 to 240 parts per million of 7618, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 13 to 30 fluid ounces of 7618 per 1000 gallons of water (24 to 240 parts per million of 7618) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

**CONTINUOUS FEED METHOD**

**INITIAL DOSE:** When the system is noticeably fouled, apply 12 to 30 fluid ounces of 7618 per 1000 gallons of water in the system.

**SUBSEQUENT DOSE:** When microbial control is evident, add 3.0 to 30 fluid ounces of 7618 per 1000 gallons of water in the system per day.

7618 is used to control bacteria in industrial washing systems that maintain effective circulating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 44.4 fluid ounces of 7618 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 74.1 fluid ounces of 7618 per 1000 gallons of water should be employed each 1 to 5 days as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made in the sump or to the water collection trays of the wash system.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed with storage or disposal.

**STORAGE:** Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal or should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep containers closed when not in use.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of in a sanitary landfill, or at an approved waste disposal facility.

**CONTAINER DISPOSAL:**  
**PLASTIC:** Triple-rinse (or equivalent). Then for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**METAL:** Triple rinse (or equivalent). Then for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other means approved by state and local authorities.

9/11/90

Label