

PM 32  
10932-19

9/23/96 113

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (75-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.  
10932-19

DATE OF ISSUANCE  
SEP 23 1996

TERM OF ISSUANCE  
Conditional

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT  
7619

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Aqua-Serv Engineers, Inc.  
13560 Colombard Court  
Fontana, CA 92337

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Change the label by revising the EPA Registration Number to read, "EPA Registration No. 10932-19".
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL


DATE

-2-

A stamped copy of the label is enclosed for your records.

If you have any questions about these comments, please call LaVerne Dobbins at (703) 305-7064.

Sincerely yours



Walter C. Francis  
Acting Product Manager (32)  
Antimicrobial Program Branch  
Registration Division (7505C)

**ACCEPTED**

SEP 23 1996

Under The Federal Insecticide, Fungicide and  
Rodenticide Act, as amended, for the  
pesticide registered under  
EPA Reg. No. 10932-19



**aqua-serv engineers, inc.**

13560 Colombar Court, Fontana, CA 92337 • (909) 861-9936  
EPA EST. NO. 10932-CA-1 EPA REG. NO. 10932

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**WARRANTY**

Seller's guarantee shall be limited to the terms of the label, and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

**NET CONTENTS:**

**7619**

A SPECIALIZED FORMULATION OF ORGANIC SCALE AND CORROSION INHIBITORS CONTAINING A MICROBIOCIDAL FOR USE IN CONTROLLING ALGAE, AND BACTERIA IN COMMERCIAL AND INDUSTRIAL RECIRCULATING WATER COOLING TOWERS AND INDUSTRIAL AIRWASHING SYSTEMS. THIS PRODUCT IS SPECIFICALLY DESIGNED AS A COMPLETE ALL-ONE LIQUID TREATMENT PROGRAM.

**ACTIVE INGREDIENT:**

Poly [oxyethylene (dimethyliminio) ethylene-(dimethyliminio) ethylene dichloride] .....15%

**INERT INGREDIENT :** .....85%

This product contains 1.43 lbs. of active ingredient per gallon and weighs 9.62 lbs. per gallon.


**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

- If Swallowed - Rinse mouth with copious amounts of water then drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention.
- If In Eyes - Flush with plenty of water for 15 minutes. Get medical attention.
- If On Skin - Wash with plenty of soap and water. Get medical attention if irritation persists

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

7619 is used to control scale, corrosion, algae, and bacteria in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 4 to 10 fluid ounces of 7619 per 1000 gallons of water to provide a concentration of 32 to 80 parts per million of 7619, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.0 to 10.0 fluid ounces of 7619 per 1000 gallons of water (8 to 80 parts per million of 7619) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

**CONTINUOUS FEED METHOD**

- INITIAL DOSE:** When the system is noticeably fouled, apply 4 to 10 fluid ounces of 7619 per 1000 gallons of water used in the system.
- SUBSEQUENT DOSE:** When microbial control is evident, add 1.0 to 10.0 fluid ounces of 7619 per 1000 gallons of water used in the system per day.

7619 is...  
teria in...  
effective...  
use, sys...  
rial slime...  
14.8 to 2...  
of water...  
until con...  
of 10.1...  
lons of...  
days, o...  
depends...  
severity...  
may be...  
tion tray

Do not...  
age or c...

**STORA**...  
high. L...  
placed...  
should b...  
posed o...  
closed v...

**PESTIC**...  
the use...  
or at an...

**CONTA**...  
PLASTI...  
for recy...  
dispose...  
or, if al...  
burning

**METAL**...  
for recy...  
dispose...  
dures a...