



UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
ED UNDER 15.

NET WEIGHT 24 LBS.

4 Bandini PRE-PLANT WEEDILIZER

a fertilizer with weed & insect control

FOR DICHONDRA & GROUND COVER
DO NOT USE FOR GRASS LAWNS

GUARANTEED PESTICIDE ANALYSIS

ACTIVE INGREDIENTS	
CARBARYL (1-NAPHTHYL-N-METHYL-CARBAMATE)	1.15%
DIPHENAMID (N,N-DIMETHYL-2,2-DIPHENYLACETAMIDE)	2.30%
INERT INGREDIENTS	
FERTILIZER 21-6-6	96.55%

GUARANTEED FERTILIZER ANALYSIS

ORGANIC NITROGEN (DERIVED FROM UREA AND UREA FORMALDEHYDE)	8.60%
SOLUBLE NITROGEN (WATER SOLUBLE NITROGEN)	6.00%
AMMONIC NITROGEN (DERIVED FROM AMMONIUM PHOSPHATE)	2.40%
TOTAL NITROGEN	21.00%
PHOSPHORIC ACID (AVAILABLE) (DERIVED FROM AMMONIUM PHOSPHATE)	6.00%
POTASH (WATER SOLUBLE) (DERIVED FROM MURIATE POTASH)	6.00%
CALCIUM (DERIVED FROM GYPSUM)	1.00%
SULFUR (COMBINED) (DERIVED FROM GYPSUM)	1.50%
IRON (EXPRESSED AS ELEMENTAL)	1.00%
MANGANESE (EXPRESSED AS ELEMENTAL)	0.10%
ZINC (EXPRESSED AS ELEMENTAL)	0.10%

*DERIVED FROM SPECIALLY PROCESSED NATURAL MINERALS CONTAINING A MIXTURE WHICH GRADUALLY BECOMES SOLUBLE UPON EXPOSURE TO AIR AND WATER

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS

HARMFUL IF INHALED OR SWALLOWED
AVOID UNNECESSARY SKIN CONTACT
WASH HANDS THOROUGHLY BEFORE EATING
IF SWALLOWED INDUCE VOMITING AND CALL PHYSICIAN IMMEDIATELY
CARBARYL IS A MODERATE REVERSIBLE CHOLINESTERASE INHIBITOR ATROPINE IS ANTIDOTAL
DO NOT CONTAMINATE FEED AND FOODSTUFFS LAWN CLIPPINGS AFTER APPLICATION SHOULD NOT BE FED TO LIVESTOCK OR POULTRY
DO NOT USE ON BLADE GRASS LAWNS OR ON EDIBLE CROPS
CONTAINER DISPOSAL DO NOT REUSE EMPTY CONTAINER Destroy it by burying with waste or burning Stay away from smoke or fumes

THIS PRODUCT IS DESIGNED AS A PRE-PLANT TREATMENT PRIOR TO PLANTING DICHONDRA LAWNS FROM SEED OR PLUGS AND AS AN EXCELLENT PRE-PLANT TREATMENT FOR GROUND COVER BEDDING PLANTS AND SHRUB AREAS IT CAN ALSO BE USED ON ESTABLISHED DICHONDRA LAWNS FOR CONTROLLING THE FOLLOWING WEEDS

CRABGRASS	FIELD RAST	HERMIDA GRASS	RYEGRASS
BARNYARD GRASS	WICKWEED (M.M.)	WATERBURY	PERU GRASS
STYPA GRASS	FLORIDA SPURGE	RED SPURGE	MEDIUM BLUEGRASS
FOXTAIL	FIELD PEPPERGRASS	HEAT	POWDER
PURSLANE	LAMBSQUARTER	CORN CIGAR	CROWFOOT GRASS
GERMAN WIGGS	LARGE WEEF	MARSH WEEF	CHICKWEED MOUSE EAR
WITCHAMERE	SPRING WEEF	SPRING WEEF	EVENING POMPINE
SANDWICH	ANNUAL SEDGE	RED W. (C.C.)	HEMPSTOCK
W. PANICUM	FALL PANICUM	DIRY AMARANTH	

THIS PRODUCT PREVENTS MANY BUT NOT ALL WEEDS THUS LESSENING THE PROBLEMS OF WEEDS IN NEW DICHONDRA AND GROUND COVER AREAS

THE INSECTICIDE IN THIS PRODUCT IS DESIGNED TO PREVENT THE HEAVY INFESTATION AND AID IN THE CONTROL OF

LAWN MOTHS LARVAE	FLYING
ARMY WORMS	FLEAS
LEAF HOPPERS	ANTS


INSTRUCTIONS FOR USE: (DO NOT USE ON BLADE GRASS LAWNS)



Bandini

4 PRE-PLANT WEEDILIZER

a fertilizer with weed & insect control
for dichondra & ground cover



\$10.95

24 lbs. covers 2500 sq. ft.

PHOSPHORIC ACID (AVAILABLE DERIVED FROM AMMONIUM PHOSPHATE) 6.00%
 POTASH (WATER SOLUBLE) (DERIVED FROM MURIATE POTASH) 6.00%
 CALCIUM (DERIVED FROM GYPSUM) 1.00%
 *SULFUR (COMBINED) (DERIVED FROM GYPSUM) 1.50%
 *IRON (EXPRESSED AS ELEMENTAL) 1.00%
 *MANGANESE (EXPRESSED AS ELEMENTAL) 0.10%
 *ZINC (EXPRESSED AS ELEMENTAL) 0.10%
 *DERIVED FROM SPECIALLY PROCESSED NATURAL MINERALS CONTAINING A MIXTURE WHICH GRADUALLY BECOMES SOLUBLE UPON EXPOSURE TO AIR AND WATER.

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS

HARMFUL IF INHALED OR SWALLOWED
 AVOID UNNECESSARY SKIN CONTACT
 WASH HANDS THOROUGHLY BEFORE EATING
 IF SWALLOWED INDUCE VOMITING AND CALL PHYSICIAN IMMEDIATELY
 CARBARYL IS A MODERATE, REVERSIBLE, CHOLINESTERASE INHIBITOR. ATROPINE IS ANTIDOTAL
 DO NOT CONTAMINATE FEED AND FOODSTUFFS. LAWN CLIPPINGS AFTER APPLICATION, SHOULD NOT BE FED TO LIVESTOCK OR POULTRY
 DO NOT USE ON BLADE GRASS LAWNS OR ON EDIBLE CROPS
 CONTAINER DISPOSAL: DO NOT REUSE EMPTY CONTAINER. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

THIS PRODUCT IS DESIGNED AS A PRE-PLANT TREATMENT PRIOR TO PLANTING DICHONDRA LAWNS FROM SEED OR PLUGS AND AS AN EXCELLENT PRE-PLANT TREATMENT FOR GROUND COVER, BEDDING PLANTS AND SHRUB AREAS. IT CAN ALSO BE USED ON ESTABLISHED DICHONDRA LAWNS FOR CONTROLLING THE FOLLOWING WEEDS:

CRABGRASS	BLUEGRASS	HERN DO GRASS	RYEGRASS
BARNYARD GRASS	CHICKWEED (COMMON)	WATERGRASS	GOOSEGRASS
STINKGRASS	FLORIDA PARSLEY	RED TOPPELL	ANNUAL BLUEGRASS
FOXTAIL	FIELD PEPPERGRASS	HEAT	PIGWEED
PURSLANE	LAMBS QUARTER	CORN SPURR	CROWFOOT GRASS
GERMAN MOSS	CAPRETWEED	SMARTWEED	CHICKWEED (MOUSE EAR)
KNOTWEED	GROUNDSEL	JOHNSONGRASS	EVENING PRIMROSE
SANDBUR	ANNUAL SEDGE	FROM-SEED	SHEPHERD'S PURSE
WITCHGRASS	FALL PANICUM	SPINY AMARANTH	

THIS PRODUCT PREVENTS MANY, BUT NOT ALL WEEDS, THUS LESSENING THE PROBLEMS OF WEEDS IN NEW DICHONDRA AND GROUND COVER AREAS.

THE INSECTICIDE IN THIS PRODUCT IS DESIGNED TO PREVENT THE HEAVY INFESTATION AND AID IN THE CONTROL OF:

- LAWN MOTH LARVAE
- ARMY WORMS
- LEAF HOPPERS
- FLYING BEETLES
- ANTS

INSTRUCTIONS FOR USE: (DO NOT USE ON BLADE GRASS LAWNS)

READ AND FOLLOW ALL DIRECTIONS CAREFULLY

USE AS PRE-PLANT TREATMENT FOR DICHONDRA LAWNS: PREPARE SOIL, ROLL AND LEVEL. APPLY THIS PRODUCT WITH A FERTILIZER SPREADER EVENLY OVER 2500 SQ. FT. SOW SEED AND COVER WITH A RECOMMENDED TOP DRESSING AND WATER AS ANY NEWLY SEEDED LAWN.

PRE-PLANT TREATMENT FOR GROUND COVER, BEDDING PLANTS AND SHRUB AREAS: (DO NOT USE WHERE PLANTS ARE TO BE GROWN FROM SEED.) FIRST REMOVE ALL GROWING WEEDS, PREPARE SOIL, SET OUT NEW PLANTS THEN APPLY THIS PRODUCT TO ALL SOIL AREAS. USE APPROXIMATELY 1 LB. TO 100 SQ. FT. (1 LB. COFFEE CAN HOLDS ABOUT 1 LB. OF THIS MATERIAL). NOTE: DO NOT USE ON AJUGA OR ANY ORNAMENTAL GRASS, SUCH AS FESTUCA GLAUCA.

USE ON ESTABLISHED DICHONDRA LAWNS: APPLY WITH FERTILIZER SPREADER EVENLY OVER 2500 SQ. FT. SOIL SHOULD BE MOIST BUT FOLIAGE DRY. AFTER APPLYING, WASH ALL MATERIAL OFF THE FOLIAGE AND INTO THE SOIL. THEN WATER THOROUGHLY.

APPROXIMATE SPREADER SETTINGS


IF YOU WALK SLOWER THAN NORMAL USE A HALF NUMBER SMALLER. IF YOU WALK FASTER THAN NORMAL USE A HALF NUMBER LARGER.

BANDINI	5	SCOTT MODEL 35	6	CYCLONE	5
---------	---	----------------	---	---------	---

PLEASE CHECK WITH YOUR DEALER FOR THE PROPER SETTING OF OTHER SPREADERS. MAY BE APPLIED WITH BROADCAST TYPE SPREADER

CAUTION: ALWAYS SHUT SPREADER OFF WHEN FILLING, MAKING SHARP TURNS, OR STOPPING. AVOID SPILLING

PRODUCT OF BANDINI FERTILIZER COMPANY LOS ANGELES, CALIFORNIA 90023, U.S.A.



4

PRE-PLANT WEEDILIZER 21-6-6

a fertilizer with weed & insect control
for dichondra & ground cover

ACTIVE INGREDIENTS:	
Carbaryl (1-Naphthyl N-Methylcarbamate)	1.15%
Diphenamid (N, N-Dimethyl-2, 2-Diphenylacetamide)	2.30%
INERT INGREDIENTS:	96.55%
CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS. See back panel for additional precautions, information and fertilizer analysis.	

\$10.95

24 lbs. covers 2500 sq. ft.

E. P. A. REG. NO. 10942-4

GUARANTEED FERTILIZER ANALYSIS

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS

Pre-Plant Weedilizer is a fertilizer with weed and insect control for dichondra and ground cover. It contains Carbaryl (1-Naphthyl N-Methylcarbamate) and Diphenamid (N, N-Dimethyl-2, 2-Diphenylacetamide). It is a pre-plant application and should be applied to the soil before the lawn is established. It is not for use on blade grass lawns. For more information, see the back panel.

INSTRUCTIONS FOR USE (DO NOT USE ON BLADE GRASS LAWNS)

Pre-Plant Weedilizer is a fertilizer with weed and insect control for dichondra and ground cover. It is a pre-plant application and should be applied to the soil before the lawn is established. It is not for use on blade grass lawns. For more information, see the back panel.

APPROXIMATE SPREADER SETTINGS

For more information, see the back panel.