

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION 10951-3	DATE OF ISSUANCE APR 29 1987
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Botran 6 Dust	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

193882 / 161 / 18

Britz Fertilizers, Inc.
 P.O. Box 366
 Five Points, CA 93624

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/data all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. All the panels: "EPA registration no. 10951-3."
 - b. On the front panel, delete "All rights reserved. No part of this label can be reproduced in any form or by any means, without the permission in writing from Britz Fertilizers, Inc."
 - c. In the reentry statement, change "DANGER" to "CAUTION."
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
--	-------------

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Lois A. Rossi
Acting Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

BEST AVAILABLE COPY

BRITZ

BOTRAN® 6 DUST

Active Ingredients:	
2,6 - Dichloro-4-nitroaniline*	6.0%
Inert Ingredients:	<u>94.0%</u>
Total	100.0%

© Registered Trademark of NOR-AM Chemical Company. * U.S. Pat. 3, 119, 736

E.P.A. Reg. No.
E.P.A. Est. No.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT
In case of eye contact, flush eyes immediately with plenty of water. Get medical attention.

HAZARD TO HUMANS & DOMESTIC ANIMALS
Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARD
This pesticide is toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water. Do not apply when weather conditions favor drift or runoff from target area.

All rights reserved. No part of this label can be reproduced in any form or by any means, without the permission in writing from Britz Fertilizers, Inc.

MANUFACTURED BY

Britz Fertilizers, Inc.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

P.O. Box 366 FIVE POINTS, CA 93624
(209) 884-2421

APR 29 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
10951-3

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warning shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:

"DANGER" Area to be treated with Botran on (date of application). Do not enter without appropriate protective clothing until dusts have settled. If accidentally exposed, consult the Statement of Practical Treatment portion of this pesticide label for first aid and medical attention recommendations.

STORAGE AND DISPOSAL


Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



9/

RECOMMENDATIONS FOR USE

NECTARINE, PEACHES:

For the control of brown rot blossom blight (*Monilinia*) apply 60 lbs. per acre at pink bud and full bloom. For the control of brown rot fruit decay (*Monilinia*) apply 60 lbs. per acre. Apply 18, 10 and 1 day before harvest. For the control of brown rot (rhizopus rot) using 60 lbs. per acre applied one day before harvest. Do not apply later than one day before harvest. Do not allow animals to graze treated areas.

SWEET CHERRY:

For the control of brown rot blossom blight (*Monilinia*) apply 50 lbs. per acre. Apply at popcorn, bloom, full bloom and petal fall. For the control of fruit decay (*Monilinia*) and rhizopus fruit rot apply 50 lbs. per acre. Apply 10 days and 1 day prior to harvest. Do not apply later than one day before harvest. Do not allow animals to graze treated areas.

GRAPES:

For the control of Botrytis Bunch and Storage Rots apply 30 lbs. per acre. Begin application while clusters are still loose and repeat application at two week intervals. Do not apply later than one day before harvest.

TOMATOES (Greenhouse):

For the control of stem canker (*botrytis*) apply 30 lbs. per acre. Dust stem of plant from ground up to a height of 18 to 24 inches. Repeat weekly as necessary.

ONIONS, GARLIC (Not for use in North Central States) :

For the control of white rot (*sclerotium*) apply 250-400 lbs. per acre. For direct seeding use mix into top 1.5 inches of soil one to two weeks before onions are seed, for planting sets or buds apply broadcast and into top 1.5 inches, or apply same rate / 43,560 linear feet of furrow to soil around sets or buds. Do not plant spinach as a follow-up crop on treated soil. When lettuce is to be planted as a follow-up crop, plow soil to 8 inches and cross disk the area prior to seeding.

LETTUCE (Leaf, Greenhouse Only):

For the control of blight (*botrytis rot*) apply 30 lbs. per acre. Apply 7 days after transplanting. Repeat when plants are half mature. Do not apply to wilted plants or seedlings. Do not apply later than 14 days before harvest.

LETTUCE (Head, Field):

For the control of Botrytis rot, Sclerotinia wilt, apply 33.3 lbs. per acre. Apply at thinning, repeat seven to ten days later. Do not apply within 14 days of harvest.

3/25/87

