<u> </u>		
US ENVIRONMEN AL A. J. ECTION AGENCY OFFICE OF PE ICIDES PROGRAMS REGISTRA DIVISION (15-767) WASI JN. DC 20460	EPA REGISTRATI	DATE OF ISSUANCE
	10951-4	MAY 1 1987
	TERM OF ISSUANCE	bitzi.
NOTICE OF PESTICIDE: REGISTRATION	HAME OF PESTICIDE PRODU	ic†
L REREGISTRATION	Potran 6-25 Du	st
(Under the Federal Insecticide, Furgicide, and Rodenticide Act, as amended)		160
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	1	12
INME AND ADDRESS OF REGISTRANT (Metade 217 Code)	1849	161
Britz Fertilizers, Inc.		, , , ,
P.O. Rox 366		881 HO
Five Points, CA 93624	193	1
L	L	
NOTE: Changes in labeling formula differing in substance submitted to and accepted by the Registration Division propoduct always refer to the above U.S. EPA legistration numbers.	or to use of the label in commer	
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is here	by Registered/Reregistered under
A copy of the labeling accepted in connection with this Re	egistration/Reregistration is re-	turned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion		
icide in accordance with the Act. The acceptance of any nation Act is not to be construed as giving the registrant a right to by others.		_
"his product is conditionally a section 3(c)(7)(7) encylded that we		new with 131m2
1. Smbmit/cite all data requir	ed for registration/	reconistration
of your product under FIFFA section		
registrants of similar products to s		,
2. Make the labeling changes I for chipment:	isted below tefornly	ou release the product
a. add the phrace "opt Tee	distration No. 109:1-	4,"
F. Craye front ranel, del	ore "2"1 rights room	which the roles of
this label can be repre	rous assistence Muced in any form or	by any meant
without the permission		
c. In the reentry statemen	at, change "PANGIR" t	c "nyn:Hic•"
3. Submit five (5) copies of y	your final printed la	leline before vou
release the product for stipment. Rescription of final printer labeling	ofer to the 1-79 ero	
	BEST AVAILABL	E COPY
	1	.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Lois A. Rossi Acting Product Manager (21) Fungicide-Herbicide Branch Registration Division (TS-767C)

anclosures



BRITZ

ACCEPTED
with COMMENTS
by EPA Letter Dated:

uctin

BOTRAN® SULFUR 6-25 DUST

Active Ingredients:

2,6 - Dichloro-4-nitroaniline*

Sulfur

Inert Ingredients:

Total

6.0%

25.0%

69.0%

100.0%

© Registered Trademark of NOR-AM Chemical Company. *U.S. Pat 3, 119, 736 E.P.A. Est. No.

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, flush eyes immediately with plenty of water. Get medical attention, in case of skin contact, remove contaminated clothing and wash skin with soap and water.

HAZARD TO HUMANS & DOMESTIC ANIMALS

Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid inhalation of dust. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Use with care when applying in areas adjacent to any body of water. Keep out of lakes, ponds and streams. Do not apply when weather conditions favor drift or runoff from target area.

"All rights reserved. No part of this label can be reproduced in any form or by any means, without the permission in writing from Britz Fertilizers, Inc.

MANUFACTURED BY

Britz Fertilizers, Inc.

P.O. Box 366 FIVE POINTS, CA 93624 (209) 884-2421

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REENTRY STATEMENT

Do not apply this product in such a manner as to directly or though drift expose workers or other persons. The area being treated must be acated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Because certain states may require more restrictive reentry intervals for various crops treated with this product., consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected tot be in a treated area or in an area about to be treated with this product. When oral warnings & e given, warning shall be given in a language customarily under stood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:

"DANGER" Area to to be treated with Botran on (date of application). Do not enter without appropriate protective clothing until dusts have settled. If accidentally exposed, consult the Statement of Practical Treatment portion of this pesticide label for first aid and medical attention recommendations.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RECOMMENDATIONS FOR USE

USE PRECAUTIONS:

Do not apply to sulfur-sensitive crops or varieties. Do not apply during periods of extreme heat.

PEACHES, NECTARINE:

For the control of Blossom blight (Monilinia), apply 60 lbs. per acre at pink bud and full bloom. For the control of Fruit decay (Monilinia) Brown rot and Rhizopus fruit rot apply 60 lbs. per acre. Apply 18, 10 and 1 day prior to harvest. Allow one day between application and harvest.

SWEET CHERRY:

For the control of Blossom blight (Monilinia) apply 50 lbs. per acre. Apply at popcorn, bloom, full bloom and petal fall.

For the control of Fruit decay (Monilinia) and Rhizopus fruit rot apply 50 lbs. per acre. Apply 10 days and 1 day prior to harvest.

GRAPES:

For the control of *Botrytis* rot, Powdery mildew, apply 30 !bs. per acre. Begin application while clusters are still loose and repeat application at two week intervals. Allow one day between application and harvest. Caution: Concord and other labrusca type grapes may be injured by sulfur.

3:25 67