• Pn: 12	10151-5	PH 12
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.  10951-5  TERM OF ISSUANCE	DATE OF ISSUANCE
NOTICE OF PESTICIDE: REGISTRATION  (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUC	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Britz Fertilizers, Inc.	¬ \$	399987 161
P.O. Lox 366 Five Points, CA 93624		18
L	Т	
NGTE: Changes in labeling formula differing in substance from submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration numbers.	to use of the label in commerc	with this registration must be e. In any correspondence on this
On the basis of information furnished by the registrant, the a the Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereb	y Registered/Reregistered under
A copy of the labeling accepted in connection with this Reg	istration/Reregistration is retu	irned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any named Act is not to be construed as giving the registrant a right to by others.	, may at any time suspend or cone in connection with the regis	ancel the registration of a pest- tration of a product under this
This product is constitutedly from 3(c)(7)( ) provided that you:	rotefog in leder kade	r with furious resting i
<ol> <li>! Submit/cit - all data or other reregistration of your product and r b then the Araboy regulars all registration. data.</li> </ol>	1/26 Section 3(c)(5)	Que la constanta de la constan
2. Take the labeling changes lis for shipment:	ted below perone you	release the product
a. Add the phrase "LFA Regis	tration 40. 10951-5.	•
b. The Agency's definition o to include "areas where s intertidal areas below th your present label statem	urrace water is press e mean high water man	ant or to
	y to water or wetlund marshes and potholes	
ATTACHMENT IS APPLICABLE BEST	AVAILABLE C	OPY

SIGNATURE OF APPROVING OFFICIAL

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

must be revised to read as follows:

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

- c. Either delete the heading, "Small grains" or remove the crops corn, rice and sorghum from this grouping and place them elsewhere on your label.
- d. The terms "ACTIVE INGREDIENTS" and "INERT INGREDIENTS" must be aligned to the same margin in your ingredient statement.
- e. Delete the following crops and uses: squash, melons, barley, rye, and all indoor uses (in buildings and agricultural premises). Refer to the enclosed copy of the March 18, 1991 Federal Register notice which announced that these crops and uses were not being supported for the reregistration of malathion.
- 3. Submit the 1-year storage stability data within 15 months from the date of this Registration notice.
- 4. Submit five (5' copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the labil is enclosed for your records.

Sincerely yours,

Robert A. Forrest Product Manager (14) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

## BEST AVAILABLE COPY

EC

## Britz BRAND MALATHION 8

# CONTAINS 8 POUNDS MALATHION PER GALLON ACTIVE INGREDIENTS:

Malathion (O.O-dimethyl dithisophosphate of diethyl mercaptosuccinate)	83%
INERT INGREDIENTS	17 %
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN

#### CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SYALLOYED: Cail a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF CM SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

IF INMALED: Remove victim to fresh air.

NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

See Side Panel For Additional Precautionary Statements

## Britz Fertilizers. Inc.

P.O. Box 366
Five Points, CA 93624-0366
E.P.A. Est. No. 10951-CA-5

E.P.A. Est. No. 10951-CA-5 CALIF, REG. NO. 10951-50006-AA 10 951 - 5 RECOMMENDATIONS 13

ALFALFA: Alfalfa Veevil larvae, Aphids, Armyvorms, Grasshoppers, Lygus Bogs, Spider Mites - Use 1 to 1 1/4 pints per acre. Can be used same day as harvest.

CONTON: Aphids, Lygus Bugs, Thrips - Use 1 to 1 1/2 pints per acre.

BEAMS: Aphids, Cucumber Beetles, Spider Mites, Lygus Bugs - Use 1 1/2 pints per acre. DO NOT apply within 1 day of barvest.

CUCUMER SCIASH, MELCAS: Aphids, Cucumber Beetle, Cutworms, Hoppers, Thrips - Use 1 3/4 pints per acre. DO NOT apply within 3 days of barvest.

LETTUCE: Aphids, Cabbage Looper, Leafhoppers - Use 2 pints per acre. DO NOT apply within 14 days of barvest on leaf lettuce, and 7 days of barvest on head lettuce.

SAFFLOWER: Aphids, Lygus Bugs, Grasshoppers - Use 1 1/4 pints per acre. DO NOT apply within 3 days of barvest.

TOWATOES: Aphids, Spider Mites - Use 1/4 pint per acre. DO NOT apply within 1 day of barvest.

SMALL GRAINS: (Barley, Corn, Rice, Rye, Sorghum & Vheat):
Aphids, Armyworms-Use 1 1/4 pints per acre. DO NOT apply within
7 days of barvest.

#### **FLY CONTROL**

Use at the rate of 1 gallon in 80 gallons of water and apply at the rate of 1 gallon of spray per 1,000 square feet on painted surfaces and 2 gallons per 1,000 square feet on unpainted surfaces in and around buildings which house domestic animals, around yards, and around homes. Repeat as necessary. For Bait Spray, add 1 gallon unsulfurized mollasses or corn syrup or 10 pounds of sugar to the above mixture. If fly population is severe, use at the rate of 1 1/2 gallons and 20 pounds of sugar in 80 gallons of water. Avoid contamination of food, utensils, milk, milk equipment and water. Do that use on white-washed surfaces until 14 days after white-ash application. For greater effectiveness in fly control in and around buildings which house domestic animals, and other agricultural premises, the fly breeding sites such as manure and other waste materials should be eliminated. Do NOT USE in dwellings. Remove animals from buildings and around yards and homes before spraying.

YAPPANTY: Selier makes no varranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and bandling of this material when such use and handling is contrary to label instructions.

RIGHT SIDE

BEST AVAILABLE COPY

#### PRECAUTIONARY STATEMENTS

### HAZARD TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if svalloved, inhaled or absorbed through the skin. Do not breathe spray mist or vapor. Use with adequate ventilation. Do not get on skin; wash with soap and water after using and before eating or smoking. Wash clothes before re-use. Do not contaminate feed or foodstuffs. Keep out of reach of children and dimestic animals. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARDS
This product is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or vetlands (i.e., swamps, bogs, marshes and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate vater when disposing of equipment washraters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds if bees are visiting the treatment area.

PANSICAL OR CHEMICAL HAZARDS

Combustible liquid and vapor. Keep away from heat, sparks and open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistant with its labeling.

#### RE-DUTRY STAIDWENT

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive resentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral varnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral varnings are given, varnings shall be given in a language customarily understood by workers. Oral varnings must be given if there is reason to believe that written varnings cannot be understood by workers. Oral and written varnings must include the following information: "CAUTICM. Area treated with Malathion on (Date of Application). Do not enter without appropriate protective clothing until sprays have dried. In case of accidental exposure, see Statement of Practical Treatment."

#### STORAGE AND DISPOSAL

Pesticide Storage Do not store below 0°F. (-15°C).

Do not use or store near heat, open flame or not surfaces. Keep out of reach of children and animats. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pasticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills,

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial day, if dry meterial, cover to prevent dispersal. Place damaged package in a holding container, Identify contents,

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law, if these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Continuer Disposal

Triple inse (or equivalent). Then offer for recycling or reconditioning, or purcture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers.

USE DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOW-ING GALLONS OF WATER PER ACRE UNLESS OTHERWISE NOTED:

BY GROUND: Use 20-50 gallons of water per acre.

BY AIR: Use 5-10 gallons of water per acre.

Malathion Solution RQ NA2783

ORM-A

"Britz for Results"

Net Contents.

BEST AVAILABLE COPY

LEFT SIDE