

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Britz Fertilizers, Inc.
P.O. Box 360
Five Points, CA 93024

S385411

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/create all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 10951-6."
- b. Delete the words "such as" under the stored grain use directions.
- c. Change "CAUTION" to "WARNING" on the left side of the label.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Maurice A. Mautz

DATE

1/25/91

-2-

3. Correct the maximum application rates for beans and cotton to read as follows in order to be consistent with the product labeling referenced in support of your application:

Beans - 2 pt
Cotton - 4 pt

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

4. Submit your 1-year storage stability data within 15 months from the date of this Registration Notice.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Marilyn A. Mautz
Acting Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

Britz BRAND
THE PREMIUM GRADE
MALATHION EM 5
CONTAINS 5 POUNDS
MALATHION PER GALLON

ACTIVE INGREDIENTS:

Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate) 55.9%

INERT INGREDIENTS* 44.1%

TOTAL 100.0%

* Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

WARNING!/AVISO!

PRECAUCION AL USARIO:

Si usted no lee ingles, no use este producto hasta que la etiqueta le hayo sido explicada ampliamente.

See side panels for Precautionary Statements.

Britz Fertilizers, Inc.

P.O. Box 366
Five Points, CA 93624-0366

E.P.A. Est. No. 10951-C-5
CALIF. REG. NO. 10951-50006-AA

Net Contents

ACCEPTED
with COMMENTS
in EPA Labeling

JAN 29 1971

RIGHT SIDE

10951-6

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOWING GALLONS OF WATER PER ACRE UNLESS OTHERWISE NOTED:

GROUND APPLICATION - vegetable and field crops - 30 to 250 gallons of water per acre. Cotton - 20 gallons of water per acre.

Where recommended for AIR APPLICATION - Field Crops 5 to 10 gallons of water per acre.

RECOMMENDATIONS

ALFALFA. Grasshoppers, aphids, lygus bug, alfalfa weevil larvae - use 1 1/2 pints per acre. Can be used same day as harvest or cutting.

SEED ALFALFA. Aphids, lygus bug - use 1 1/2 to 2 pints per acre. Apply to plants in bloom in the evening or early morning when bees are not working in the field or are not hanging on the outside of hives.

BEANS. Aphids, cucumber beetles, yucca bugs - use 1 1/2 to 2 1/2 pints per acre, up to 1 day before harvest.

COTTON. Aphids, thrips, lygus bugs, leaf worm - use 1 1/2 to 5 pints per acre.

CUCUMBER, SQUASH, MELONS. Aphids - use 1 1/2 to 2 1/3 pints per acre. Do not apply within one day of harvest.

TOMATOES. Aphids - use 1 pint per acre. Mites - use 1 1/2 pints per acre. Armyworms, fruit worms (California) - use 2 3/4 quarts per acre up to 3 days before harvest.

GRAIN SORGHUM: For greenbug control use 1 1/2 pints per acre up to 7 days before harvest.

STORED GRAIN: For the protection of stored grain such as wheat, barley, grain sorghum, apply 1 pint in 2 to 5 gallons water per 1000 bushels. Apply as grain is being loaded or turned into final storage. For a residual wall and floor spray, use 1 gallon in 25 gallons water making thorough application. Before applying, clean premises. Remove and burn all debris.

WARRANTY. Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.

"Britz for Results"

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe spray mist or vapor. Use with adequate ventilation. Causes eye irritation. Do not get on skin. May be a skin sensitizer. Wash with soap and water after using and before eating or smoking. Wash clothes before re-use. Do not contaminate feed or foodstuffs. Keep out of reach of children and domestic animals. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the area.

PHYSICAL OR CHEMICAL HAZARDS

Flammable liquid and vapor. Keep away from heat, sparks, and open flame.

RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Oral and written warnings must include the following information: "CAUTION. Area treated with Malathion on (Date of Application). Do not enter without appropriate protective clothing until sprays have dried. In case of accidental exposure, see Statement of Practical Treatment."

STORAGE AND DISPOSAL

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Contain spills.

To contain spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Do not induce vomiting. Get medical attention.
- IF IN EYES: Immediately flush eyes and skin with plenty of water for at least 15 minutes. Call a physician.
- IF ON SKIN: Immediately wash with plenty of soap and water while removing contaminated clothing and shoes. Get medical attention.
- IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

Malathion Solution
RQ NA2783

ORM-A

LEFT SIDE