

PM21

10951-9

File 1:87



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

DEC 10 1993

Linda C. Watson
Pesticide Regulatory Services
Agent for: BRITZ FERTILIZERS, INC.
3703 Sedgefield Drive
Valdosta, GA 316026268

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 09/07/93 in Response to PR Notice 93-7
EPA Reg. No. 10951-9
BRITZ MAGIC SULPHUR DUST

IMPORTANT NOTICE: This Letter Requires You to Submit a Notification to the Office of Compliance Monitoring within 20 Days.

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments listed on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

SERIOUS ERROR(S) ON SUBMITTED LABELING:

EPA has determined that one or more of the errors on the labeling you submitted to the Agency is categorized as "serious" as defined in PR Notice 93-11. In general, serious errors are those that may create a potential for harm to workers, handlers, other persons, or the environment; or those that prevent the achievement of the basic goals of the Worker Protection Standard (WPS) or FIFRA.

YOU MUST NOT SELL OR DISTRIBUTE (INCLUDING RELEASE FOR SHIPMENT) ANY PRODUCT BEARING THE SUBMITTED LABELING. Sale or distribution of any product with the incorrect labeling is a violation of FIFRA that could result in initiation of an action for civil penalties and/or cancellation of your product. This matter has been referred to the Office of Compliance Monitoring (OCM) for further action.

YOU MUST SUBMIT A NOTIFICATION TO THE OFFICE OF COMPLIANCE MONITORING WITHIN 20 DAYS OF THE DATE OF THIS LETTER.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

1097

2 of 7

Each notification must include the following information:

1. Registrant 's name and address.
2. EPA Registration number of the product for which the labeling was submitted.
3. Whether any product already has been sold or distributed (this includes released for shipment) bearing the submitted labeling.

In addition, the notification must include the following information, IF you have already sold or distributed any product bearing the submitted labeling:

1. Quantity of the product that has been sold or distributed.
2. EPA Producing Establishment number.
3. Location of the product, if known.
4. Proposed plan for assuring that product with the incorrect labeling in your control, as well as that in the hands of dealers/distributors/users, will be corrected. The plan must include your proposal for assuring that the labeling is corrected as soon as possible.

Submit the notification to:

Michael Wood, Director
Compliance Division, (7203)
Worker Protection Notification
Office of Compliance Monitoring
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460

Failure to submit a notification also may result in initiation of an action under FIFRA for civil penalties, if you sold or distributed (this includes released for shipment) product bearing the incorrect labeling.

2

IN ADDITION, YOU SHOULD CONTACT IMMEDIATELY THE PERSONS TO WHOM YOU SOLD OR DISTRIBUTED YOUR PRODUCT AND INFORM THEM NOT TO SELL OR DISTRIBUTE ANY PRODUCT WITH THE INCORRECT LABELING.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the WPS labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have neither been reviewed nor accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Submit the required notification. Then by the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling as amended

AND

- WITHIN one year from date of this acceptance.


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

cc: Office of Compliance Monitoring

DEC 10 1993

5 of 7

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 10951-9

PROCAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Caution if swallowed, inhaled or absorbed through skin. May cause irritation of nose, throat, skin, eyes or clothing. Do not contaminate food or feed stuffs.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers other than mixers and loaders must wear long-sleeved shirt and long pants, waterproof gloves and shoes plus socks.

Mixers and loaders must wear long-sleeved shirt and long pants, waterproof gloves, shoes plus socks and protective eyewear.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL PRECAUTIONS

Mixers and loaders use closed system, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

USE PRECAUTIONS

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment wash waters.

PHYSICAL AND CHEMICAL HAZARDS

Dust suspended in air ignites easily. Keep away from heat, sparks and flame. Do not smoke while applying this product. SULFUR IS HEAVY OXIDIZING AND EQUIPMENT SHOULD BE CLEANED THOROUGHLY.

Britz MAGIC SULFUR DUST

Active ingredient: SULFUR 98%
 Inert ingredients: 2%
 100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

- See additional Precautionary Statements on side panel -

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: Wash thoroughly with soap and water. Get medical attention.

IF IN EYES: Wash eyes with plenty of clear water for at least 15 minutes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

REI required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls, waterproof gloves, and shoes plus socks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container only in cool, dry area out of reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on land or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in secondary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRODUCT INFORMATION

BRITZ MAGIC SULFUR DUST may be applied by ground or aerial application. For ground application recommendations, the necessary to apply to uniformly cover target area and/or soil surface. Consult your State Agricultural Experiment Station or Extension Specialist for advice in choosing treatments from this label list for local conditions.

USE PRECAUTIONS

EXCEPT ON COTTON, do not apply when temperatures exceed or are likely to exceed 90°F. When growing crops for processing, consult processor before applying sulfur. Do not use sulfur within 14 days of an oil spray (for citrus, 21 days). Do not combine with emulsifiable liquids.

NOTE: Sulfur and copper cause severe fruit and leaf injury to sulfur sensitive crops. Do not apply or use on sensitive crops, such as Apples, Apricots, Avocado, Citrus, Cranberries, Cucumbers (cucumbers, cantaloupes, melons and squash), Filberts, Spinach, Taro and Ornamental trees (e.g. Tulip), Walnuts or other sensitive plants, except as directed on this label. Sulfur may be harmful and burning periods of high temperatures and under certain climatic conditions.

DIRECTIONS

BRITZ MAGIC SULFUR DUST is prepared for use against certain pests and diseases of agricultural crops. Do not apply at temperatures during or within 3 days after application are expected to exceed 90°F in the area to be treated. Use the high rates and shorter reentry periods on trees when high disease pressure conditions or high insect population

EPA Reg. No. 100-1-9 EPA Reg. No. 10951-CA-5 S-1/9/92

Net Weight 50 pounds

Manufactured for
 Britz Fertilizers, Inc.
 P.O. Box 366, Five Points, CA
 93624-2421
 (209) 884-2421

5

6 of 7

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Inhalants are irritant, inhaled or absorbed through skin. May cause irritation of nose, throat, skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contact with clothing and wash before reuse. Do not contaminate food or feed stuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when wind or conditions favor drift from treated areas. Do not contaminate water when disposing of equipment wash waters.

PHYSICAL AND CHEMICAL HAZARDS: Sulfur dust suspended in air ignites easily. Keep away from heat, sparks and flame. Do not smoke while applying this product. **SULFUR DUST IS HIGHLY CORROSIVE AND EQUIPMENT SHOULD BE CLEANED THOROUGHLY.**

DIRECTIONS FOR USE

Read and follow Federal Law to use the product in a manner inconsistent with labeling.

RE-ENTRY STATEMENT

Do not enter treated area until at least 24 hours after the completion of application to the area unless wearing the protective clothing listed below. During early reentry into treated areas (less than 24 hours after the completion of application) to perform hard labor tasks, wear long pants, long sleeves, long sleeved shirt, shoes, socks, chemical/water resistant gloves, goggles or face shield.

Protective Clothing: During mixing, loading and application of this product, wear long pants (or overalls), long sleeved shirt, shoes, socks, chemical/water resistant gloves, goggles or face shield.

Do not apply this product in such a manner as to directly, or through drift, expose workers or other persons. The area being treated must be vacated by unprotected persons.

When area warnings must be given to workers who are expected to be in a treated area or in areas adjacent to be treated with this product. When area warnings are given, warnings must be given in a large, customary understood by workers. One warning must be given if dust is toxic to humans and when warnings cannot be understood by workers. When warnings must include the following information: **CAUTION—Area treated with Sulfur Dust** (or Data of Application). Do not enter without appropriate clothing for 24 hours after application. In case of accidental exposure, see the Statement of Practical Treatment on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store unused product in original container only in cool, dry area out of reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRODUCT INFORMATION

Britz MAGIC SULFUR DUST may be applied by ground or aerial application. For disease control on various nonfruiting plants, it is necessary to apply so as to uniformly cover both the upper and lower leaf surfaces. Consult your State Agricultural Experiment Station or Extension Specialist for advice in selecting treatments from this label best for local conditions.

USE PRECAUTIONS

EXCEPT ON COTTON, do not apply when temperatures are cool or are likely to exceed 90°F. When growing crops for processing, consult processor before applying sulfur. Do not use sulfur within 14 days of an et spray (for citrus, 21 days). Do not combine with ethionazole sprays.

NOTE: Sulfur will cause severe fruit and leaf injury to sulfur sensitive crops. Do not apply sulfur to watermelons, of Apples and Comice pears, Cranberries, Cucurbits (cucumbers, cantaloupes, melons and squash), Figs, Spinach, Turt and Ornamental trees (e.g. Tang), Watermelons or other sensitive plants, except as directed on this label. Sulfur may burn bludge and fruit during periods of high temperatures and under certain climatic conditions.

DIRECTIONS

BRITZ MAGIC SULFUR DUST is prepared for use against certain pests and diseases of crops as listed below. Do not apply if temperatures during or within 3 days after application are expected to exceed 90°F in the area to be treated. Use the high rate and shorter repeat application on intervals when high disease pressure conditions or high mite population

Britz MAGIC SULFUR DUST

Active Ingredient: SULFUR 98%
Inert Ingredients: 2%
100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional Precautionary Statements on side panel.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: Wash thoroughly with soap and water. Get medical attention.

IF IN EYES: Wash eyes with plenty of clear water for at least 15 minutes.

EPA Reg. No. 10951-9 EPA Reg. No. 10951-CA-5
S-1/9/92

Net Weight 50 pounds

Manufactured for

Britz Fertilizers, Inc.
P.O. Box 366, Five Points, CA

93624-2421
(209) 884-2421

6

DIRECTIONS FOR USE - Continued

levels exist. Unless otherwise specified, (a) disease control applications should begin when conditions exist which are conducive to disease development and repeat application should be made at 10 to 14 day intervals while weather conditions continue to favor disease development, and (b) mite control applications should be made whenever a significant population level exists.

Alliaria: Powdery mildew, apply 15 to 25 lbs per acre at first sign of powdery mildew and repeat at 14 day intervals or as necessary. **Atlantic mite, Clover mite, Two spotted spider mite, Pacific spider mite and Strawberry spider mite**, apply 15 to 50 lbs per acre when mites first appear and repeat as necessary. May cause flower burn.

Almonds, Cherries, Nectarines, Peaches, Plums and Prunes: Cherry leaf spot (cherries only), Rust and Powdery mildew (nectarines and peaches only) apply 40 to 50 lbs per acre at pre-bloom, bloom and post-bloom periods. Apply when disease becomes evident during rain periods and repeat at 7 to 10 day intervals. **Brown rot of fruit (except almond)**, apply 40 to 50 lbs per acre 4 weeks prior to harvest and again 2 weeks later or every 7 days if wet weather prevails during the period prior to harvest. **Peach silver mite (almond, nectarines and peaches only)**, apply 25 to 50 lbs per acre after fruiting.

Apple and Pear: Scab, 40 to 50 lbs per acre at green tip and again at pink bud. **Pink bud treatments also control Powdery mildew**. Do not apply during or shortly before first irrigation or use of captan. Do not apply to pears after the fruit begins to turn down. Some varieties of apples and pears may be injured by sulfur; check variety tolerance prior to application.

Asparagus: Rust, apply 10 to 35 lbs per acre. Dust after cutting stops, irrigate, cultivate, and then apply sulfur. Repeat at 7 to 10 day intervals during the season.

Beans: Powdery mildew, Rust, Two-spotted spider mite, Pacific spider mite and Strawberry spider mite, apply 15 to 50 lbs per acre. For rust control, start applications as soon as the first true leaves form and continue at weekly intervals until blossom time. May cause injury to some varieties. Check tolerance prior to application. Do not apply to varieties susceptible to sulfur injury.

Carrot: Petrobia mite, apply 30 to 40 lbs per acre.

Citrus: Six-spotted mite, Citrus rust mite, apply 60 lbs per acre from November to June. **Citrus flax mite**, apply 100 lbs per acre from October to March 15. **Citrus scale**, apply 100 lbs per acre at mid-March, petal fall, and again 2 to 4 weeks later. Do not apply within 60 days of oil sprays.

Cotton: Atlantic mite, Strawberry spider mite, apply 45 to 50 lbs per acre when mites first appear and repeat as necessary.

Cucumber, Squash: Powdery mildew, apply 15-20 lbs per acre. Do not apply at high temperatures or to varieties susceptible to sulfur injury. Repeat applications at 7 to 10 days if necessary.

Dates: Banks grass mite, apply 50 to 125 lbs per acre, applied by ground or air. Apply higher rates by air. Thorough coverage is needed for good control.

Fig: Fig rust mite, apply 40 lbs per acre in the spring and again in the fall.

Grape: Powdery mildew, apply 8 to 20 lbs per acre. Begin applications when shoots are 6 to 8 inches long and repeat when shoots are 12 to 15

inches long. Repeat every 10 to 14 days until harvest. Do not apply if temperatures during or shortly after treatment are expected to exceed 100°F. When applying sulfur to grapes, do not allow workers to enter the field within 1 day (24 hours) of application. *Labrusca* type grapes may be injured by sulfur.

Melons: Powdery mildew, apply 20-25 lbs per acre. **Spider mites**, apply 30-50 lbs per acre. Do not apply to varieties susceptible to sulfur injury. Sulfur often injures vines at temperatures above 90°F.

Onion, Garlic: Petrobia mite and Powdery mildew, apply 10 to 40 lbs per acre. Apply at first sign of disease or mites and repeat at 14 day intervals or as necessary.

Ornamentals: Powdery mildew, apply 20 to 40 lbs per acre to alder, azalea, billowsweet, boston ivy, buttonbush, calatpa, chrysanthemums, dahlia, delphinium, dogwood, honeysuckle, horse chestnut, hydrangea, lilac, linden, magnolia, malimomy vine, phlox, rhododendron, rose, staghorn, sumac, sweet pea, sycamore, trumpet vine, witch hazel and zinnia; **Rust**, apply 20 to 40 lbs per acre on astor, carnation, rose and snapdragon, and repeat as necessary. Check variety tolerance before application.

Olives: Mites, apply 50 to 70 lbs per acre. Damage may occur to crop and foliage if applied during or before high temperatures.

Pistachio: Citrus flax mite, apply 50 lbs per acre by air or ground. Apply when mites first appear and repeat as necessary.

Pomegranates: Mites, apply 50 lbs per acre. Apply at first sign of mites and repeat as necessary to maintain control.

Strawberries, boysenberries, raspberries, blackberries, gooseberries and loganberries: Powdery mildew, apply 10 to 25 lbs per acre. Apply at first sign of disease and repeat as necessary. Sulfur may cause some injury under certain climatic conditions.

Sugar beet: Powdery mildew, Two-spotted spider mite, Pacific spider mite and Strawberry spider mite, apply 35 to 50 lbs per acre. Apply at first sign of disease or mites and repeat at 14 day intervals or as necessary.

Tomato: Tomato russet mite, Powdery mildew, apply 15 to 40 lbs per acre. If the crop is being grown with the aid of stakes or poles, apply 10 to 13 lbs per acre per foot of average plant height.

Wheat: Powdery mildew, apply 35 to 50 lbs per acre. Apply at first sign of disease and repeat every 14 days or as necessary.

CONDITIONS OF SALE: (1) Britz Fertilizers, Inc. (Britz) warrants that the material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Britz neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning the material.

(2) Critical and unforeseeable factors beyond Britz's control prevent it from eliminating attacks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by other plants and crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume the risks and liability (except those assumed by Britz under 1, above) resulting from handling, storage, and the use of the material.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

DEC 10 1993

Linda C. Watson
Pesticide Regulatory Services
Agent for: BRITZ FERTILIZERS, INC.
3703 Sedgefield Drive
Valdosta, GA 316026268

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 09/07/93 in Response to PR Notice 93-7
EPA Reg. No. 10951-9
BRITZ MAGIC SULPHUR DUST

IMPORTANT NOTICE: This Letter Requires You to Submit a Notification to the Office of Compliance Monitoring within 20 Days.

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments listed on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

SERIOUS ERROR(S) ON SUBMITTED LABELING:

EPA has determined that one or more of the errors on the labeling you submitted to the Agency is categorized as "serious" as defined in PR Notice 93-11. In general, serious errors are those that may create a potential for harm to workers, handlers, other persons, or the environment; or those that prevent the achievement of the basic goals of the Worker Protection Standard (WPS) or FIFRA.

YOU MUST NOT SELL OR DISTRIBUTE (INCLUDING RELEASE FOR SHIPMENT) ANY PRODUCT BEARING THE SUBMITTED LABELING. Sale or distribution of any product with the incorrect labeling is a violation of FIFRA that could result in initiation of an action for civil penalties and/or cancellation of your product. This matter has been referred to the Office of Compliance Monitoring (OCM) for further action.

YOU MUST SUBMIT A NOTIFICATION TO THE OFFICE OF COMPLIANCE MONITORING WITHIN 20 DAYS OF THE DATE OF THIS LETTER.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

20FL

Each notification must include the following information:

1. **Registrant 's name and address.**
2. **EPA Registration number of the product for which the labeling was submitted.**
3. **Whether any product already has been sold or distributed (this includes released for shipment) bearing the submitted labeling.**

In addition, the notification must include the following information, IF you have already sold or distributed any product bearing the submitted labeling:

1. **Quantity of the product that has been sold or distributed.**
2. **EPA Producing Establishment number.**
3. **Location of the product, if known.**
4. **Proposed plan for assuring that product with the incorrect labeling in your control, as well as that in the hands of dealers/distributors/users, will be corrected. The plan must include your proposal for assuring that the labeling is corrected as soon as possible.**

Submit the notification to:

**Michael Wood, Director
Compliance Division, (7203)
Worker Protection Notification
Office of Compliance Monitoring
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460**

Failure to submit a notification also may result in initiation of an action under FIFRA for civil penalties, if you sold or distributed (this includes released for shipment) product bearing the incorrect labeling.

IN ADDITION, YOU SHOULD CONTACT IMMEDIATELY THE PERSONS TO WHOM YOU SOLD OR DISTRIBUTED YOUR PRODUCT AND INFORM THEM NOT TO SELL OR DISTRIBUTE ANY PRODUCT WITH THE INCORRECT LABELING.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the WPS labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have neither been reviewed nor accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Submit the required notification. Then by the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- **BEFORE** selling or distributing any product bearing the final printed labeling as amended

AND

- **WITHIN** one year from date of this acceptance.


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
 Office of Pesticide Programs (7505C)
 U.S. Environmental Protection Agency
 401 M Street, SW
 Washington, D.C. 20460-0001

Hand or courier deliveries of final labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

cc: Office of Compliance Monitoring

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed, inhaled or absorbed through skin. May cause irritation of nose, throat, skin, eyes or clothing. Do not contaminate feed or foodstuffs.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers other than mixers and loaders must wear long-sleeved shirt and long pants, waterproof gloves and shoes plus socks.

Mixers and loaders must wear long-sleeved shirt and long pants, waterproof gloves, shoes plus socks and protective eyewear.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d) (4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:
 Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment wash water.

PHYSICAL AND CHEMICAL HAZARDS

Sulfur dust suspended in air ignites easily. Keep away from heat, sparks and flame. Do not smoke while applying this product. **SULFUR IS HIGHLY COMBUSTIVE AND EQUIPMENT SHOULD BE CLEANED THOROUGHLY.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls, waterproof gloves, and shoes plus socks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store unused product in original container only in cool, dry area out of reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRODUCT INFORMATION

BRITZ MAGIC SULFUR DUST may be applied by ground or aerial application. For disease control at the recommended rates, it is necessary to apply to as uniformly as possible the upper and lower leaf surfaces. Consult your State Agricultural Experiment Station or Extension Specialist for advice in selecting treatments from this label based on local conditions.

USE PRECAUTIONS

EXCEPTION COTTON: do not apply when temperatures exceed or are likely to exceed 90°F. When growing crops for processing, consult processor before applying sulfur. Do not use sulfur with oil or within 14 days of an oil spray (for citrus, 21 days). Do not combine with emulsifiable liquids.

NOTE: Sulfur will cause severe fruit and leaf injury to sulfur sensitive crops. Do not apply or allow to drift to Apricots, d'Arjou and Coriex pears, Cranberries, Cucurbits (cucumbers, cantaloupes, melons and squash), Fibers, Spinach, Turl and Ornamental trees (e.g. Tung), Walrus or other sensitive plants, except as directed on this label. Sulfur may burn foliage and fruit during periods of high temperatures and under certain climate conditions.

DIRECTIONS

BRITZ MAGIC SULFUR DUST is prepared for use against certain pests and diseases of crops as listed below. Do not apply if temperatures during or within 3 days after application are expected to exceed 90°F in the area to be treated. Use the high rate and shorter re-apply application intervals when high disease pressure conditions or high insect population

with COMMENTS
 in EPA Letter dated
 DEC 10 1993

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.
 10 951-9

Britz MAGIC SULFUR DUST

| | |
|---------------------------|------|
| Active Ingredient: SULFUR | 98% |
| Inert Ingredients: | 2% |
| | 100% |

KEEP OUT OF REACH OF CHILDREN

CAUTION

- See additional Precautionary Statements on side panel -

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: Wash thoroughly with soap and water. Get medical attention.

IF IN EYES: Wash eyes with plenty of clear water for at least 15 minutes.

EPA Reg. No. 10951-9 EPA Reg. No. 10951-CA-5
 S-1/9/92

Net Weight 50 pounds

Manufactured for
Britz Fertilizers, Inc.
 P.O. Box 366, Five Points, CA
 93624-2421
 (209) 884-2421

BEST AVAILABLE COPY

4054

L.P.L.

DIRECTIONS FOR USE - Continued

levels exist. Unless otherwise specified, (a) disease control applications should begin when conditions exist which are conducive to disease development and repeat application should be made at 10 to 14 day intervals while weather conditions continue to favor disease development, and (b) mite control applications should be made whenever a significant population level exists.

Alfalfa: *Powdery mildew*, apply 15 to 25 lbs per acre at first sign of powdery mildew and repeat at 14 day intervals or as necessary. *Atlantic mite, Clover mite, Two-spotted spider mite, Pacific spider mite and Strawberry spider mite*, apply 15 to 50 lbs per acre when mites first appear and repeat as necessary. May cause flower burn.

Almonds, Cherries, Nectarines, Peaches, Plums and Prunes: *Cherry leaf spot (cherries only), Rust and Powdery mildew (nectarines and peaches only)*, apply 40 to 50 lbs per acre at pre-bloom, bloom and post-bloom periods. Apply when disease threatens during rain periods and repeat at 7 to 10 day intervals. *Brown rot of fruit (except almond)*, apply 40 to 50 lbs per acre 4 weeks prior to harvest and again 2 weeks later or every 7 days if wet weather prevails during the period prior to harvest. *Peach silver mite (almond, nectarines and peaches only)*, apply 25 to 50 lbs per acre after thinning.

Apple and Pear: *Scab*, 40 to 50 lbs per acre at green tip and again at pink bud. Pink bud treatments also control *Powdery mildew*. Do not apply during or shortly before frost conditions and/or use of captan. Do not apply to pears after the fruit begins to turn down. Some varieties of apples and pears may be injured by sulfur; check variety tolerance prior to application.

Asparagus: *Rust*, apply 10 to 35 lbs per acre. Dust after cutting stops, irrigate, cultivate, and then apply sulfur. Repeat at 7 to 10 day intervals through season.

Beans: *Powdery mildew, Rust, Two-spotted spider mite, Pacific spider mite and Strawberry spider mite*, apply 15 to 30 lbs per acre. For rust control, start applications as soon as the first true leaves form and continue at weekly intervals until blossom time. May cause injury to some varieties. Check tolerance prior to application. Do not apply to varieties susceptible to sulfur injury.

Carrot: *Petrobia mite*, apply 30 to 40 lbs per acre.

Citrus: *Six-spotted mite, Citrus rust mite*, apply 80 lbs per acre from November to June. *Citrus flat mite*, apply 100 lbs per acre from October to March 15. *Citrus thrips*, apply 100 lbs per acre at mid-March, petal fall, and again 2 to 4 weeks later. Do not apply within 60 days of oil sprays.

Cotton: *Atlantic mite, Strawberry spider mite*, apply 45 to 50 lbs per acre when mites first appear and repeat as necessary.

Cucumber, Squash: *Powdery mildew*, apply 15-20 lbs per acre. Do not apply at high temperatures or to varieties susceptible to sulfur injury. Repeat applications in 7 to 10 days if necessary.

Dates: *Banks grass mite*, apply 50 to 125 lbs per acre, applied by ground or air. Apply higher rates by air. Thorough coverage is needed for good control.

Fig: *Fig rust mite*, apply 40 lbs per acre in late spring and again in the early summer.

Grape: *Powdery mildew*, apply 8 to 20 lbs per acre. Begin applications when shoots are 6 to 8 inches long and repeat when shoots are 12 to 15

inches long. Repeat every 10 to 14 days until harvest. Do not apply if temperatures during or shortly after treatment are expected to exceed 100°F. When applying sulfur to grapes, do not allow workers to enter the field within 1 day (24 hours) of application. *Labrusca* type grapes may be injured by sulfur.

Melons: *Powdery mildew*, apply 20-25 lbs per acre. *Spider mites*, apply 30-50 lbs per acre. Do not apply to varieties susceptible to sulfur injury. Sulfur often injures vines at temperatures above 90°F.

Onion, Garlic: *Petrobia mite and Powdery mildew*, apply 10 to 40 lbs per acre. Apply at first sign of disease or mites and repeat at 14 day intervals or as necessary.

Ornamentals: *Powdery mildew*, apply 20 to 40 lbs per acre to alder, azalea, bittersweet, boston ivy, buttonbush, catalpa, chrysanthemums, dahlia, delphinium, dogwood, honeysuckle, horse chestnut, hydrangea, lilac, linden, magnolia, matrimony vine, phlox, rhododendron, rose, staghorn, sumac, sweet pea, sycamore, trumpet vine, witch hazel and zinnia; *Rust*, apply 20 to 40 lbs per acre on all aster, carnation, rose and snapdragon, and repeat as necessary. Check variety tolerance before application.

Olives: *Mites*, apply 50 to 70 lbs per acre. Damage may occur to crop and foliage if applied during or before high temperatures.

Pistachio: *Citrus flat mite*, apply 50 lbs per acre by air or ground. Apply when mites first appear and repeat as necessary.

Pomegranates: *Mites*, apply 50 lbs per acre. Apply at first sign of mites and repeat as necessary to maintain control.

Strawberries, boysenberries, raspberries, blackberries, gooseberries and loganberries: *Powdery mildew*, apply 10 to 25 lbs per acre. Apply at first sign of disease and repeat as necessary. Sulfur may cause some injury under certain climatic conditions.

Sugar beet: *Powdery mildew, Two-spotted spider mite, Pacific spider mite and Strawberry spider mite*, apply 35 to 50 lbs per acre. Apply at first sign of disease or mites and repeat at 14 day intervals or as necessary.

Tomato: *Tomato russet mite, Powdery mildew*, apply 15 to 40 lbs per acre. If the crop is being grown with the aid of stakes or poles, apply 10 to 13 lbs per acre per foot of average plant height.

Wheat: *Powdery mildew*, apply 35 to 50 lbs per acre. Apply at first sign of disease and repeat every 14 days or as necessary.

CONDITIONS OF SALE: (1) Britz Fertilizer, Inc. (Britz) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Britz neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning the material.

(2) Critical and unforeseeable factors beyond Britz's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants and crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Britz under 1, above) resulting from handling, storage, and the use of this material.

BEST AVAILABLE COPY

PM 21

1095L9

page Labeling
197



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

DEC 10 1993

Linda C. Watson
Pesticide Regulatory Services
Agent for: BRITZ FERTILIZERS, INC.
3703 Sedgefield Drive
Valdosta, GA 316026268

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 09/07/93 in Response to PR Notice 93-7
EPA Reg. No. 10951-9
BRITZ MAGIC SULPHUR DUST

IMPORTANT NOTICE: This Letter Requires You to Submit a Notification to the Office of Compliance Monitoring within 20 Days.

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments listed on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

SERIOUS ERROR(S) ON SUBMITTED LABELING:

EPA has determined that one or more of the errors on the labeling you submitted to the Agency is categorized as "serious" as defined in PR Notice 93-11. In general, serious errors are those that may create a potential for harm to workers, handlers, other persons, or the environment; or those that prevent the achievement of the basic goals of the Worker Protection Standard (WPS) or FIFRA.

YOU MUST NOT SELL OR DISTRIBUTE (INCLUDING RELEASE FOR SHIPMENT) ANY PRODUCT BEARING THE SUBMITTED LABELING. Sale or distribution of any product with the incorrect labeling is a violation of FIFRA that could result in initiation of an action for civil penalties and/or cancellation of your product. This matter has been referred to the Office of Compliance Monitoring (OCM) for further action.

YOU MUST SUBMIT A NOTIFICATION TO THE OFFICE OF COMPLIANCE MONITORING WITHIN 20 DAYS OF THE DATE OF THIS LETTER.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

2 of 7

Each notification must include the following information:

1. Registrant 's name and address.
2. EPA Registration number of the product for which the labeling was submitted.
3. Whether any product already has been sold or distributed (this includes released for shipment) bearing the submitted labeling.

In addition, the notification must include the following information, IF you have already sold or distributed any product bearing the submitted labeling:

1. Quantity of the product that has been sold or distributed.
2. EPA Producing Establishment number.
3. Location of the product, if known.
4. Proposed plan for assuring that product with the incorrect labeling in your control, as well as that in the hands of dealers/distributors/users, will be corrected. The plan must include your proposal for assuring that the labeling is corrected as soon as possible.

Submit the notification to:

Michael Wood, Director
Compliance Division, (7203)
Worker Protection Notification
Office of Compliance Monitoring
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460

Failure to submit a notification also may result in initiation of an action under FIFRA for civil penalties, if you sold or distributed (this includes released for shipment) product bearing the incorrect labeling.

IN ADDITION, YOU SHOULD CONTACT IMMEDIATELY THE PERSONS TO WHOM YOU SOLD OR DISTRIBUTED YOUR PRODUCT AND INFORM THEM NOT TO SELL OR DISTRIBUTE ANY PRODUCT WITH THE INCORRECT LABELING.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the WPS labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have neither been reviewed nor accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Submit the required notification. Then by the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- **BEFORE** selling or distributing any product bearing the final printed labeling as amended

AND

- **WITHIN** one year from date of this acceptance.


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

cc: Office of Compliance Monitoring

5 of 7

BRITZ FERTILIZERS, INC.
BRITZ MAGIC SULPHUR DUST
10951-9 09/07/93

Original Submission

Add the following User Safety Recommendation to the label in the location shown in Section A on Part 1 of the Product Worksheet in Supplement Three-A to PR Notice 93-7: "Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing."

The eyewear requirement for "applicators and other handlers" in the "Personal Protective Equipment" section on your proposed labeling is missing or incorrect. Remove the incorrect requirement (if any) and add "Protective Eyewear".

The exact location is shown in Section A and B on Part 1 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

The eyewear requirement for early entry in the Agricultural Use Requirements Box on your proposed labeling is missing or incorrect. Remove the incorrect requirement (if any) and add "Protective eyewear". The exact location is shown in Sections F and G on Part 2 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

ACCEPTED
with COMMENTS
In EPA Letter Dated
DEC 10 1990

6 9 7

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No.
10 951-6

Britz MAGIC SULFUR DUST

Active ingredient: SULFUR
Inert ingredients

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional Precautionary Statements on side panel

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
IF ON SKIN: Wash thoroughly with soap and water. Get medical attention.
IF IN EYES: Wash eyes with plenty of cold water for at least 15 minutes.

EPA Reg. No. 10551-6 EPA Reg. No. 105.101
S-179-92

Net Weight 50 pounds

Manufactured for
Britz Fertilizers, Inc.
P.O. Box 366, Five Points, GA
30524-2421
(404) 884-2421

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Handle, if swallowed, inhaled or absorbed, through skin, may cause irritation of nose, throat, skin, eyes or clothing. Do not inhale dust or fumes.

PERSONAL PROTECTIVE EQUIPMENT

Apply indoors and outdoors. Wear long-sleeved shirt and long pants. Wear eye protection. Wash hands after use.

Wear eye protection. Wear long-sleeved shirt and long pants. Wear waterproof gloves, shoes plus socks and protective eyewear.

Follow manufacturer's instructions for cleaning, maintaining, etc. If in such instructions for maintenance, use detergent and hot water. Keep away from fire. Separate from other laundry.

INDUSTRIAL OUTDOOR WORKERS

Wear handlers use closed system, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for Agricultural Pesticides (40 CFR 170.104(d)-(4)), the handler WPS requirements may be reduced or modified as specified in the WPS.

USE/SAFETY RECOMMENDATIONS

Users should
Wear hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL PRECAUTIONS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to irrigation ditches. Do not apply to water which is used for drinking water. Do not apply to water which is used for irrigation of crops. Do not apply to water which is used for irrigation of crops.

HAZARDOUS TO AQUATIC LIFE

Sulfur dust suspended in air is highly toxic. Keep away from heat, sparks and fire. Do not smoke while applying this product. SULFUR IS HIGHLY FLAMMABLE AND EXTREMELY TOXIC TO AQUATIC ORGANISMS.

RESTRICTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE RESTRICTIONS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and other provisions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this label only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into the area during the restricted entry interval, until of no effect.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls, waterproof gloves, and shoes plus socks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store unused product in original container away from heat and out of reach of children and animals.

PESTICIDE DISPOSAL: Double bagging and disposal of this product may be disposed of or stored in an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag and separate bagging. The disposal of empty bag is secondary disposal. Do not reuse or burn. Store and label containers by name and EPA Reg. No. and State No.

PRODUCT INFORMATION

BRITZ MAGIC SULFUR DUST may be applied by ground or aerial application. For details on use, see the label and use the following: Apply 100 lbs per acre over top of crop. Apply 100 lbs per acre over top of crop. Apply 100 lbs per acre over top of crop. Apply 100 lbs per acre over top of crop.

USE PRECAUTIONS

EXCEPTION: Cotton and soybeans may be planted in treated areas. SOY: When growing, crop to be planted in treated area. Cotton: When growing, crop to be planted in treated area. Do not plant in treated area.

NOTE: Sulfur dust is highly toxic to aquatic life. Do not apply to water. Do not apply to water. Do not apply to water. Do not apply to water.

DIRECTIONS

BRITZ MAGIC SULFUR DUST is a granular sulfur dust. It is used for control of plant diseases. Do not apply to water. Do not apply to water. Do not apply to water.

DIRECTIONS FOR USE - Continued

Apple: *Crab Apple rust* specified in directions for sprays 4 thru 6 days after blossoms close and for dormant sprays. Sprays for rust and scab should be made at 7 to 14 day intervals after harvest to control the level of disease development and to maintain control effectiveness through the winter. Higher rates for dormant tree buds.

Alfalfa Powdery mildew, apply 15 to 25 lbs per acre at first sign of powdery mildew and repeat at 14 day intervals or as necessary. *Ascaris mite*, *Clover mite*, Two-spotted spider mite, Pacific spider mite and Strawberry spider mite, apply 15 to 50 lbs per acre when mites first appear and repeat as necessary. May cause flower burn.

Almonds, Cherries, Nectarines, Peaches, Plums and Prunes Cherry leaf spot: cherries only. *Rust* and Powdery mildew, peaches, nectarines and peaches only, apply 40 to 50 lbs per acre at pre-bloom, bloom and post-bloom periods. Apply when disease develops during fruit period and repeat at 7 to 10 day intervals. Brown rot: fruit development only, apply 40 to 50 lbs per acre 4 weeks prior to harvest and again 2 weeks later every 7 days if wet weather prevails during the period prior to harvest. Peach silver mite (almond, nectarines and peaches only), apply 25 to 50 lbs per acre after turning.

Apple and Pear Scab, 40 to 50 lbs per acre at green tip and again at pink bud. Pink bud treatments also control Powdery mildew. Do not apply during or shortly before frost conditions and/or use of capax. Do not apply to pears after the fruit begins to turn down. Some varieties of apples and pears may be injured by sulfur; check variety tolerance prior to application.

Asparagus Rust, apply 10 to 35 lbs per acre. Dust after cutting stops, irrigate, cultivate, and then apply sulfur. Repeat at 7 to 10 day intervals through season.

Beans Powdery mildew, Rust, Two-spotted spider mite, Pacific spider mite and Strawberry spider mite, apply 15 to 50 lbs per acre. For rust control, start applications as soon as the first true leaves form and continue at weekly intervals until blossom time. May cause injury to some varieties. Check tolerance prior to application. Do not apply to varieties susceptible to sulfur injury.

Carrot Potato mite, apply 30 to 40 lbs per acre.

Citrus Six-spotted mite, Citrus rust mite, apply 50 lbs per acre from November to June. Citrus flat mite, apply 100 lbs per acre from October to March 15. Citrus thrips, apply 100 lbs per acre at mid-March, petals fall, and again 2 to 4 weeks later. Do not apply within 60 days of oil sprays.

Cotton Atlantic mite, Strawberry spider mite, apply 45 to 50 lbs per acre when mites first appear and repeat as necessary.

Cucumber, Squash Powdery mildew, apply 15-20 lbs per acre. Do not apply at high temperatures or to varieties susceptible to sulfur injury. Repeat applications in 7 to 10 days if necessary.

Dates Banks grass mite, apply 50 to 125 lbs per acre, applied by ground or air. Apply higher rates by air. Thorough coverage is needed for good control.

Fig Fig rust mite, apply 40 lbs per acre in the spring and again in the early summer.

Grape Powdery mildew, apply 6 to 20 lbs per acre. Begin applications when shoots are 6 to 8 inches long and repeat when shoots are 12 to 15

inches long. Repeat every 10 to 14 days until harvest. Do not apply at temperatures during or shortly after treatment are expected to exceed 100°F. When applying sulfur to grapes, do not allow workers to enter or work field within 1 day, 24 hours, of application. Laboriosa type grapes may be injured by sulfur.

Melons Powdery mildew, apply 20-25 lbs per acre. Spider mites, apply 5 to 50 lbs per acre. Do not apply to varieties susceptible to sulfur injury. Sulfur injures vines at temperatures above 90°F.

Onion, Garlic Potato mite and Powdery mildew, apply 10 to 40 lbs per acre. Apply at first sign of disease of mites and repeat at 14 day intervals or as necessary.

Ornamentals Powdery mildew, apply 20 to 40 lbs per acre to azalea, birch, blue sweet gum, Boston ivy, butyroski, catalpa, chrysanthemum, clematis, clematid, dogwood, honeysuckle, horse chestnut, hydrangea, lily, magnolia, matrimony vine, philodendron, mododendron, rose, styrax, sumac, sweet pea, sycamore, trumpet vine, witch hazel and zinnia. Sulfur, apply 20 to 40 lbs per acre or faster, camellia, rose and snapdragon. Sulfur repeat as necessary. Check variety tolerance before application.

Olives Mites, apply 50 to 70 lbs per acre. Damage may occur to fruit buds to age if applied during or before high temperatures.

Pistachio Citrus flat mite, apply 50 lbs per acre by air or ground. Apply when mites first appear and repeat as necessary.

Pomegranates Mites, apply 50 lbs per acre. Apply at first sign of mites and repeat as necessary to maintain control.

Strawberries, boysenberries, raspberries, blackberries, gooseberries and loganberries Powdery mildew, apply 10 to 25 lbs per acre. Apply at first sign of disease and repeat as necessary. Sulfur may cause sulfur injury under certain climatic conditions.

Sugar beet Powdery mildew, Two-spotted spider mite, Pacific spider mite and Strawberry spider mite, apply 30 to 50 lbs per acre. Apply at first sign of disease or mites and repeat at 14 day intervals or as necessary.

Tomato Tomato russet mite, Powdery mildew, apply 15 to 40 lbs per acre if the crop is being grown with the aid of stakes or poles, apply 10 to 20 lbs per acre per foot of average plant height.

Wheat Powdery mildew, apply 35 to 50 lbs per acre. Apply at first sign of disease and repeat every 14 days or as necessary.

CONDITIONS OF SALE: This Fendrena, Inc. Sulfur was analyzed by independent laboratory and is described on the label and is necessary to use as directed herein. It is not a fumigant, nor a sterilizing agent or preservative to fumigant, nor a fumigant or sterilizing agent. It is not a fumigant or preservative to fumigant, nor a fumigant or sterilizing agent. It is not a fumigant or preservative to fumigant, nor a fumigant or sterilizing agent.

It should be used in accordance with the directions on the label and should not be used in the absence of the manufacturer's directions. It should not be used in the absence of the manufacturer's directions. It should not be used in the absence of the manufacturer's directions. It should not be used in the absence of the manufacturer's directions. It should not be used in the absence of the manufacturer's directions.