



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 M St., S.W.
Washington, D.C. 20460

EPA Reg.
Number:
10951-13

Date of Issuance:

Term of Issuance:
Conditional

Name of Pesticide Product:
Britz Botran 6 Dust

NOTICE OF PESTICIDE:
☒ Registration
☐ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Ms. Linda C. Watson, Consultant/Regulatory Affairs
3703 Sedgefield Drive
Valdosta, Georgia 31602

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the labeling change listed below before you release the product for shipment:

- Add the phrase "EPA Registration No. 10951-13".

Signature of Approving Official:

[Handwritten Signature]

Date:

MAR 11 1994

EPA Form 8570-6

BEST AVAILABLE COPY

Page 2

EPA Reg. No. 10951-13


Note that this acceptance of your label does not relieve you of your obligation to comply with the Worker Protection Standard. If any of your products are covered by this standard, you are required to submit, and receive the Agency's approval by April 21, 1994, a revised label reflecting the required label statements of 40 CFR 156, published in the **FEDERAL REGISTER** on August 21, 1992 (57 FR 38102). Further guidance will be issued. According to 40 CFR 156, subpart K "No product to which this subpart applies shall be distributed or sold without amended labeling by any registrant after April 21, 1994." Please call 1-800-777-2185 if you have any labeling questions regarding the Worker Protection Standard.

3. Submit Five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Sidney C. Jackson
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

duct in a manner

that workers or other
protected handlers may
draments specific to
ble for pesticide

RTS

elling and with the
de Standard contains
workers on farms,
n of agricultural
ag, decontamination,
contains specific
statements on this label
stricted entry interval
of this product that are

areas during the
CEPTION: If the product
r Protection Standard,
water the treated area
has been treated.

ut is permitted under
contact with anything
water, is: Coveralls,

rage or disposal.

may be disposed
ly.

quipment. Then
incineration, or
rning. If burned,

E
n rot blossom blight
d full bloom. For the
20 lbs. per acre. Apply
rown rot (rhizopus rot)
set. Do not apply later
o grape treated areas.
som blight (Monilia)
ll bloom and petal fall.
opers fruit rot apply 50
est. Do not apply later
o grape treated areas.

Storage Rate apply 30
still loose and repeat
or than one day before

Britz BOTRAN® 6 DUST

ACTIVE INGREDIENTS:

2,6-Dichloro-4-nitroaniline 6%

INERT INGREDIENTS

94%

100%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, flush eyes immediately with plenty of water.
Get medical attention.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear long-sleeved shirt and long
pants, waterproof gloves and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If
no such instructions for washables, use detergent and hot water. Keep
and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, enclosed cabs, or aircraft in a
manner that meets the requirements listed in the Worker Protection
Standard (WPS) for agricultural pesticides (40 CFR 170.240 (d) (4-6)),
the handler PPE requirements may be reduced or modified as specified
in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using
the toilet.

Remove PPE immediately after handling this product. Wash the outside of
gloves before removing. As soon as possible, wash thoroughly and change
into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas
where surface water is present or to intertidal areas below the mean high
water mark. Do not apply where runoff conditions are likely to occur.
Do not apply when weather conditions favor drift from treated areas. Do
not contaminate water when disposing of equipment washwaters.

© Registered Trademark of NOR-AM Chemical Company

U.S. Pat. No. 3,119,736

NET WEIGHT 50 POUNDS

BEST AVAILABLE COPY

TOMATOES (Greenhouse): For the control of stem canker (botrytis) apply
30 lbs. per acre. Dust stem of plant from ground level up to a height of 18
to 24 inches. Repeat weekly or as necessary.

ONIONS, GARLIC (Not for use in North Central States): For control of
white rot (sclerotium) apply 250-400 lbs. per acre. For direct seeding mix
mix into top 1.5 inches of soil one to two weeks before onions are seeded,
for planting sets or buds apply broadcast and mix into top 1.5 inches, or
apply same rate / 43,560 linear feet of furrow to soil around sets or buds.
Do not plant spinach as a follow-up crop on treated soil. When lettuce is
to be planted as a follow-up crop, plow soil to 8 inches and cross disk the
area prior to seeding.

LETTUCE (Leaf, Greenhouse Only): For control of blight (botrytis rot)
apply 30 lbs. per acre. Apply 7 days after transplanting. Repeat when
plants are half mature. Do not apply to wilted plants or seedlings. Do not
apply later than 14 days before harvest.

LETTUCE (Head, Field): For the control of botrytis rot, sclerotinia wilt,
apply 33.3 pounds per acre. Apply at thinning, repeat seven to ten days
later. Do not apply within 14 days of harvest.

CONDITIONS OF SALE: 1. Britz Fertilizers, Inc. (Britz) warrants that this
material conforms to the chemical description on the label and is
reasonably fit for use as directed hereon. Britz neither makes, nor
authorizes any agent or representative to make, any other warranty of
FITNESS or of MERCHANTABILITY, guarantee or representation, express
or implied, concerning this material.

2. Critical and unforeseeable factors beyond Britz's control prevent it from
eliminating all risks in connection with the use of chemicals. Such risks
include, but are not limited to, damage to plants and crops to which the
material is applied, lack of complete control, and damage caused by drift
to other plants or crops. Such risks occur even though the product is
reasonably fit for the uses stated hereon and even though label directions
are followed. Buyer and user acknowledge and assume all risks and
liability (except those assumed by Britz under 1 above) resulting from
handling, storage, and use of this material.

FORMULATED BY

Britz Fertilizers, Inc.

P.O. BOX 386
FIVE POINTS, CA 95624
(209) 864-2421 Made in U.S.A.

E.P.A. Reg. No. 10951-

E.P.A. Est. No. 10951-CA-5

"Britz for Results"

LOT NO.

BEST AVAILABLE COPY

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
it is unlawful for any person to
manufacture, sell, or distribute
any pesticide which is
found to be
10951-15

ACU 112
with COMMENTS
to EPA Letter dated
3-11-94

BEST AVAILABLE COPY

Britz

BOTRAN® 6 DUST

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. **EXCEPTION:** If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, waterproof gloves and shoes plus socks.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RECOMMENDATIONS FOR USE

NECTARINE, PEACHES: For the control of brown rot blossom blight (Monilinia) apply 60 lbs. per acre at pink bud and full bloom. For the control of brown rot fruit decay (Monilinia) apply 60 lbs. per acre. Apply 12, 10 and 1 day before harvest. For the control of brown rot (rhizopus rot) using 60 lbs. per acre applied one day before harvest. Do not apply later than one day before harvest. Do not allow animals to graze treated areas.

SWEET CHERRY: For the control of brown rot blossom blight (Monilinia) apply 50 lbs. per acre. Apply at popcorn, bloom, full bloom and petal fall. For the control of fruit decay (Monilinia) and rhizopus fruit rot apply 50 lbs. per acre. Apply 10 days and 1 day prior to harvest. Do not apply later than one day before harvest. Do not allow animals to graze treated areas.

GRAPES: For the control of Botrytis Bunch and Storage Rot apply 30 lbs. per acre. Begin application while clusters are still loose and repeat application at two week intervals. Do not apply later than one day before harvest.

ACTIVE INGREDIENTS:

2,6-Dichloro-4-nitroaniline 6%

INERT INGREDIENTS 94%
100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF EMERGENCY TREATMENT

In case of eye contact, flush eyes immediately with plenty of water. Get medical attention.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROL STATEMENT

When handlers use closed system, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.246 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff conditions are likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

© Registered Trademark of MOR-AM Chemical Company

• U.S. Pat. No. 3,119,736

NET WEIGHT 50 POUNDS

TEL 19122427364

2121 LINDA C WATSON.

Jan. 26 '94 15:15