

ACTIVE INGREDIENT: SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 100%
(56% AVAILABLE CHLORINE)

packaged by
DriChem POOL PRODUCTS CO.
CITY OF INDUSTRY, CALIF. 91745

INSTRUCTIONS

WHEN STARTING UP A NEW POOL, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 11 oz. **DriChem Concentrated Pool Chlorine II** per 10,000 gallons of pool water. The next morning, add **DriChem Pool Conditioner** as instructed on the label to condition the pool water.

HOW OFTEN TO USE: During hot weather, every other day, or as needed to maintain 1.0 to 2.0 ppm residual chlorine, as determined by a suitable test kit.

HOW MUCH TO USE: Use the special measuring spoon found inside, which holds 1 oz. by weight, and add **DriChem Concentrated Pool Chlorine II** according to the following chart:

Pool Size	Approx. Gallons	Approx. Amount DriChem Every Other Day
12 x 14	10,000	4 oz.
14 x 28	17,500	7 oz.
15 x 30	20,000	8 oz.
18 x 36	27,500	11 oz.
20 x 40	32,500	13 oz.

OR AS NEEDED to maintain a chlorine residual of 1.0 to 2.0 ppm at all times, as determined by a suitable test kit.

NO PRE-MIXING IS NECESSARY. Place directly in pool water at any time, night or day. Granules dissolve at once. No need to wait before swimming again.

SUPERCHLORINATE every other week (less often when temperatures are lower than 85°F, more often when bathing loads and water temperatures are higher) by adding 11 oz. of **DriChem Concentrated Pool Chlorine II** for each 10,000 gallons of pool water. Liquid Pool Chlorine may be used for superchlorination as specified on the product label. Superchlorinate in evening after swimmers have left the pool and do not use pool after superchlorination until chlorine residual has dropped below 2.0 ppm, as determined by a suitable test kit.

For best results with **DriChem Concentrated Pool Chlorine II** use the convenient measuring spoon found inside for accurate measurement. Maintain a pH of 7.2 to 7.6 and a minimum chlorine reading of 1.0 to 2.0 ppm at all times.

DANGER

Corrosive. Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse. If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil.

CALL A PHYSICIAN IMMEDIATELY
 KEEP OUT OF REACH OF CHILDREN

DANGER

STRONG OXIDIZING AGENT. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. **STORE IN A COOL DRY PLACE.** Keep tightly closed when not being used. **DO NOT REUSE CONTAINER.** Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on the label.

