

11037-6 PM12

1 of 4

DEC 5 1983

Mr. D. L. Watts  
Hacienda Enterprises  
365 Charles Street  
San Jose, CA 95112

Dear Mr. Watts:

Subject: Hacienda Mite-Mildew Control  
EPA Registration No. 11037-6  
Your Application Dated October 31, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

RD:ELLENBERGER:DCR-28442;WANG-1271C:vgr:Raven:479-2013:11/25/83

**BEST AVAILABLE COPY**

CONCURRENCES


2 of 4

CENTER PANEL  
MITE MILDEW CONTROL

H A C I E N D A

MITE-MILDEW  
CONTROL

MITICIDE-FUNGICIDE

ACTIVE INGREDIENTS

2,4-Dinitro-6-octyl*phenyl crotonate	4.40%
2,6-Dinitro-4-octyl*phenyl crotonate.....	4.40%
Nitrooctyl*phenols(principally dinitro)...	0.30%
INERT INGREDIENTS.....	95.30%

\*A mixture of 1-methylheptyl, 1-ethylhexyl and 1-propylpentylisomers.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS


ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

DEC 5 1983

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

11037-6

EPA Reg. No. 11037-6  
EPA Est. 11037-CA-1



MITE MILDEW CONTROL  
RIGHT PANEL

3 of 4  
D

DIRECTIONS FOR USE

ROSES, BEGONIA, BELLADONNA, DANLIA, CHRYSANTHEMUM, CALENDULA, DELPHINIUM, SNAPDRAGON, ORNAMENTAL TREES and SHRUBS, LILAC, HYDRANGEA, EUONYMUS — To Control: Powdery Mildew, Red Spider, Clover Mites. Mix 2 teaspoons in 1 gallon of water. Apply as a full coverage spray when mildew or mites first appear and repeat at 7-10 day intervals.


APPLES, PEARS — To Control: Powdery Mildew, European Red, Clover and Two Spotted Mites. Mix 2 teaspoons in 1 gallon of water. Apply as a full coverage spray. Begin spraying at delayed dormant to pink stage. Repeat at 7-14 day intervals until mildew activity is completed. Apply when mites first appear and repeat at 7-10 day intervals. Do not graze livestock in treated orchards or feed cover crops from treated orchards to livestock. Do not use with oil based pesticides or apply to foliage within 30 days of an oil spray. Do not apply within 21 days of harvest.

PEACHES, APRICOTS — To Control: Powdery Mildew, European Red, Clover, Plum Rust and Peach Silver Mites. Mix 2 teaspoons in 1 gallon water. Apply as full cover spray at pink bud, petal fall, shuck fall and early covers. Apply when mites first appear and repeat at 7-10 day intervals. Do not graze livestock in treated orchards or feed cover crops from treated orchards to livestock. Do not apply within 45 days of harvest.

CANTALOUPE, CUCUMBERS, MELONS, PUMPKINS, SQUASH—To Control: Powdery Mildew, European Red, Two Spotted Mites. Mix 2 teaspoons in 1 gallon of water. Apply as full coverage spray when mildew or mites first appear and repeat at 7-10 day intervals. Do not apply within 7 days of harvest. 10 applications may be required during the season. Cucumbers or Summer Squash—Do not apply more than 4 times to any one set of fruit.

HACIENDA ENTERPRISES  
565 Charles Street, San Jose, Ca. 95112

BEST AVAILABLE COPY



MITE MILDEW CONTROL  
LEFT PANEL

4 7 4

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with skin or clothing. May cause skin irritation and sensitization. Avoid contact with eyes and inhalation of spray mist. Do not store near feed or foodstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Dilute by giving 2 glasses of water to drink and call a physician. Never give anything by mouth to an unconscious person.

If On Skin: Wash affected skin areas with soap and water.

If In Eyes: Flush eyes with large amounts of water for at least 15 minutes. Consult a physician if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not reuse container. Wrap partially filled container in several layers of newspaper, or rinse empty container before discarding in trash. Store only in original container in a locked area.

Do not use with oil based pesticides or apply to foliage within 30 days of an oil spray. Do not apply when temperature will exceed 90° F during the day.

