enda

er Fungicide SPRAY



*Copper expressed as elemental 1.34%

NTENTS 1 GALLON

NECTARINES, PEACHES, PLUMS - Leaf Blight, Leaf Curl, Powdery Mildew, Shothole: Mix Tbsp. per gallon water. Apply in late fall (Nov. 15-Dec. 15 in West Coast areas). Repeat when buds begin to swell in the spring. Repeat at 7-10 day intervals as necessary. WALNUTS - Leaf Spots: Mix 1 Tbsp. per gallon water. Spray after blooms drop and nut is well set. Repeat at 2 week intervals as necessary.

CITRUS - Blue Mold, Brown Rot: Mix 3 Tbsp. per gallon water. Spray lower part of tree during winter months. Sooty Mold: Mix 1 Tbsp. per gallon water. Spray when disease appers and repeat as necessary.

BLACKBERRIES, RASPBERRIES, STRAWBERRIES - Leaf Spots, Powdery Mildew: Mix $1-1\frac{1}{2}$ Tbsp. per gallon water. Spray when disease appears and repeat as necessary.

TOMATOES - Powdery Mildew: Mix 1 Tbsp. per gallon water. Spray before disease appears. Repeat at 7-10 day intervals as necessary.

BEANS - Powdery Mildew, Rust: Mix $1\frac{1}{2}$ Tbsp. per gallon water. Spray before disease appears. Repeat at 7-10 day intervals as necessary.

CUCUMBERS - Powdery Mildew: Mix $1\frac{1}{2}$ Tbsp. per gallon water. Begin when foliage appears. Repeat at 7-10 day intervals as necessary.

MELONS: Cantaloupe, Cassaba, Honey Ball, Honeydew. Musk-melon, Persian Melon, Watermelon - Powdery Mildew: Mix $1\frac{1}{2}$ Tbsp. per gallon water. Spray before disease appears. Repeat at 7-10 day intervals as necessary.

HACIENDA ENTERPRISES

565 Charles Street San Jose, Calif. 95112 11037-10

y - 2 - 7 w