



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

11195-1

Date of Issuance:

4/29/2019

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

The Fruit Doctor Compressed Sulfur Dioxide

Name and Address of Registrant (include ZIP Code):

Snowden Enterprises, Inc
 c/o Pyxis Regulatory Consulting Inc
 4110 136th St. Ct. NW
 Gig Harbor, WA 98332

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on her/his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

EPA received a label amendment request submitted by email on 06/29/2018. EPA grants this request under the authority of section 3(c)(5) of FIFRA, as amended. With this accepted labeling, all requirements set forth in the Reregistration Eligibility Decision for Sulfur Dioxide have been satisfied. Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of FIFRA, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Submit one (1) copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. Products shipped after 12 months from the date of this Notice or the next printing of your label, whichever occurs first, must bear the new revised label.

Signature of Approving Official:


 Erik Kraft, Product Manager 24
 FHB, Registration Division (7505P)

Date:

4/29/2019

Page 2 of 2
EPA Reg. No. 11195-1
Decision No. 386248 & 542480

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 2/24/2018


If you have any questions, please contact Manjula Unnikrishnan by phone at 703-347-8520, or via email at Unnikrishnan.manjula@epa.gov .

Enclosure

RESTRICTED USE PESTICIDE

Due to corrosive effects during inhalation and to eyes and skin.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certifications.



THE FRUIT DOCTOR
 COMPRESSED SULFUR DIOXIDE
 READ AND UNDERSTAND THE
 ENTIRE LABEL BEFORE USING THIS PRODUCT.

ACTIVE INGREDIENT: Sulfur Dioxide..... 100%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

See inside label booklet for additional Precautionary Statements and Directions for Use including Storage and Disposal instructions.

FIRST AID

If in eyes:	<ul style="list-style-type: none"> - Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. - Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> - Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to by a poison control center or doctor. - Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> - Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In the event of a medical emergency, you may also contact the National Pesticide Information Center (NPIC) at 1-800-858-7378.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

EPA REG. No. 11195-1

EPA EST. No. 11195-CA-1 or 2

Manufactured for: **Snowden Enterprises, Inc.**, P.O. Box 751, Fresno, California 93712

Net Contents: (See Attached Tag for Pounds Sulfur Dioxide Net Contents)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER - PELIGRO

Corrosive. Liquid causes irreversible freeze damage to the eye. Liquid causes freeze burns to exposed skin. May be fatal if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Sulfur dioxide is an eye, nose, and throat irritant even at low levels. If tearing or upper respiratory tract irritation symptoms occur, leave fumigation area immediately. Avoid exposure to the product if you have a history of respiratory problems.

Conduct medical assessments of applicators and other persons who will be regularly exposed to sulfur dioxide prior to employment and at 1 – 2 year intervals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other Handlers must wear:

When making gas applications or checking connections, wear a NIOSH-approved full-face respirator with an acid gas or combination organic vapor/acid gas cartridge, in addition to chemical-resistant coveralls worn over long-sleeved shirt and long pants, sulfur dioxide-impervious (butyl rubber or neoprene are examples) gloves, socks and chemical-resistant boots.

Respiratory Protection

Before moving or using this product, handlers must be trained how to use respirators which conform to OSHA requirements (described in 29 CFR Part 1910.134) and how to appropriately handle and use sulfur dioxide. If the concentration of sulfur dioxide in the worker area, as measured by an appropriate detection device such as a portable electronic gas detector or gas detection tube system, does not exceed 2.0 ppm, no respiratory protection is required. Follow the manufacturer's instructions provided with the measuring device for the detector's correct use.

If the 2.0 ppm concentration is exceeded at any time, all persons working in the fumigation area must wear a NIOSH-approved full-face respirator with an acid gas or combination organic vapor/acid gas cartridge. If sulfur dioxide concentrations of 10 ppm are exceeded, or when concentrations are unknown, use either a supplied-air respirator (SAR) with NIOSH approval number prefix TC-19C, OR a self-contained breathing apparatus (SCBA) with NIOSH approval number TC-13F or combination air supplied/SCBA respirator must be used by all persons working in the fumigation area. **DO NOT** enter a high SO₂ concentration area using a short-term full-face respirator because these only have a limited capacity for protection. It is not possible for someone

working in a high SO₂ concentration area to know when the limit of a full-face respirator has been reached.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. **DO NOT** reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not spill or empty into streams, ponds or any other body of water. Do not contaminate water or wetlands by cleaning of equipment, disposal of wastes, or direct application.

PHYSICAL AND CHEMICAL HAZARDS

Sulfur dioxide is a non-flammable, whitish colored gas of pungent odor. Corrosive in presence of water. Do not spray water on any leaking container. Water will make product corrosive and may increase venting. Sulfur dioxide can be sensed by taste at low level concentrations.

DIRECTIONS FOR USE RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This fumigant is a hazardous material and must be used only by individuals trained in its proper use. Before using, you must read and obey all label restrictions and directions.

All persons working with this fumigant must be knowledgeable about the hazards, and trained in the use of required respirator equipment and appropriate detection devices such as a portable electronic gas detector or gas detection tube system, emergency procedures, and proper use of the fumigant.

When used for fumigation of enclosed spaces (e.g., warehouses, cold storage rooms, trucks, van, boxcars, and other transport vehicles), it is important to follow requirements for applying Category I materials. Snowden Enterprises' advises that two persons trained in the use of this product be present at all times during introduction of the fumigant through the aeration period. Monitor the area for SO₂ level when SO₂ gassing is occurring.

POSTING OF FUMIGATION SITES

Before fumigation, the applicator must post markings at all entrances to the fumigated areas with signs bearing the following statements in English and Spanish:

1. The signal word DANGER/PELIGRO in 2" letters and the skull and crossbones symbol.
2. The statement, "Area under fumigation, DO NOT ENTER/NO ENTRE."
3. The date and time of fumigation.
4. Name of fumigant used.
5. Name, address, and telephone number of the applicator.

Any person who transfers a treated commodity to another site without aeration must ensure that the new site is posted until the air around the commodity is below the threshold concentration (2.0 ppm).

Remove posted marking sign(s) when the concentration of sulfur dioxide in the treated site is below 2.0 ppm as determined by use of an appropriate detection device similar to a portable electronic gas detector or gas detection tube system.

RE-ENTRY AFTER FUMIGATION

After fumigation, treated areas must be undisturbed until the level of sulfur dioxide is at or below 2.0 ppm as determined by use of an appropriate detection device similar to a

portable electronic gas detector or gas detection tube system. If a sulfur dioxide concentration of 2 ppm is exceeded at any time, all persons working in the fumigation area must wear a NIOSH-approved full-face respirator with an acid gas or combination organic vapor/acid gas cartridge. If sulfur dioxide concentrations of 10 ppm are exceeded, or when concentrations are unknown, use either a supplied-air respirator (SAR) with NIOSH approval number prefix TC-19C, OR a self-contained breathing apparatus (SCBA) with NIOSH approval number TC-13F or combination air supplied/SCBA respirator must be used by all persons working in the fumigation area.

COMMODITY FUMIGATION DIRECTIONS

Follow all safety procedures specified on this label.

This product may be applied to the commodity in enclosed stationary spaces (fumigation, pre-cooling, or cold storage rooms). Applications may be made to the commodity in the following transport vehicles: trucks, vans, trailers, and railcars.

Use Restrictions

- Do not apply/aerate in a manner to allow drift onto areas occupied by unprotected humans or beneficial animals. Do not release fumigant into occupied work area.
- Do not apply so that liquid sulfur dioxide will come in contact with the fruit. Liquid sulfur dioxide on the fruit will cause bleaching of grapes. Operate enough fans in the fumigation space to volatilize all of the liquid sulfur dioxide and provide a uniform concentration throughout the room. Move an air volume of at least 0.5 times the volume of the fumigated space during each minute of gassing.
- When treating grapes for *Botrytis cinerea* (bunch rot/gray mold) or black widow spider in a warehouse fumigation chamber, do not release treated air into the atmosphere containing concentrations of sulfur dioxide in excess of 30 ppm (as determined by an appropriate detection device).
- Do not perform sulfur dioxide aerations concurrently from multiple chambers.

For the application, load the commodity to be fumigated into the treatment space. Orient lug boxes such that the openings in each box are aligned with openings in the other boxes to promote airflow through the fruit in the boxes. Stack pallets of fruit to promote airflow between them. Turn on circulating fans, close all vents, exhaust ports, and vents into the space. Vaporize the liquid sulfur dioxide by releasing the liquid SO₂ into the house hose system used for SO₂. Duct the hoses into open spaces where air movement is unrestricted. If spraying in front of blower or fan equipment, be sure none is splashed onto the equipment or severe corrosion will result.

GRAPES

For post-harvest use only on grapes held in cold storage to suppress spread of grey mold disease caused by *Botrytis cinerea*. Minimize conditions that promote grey mold similar to bruised or crushed berries, excess bunch shatter, etc.

WAREHOUSE FUMIGATION AND STORAGE

APPLICATION TIMING: Fumigate with SO₂ as soon after harvest as is practical. For fruit to be stored for extended periods, fumigate with SO₂ for the initial gassing on the day of harvest and follow on a 7-10 day interval. For fruit being shipped to market soon after harvest, fumigate with SO₂ before shipment, or in transit, if fruit has been gassed three (3) or fewer times. For fruit gassed in the warehouse more than three times, allow 12 or more hours to elapse before shipment.

Seeded varieties may be fumigated on a 7-10 day interval up to 20 times. Most seedless varieties may be fumigated on a 7-10 day interval up to 15 times; do not fumigate Thompson Seedless variety more than 12 times.

RATE OF APPLICATION: It is not a use inconsistent with this label to use less than directed amounts. However, using less than the stated rates may reduce efficacy.

INITIAL FUMIGATION: Use ¾ to 1% gas concentration based on measured volume of the cold storage room or fumigation chamber.

MAINTENANCE FUMIGATION: Use ¼ to ½% gas concentration based on measured volume of the cold storage room or fumigation chamber.

TREATMENT TIME: Once the gas is initially introduced into the room, fumigate for 20-30 minutes. Terminate fumigation by venting the room or scrubbing the recirculated air. It is essential that venting be started at or before 30 minutes after gassing initiation or excess residue may result. When venting is initiated, vigorous air movement is required to either exhaust the SO₂ through a vent or vents on the roof, or through a water scrubber. Venting or scrubbing must draw all SO₂ saturated air from the spaces between the berries within the following 20-30 minutes. This requires complete air movement and air replacement in the room at the rate of at least 0.1 to 0.3 of the cubic volume of the room per minute for a duration of 20-30 minutes. Periodically check exhaust fan capacity to ensure air replacement of at least 0.1 to 0.3 (or greater) of the cubic volume of the room per minute. If a water scrubber system is used, it is essential that sufficient scrubbing surface is available to remove the SO₂ from the recirculating air to equal the rate of removal by direct venting.

APPLICATION – COLD STORAGE ROOM OR FUMIGATION CHAMBER:

Obtain from Snowden Enterprises, Inc., or a designated distributor a pre-weighed filled cylinder that has been filled for a predesignated measured room (the filling weight is based on the room size).

Connect the cylinder to a previously validated gassing system installed in a designated room. When everything is ready for fumigation, open the valve and leave it open until the cylinder is empty. Close the valve and uncouple the cylinder from the system. If present, replace valve hood and valve outlet cap. Return the cylinder to a secure location properly labeled for Category 1 Pesticides. Return empty and/or partial cylinders only after consulting Snowden Enterprises, Inc., for proper shipping instructions.

HIGH FREQUENCY – LOW DOSAGE TREATMENT - WAREHOUSE

APPLICATION TIMING: Fumigate with SO₂ as soon after harvest as is practical. For fruit to be stored for extended periods, fumigate with SO₂ for the initial gassing on the day of harvest and follow at a three times per week interval (2 days, 2 days, 3 days). Seedless and seeded varieties may be fumigated on this high frequency, low dosage basis as long as they are in storage.

INITIAL FUMIGATION: Use ¾ to 1% gas concentration based on the measured volume of the cold storage room.

MAINTENANCE FUMIGATION: Use 200 to 400 ppm gas concentration based on the measured volume of the cold storage room.

TREATMENT TIME: Gas treatment will last until the room concentration is determined by measurement to be below 2.0 ppm. Vigorous air movement is required during gassing and for approximately 30 minutes following gas introduction. No venting is required with this procedure.

APPLICATION COLD STORAGE ROOM: Obtain from Snowden Enterprises, Inc., or a designated distributor a pre-weighed, filled cylinder that has been filled for a predesignated measured room (the filling weight is based on the room size). Connect the cylinder to a previously validated gassing system installed in a designated room. When everything is ready for fumigation, open the valve and leave it open until the cylinder is empty. Close the valve and uncouple the cylinder from the system. If present, replace valve hood and valve outlet cap. Return the cylinder to a secure location properly labeled for Category 1 Pesticides. Return empty and/or partial cylinders only after consulting Snowden Enterprises, Inc., for proper shipping instructions.

IN-HOUSE FOLLOW-UP PROCEDURE: If you use this method, it is a requirement of this gassing method to examine your fruit for mold growth for the duration of cold storage. Examine fruit at least once weekly.

FUMIGATION OF GRAPES IN TRANSPORTATION VEHICLES (REFRIGERATOR TRUCKS, REFRIGERATED CONTAINERS, AND REFRIGERATED RAILCARS)

Use Restrictions:

- When treating grapes in a truck, trailer or other transport vehicle, do not release treated air into atmosphere containing concentrations of sulfur dioxide in excess

- of 2 ppm (as determined by an appropriate detection device such as a portable electronic gas detector or gas detection tube system).
- Transportation vehicles fumigated with sulfur dioxide must be held for 24 hours and sulfur dioxide concentration in transport vehicles must be below 2 ppm before moving over public roads or highways.
 - Ensure truck is on a level surface to prevent back flow of liquid sulfur dioxide through the floor drain.

REFRIGERATED TRUCKS & CONTAINERS – FULL LOAD

1. Attach 2 ft. poly-flo plastic to right or left pallet stringer. Use only Snowden provided plastic staples or Arrow T-25M Stapler with 9/16” staples. Hose **MUST BE SECURE**. Additional staples may be required.
2. Insert brass receptacle on rubber hose into end of poly-flo plastic securely.
3. Insert knurled end of hose down floor drain. Close doors.
4. Connect knurled end of hose finger tight to cylinder.
5. Turn cylinder upside down. Open slowly. Discharge completely (approximately 1 – 2 minutes).
6. When empty, close valve. Disconnect hose. Pull hose straight down from drain hole, releasing it from poly-flo plastic for reuse.

REFRIGERATED TRUCKS & CONTAINERS – PARTIAL LOAD

1. Close doors. Insert pipe up through drain hole.
2. Connect knurled end of hose finger tight to cylinder.
3. Turn cylinder upside down. Open slowly. Discharge completely (approximately 1 – 2 minutes).
4. When empty, close valve. Remove pipe from drain hole for reuse.

REFRIGERATED RAILCAR

1. Insert pipe into door opening at floor level. Close doors leaving hose outside.
2. Connect knurled end of hose finger tight to cylinder.
3. Turn cylinder upside down. Open slowly. Discharge completely (approximately 1 – 2 minutes).
4. When empty, close valve. Disconnect.
5. Remove pipe from doors.

FOR USE IN CLEANING BARRELS USED IN WINE PRODUCTION – Fumigate barrels to minimize effects of non-public health fungi and/or bacteria prior to the introduction of grape juice for wine production.

For wooden barrels used for wine aging:

1. Rinse inside of barrels with a solvent selected by the winery (e.g. soap, water, etc.) and air dried.
2. Gas barrels - Using Gas Cylinder only (no eduction tube) and a barrel gassing unit with a pressure gauge provided by Snowden Enterprises, Inc. or a designated distributor. Ensure pressure in the cylinder is between 18-45 psi. Begin treatment by removing bung from barrel, insert SO₂ probe into the barrel and open the valve for 2-3 seconds. Now close the valve, extract the SO₂ probe and replace bung. Insert the SO₂ probe into the next barrel following the same procedure until all barrels are treated OR the pressure in the cylinder falls below 18 psi. If the cylinder pressure falls below 18 psi, change to another Gas Cylinder and continue gassing process as described.

NOTE TO USER: If a liquid SO₂ cylinder (with eduction tube) is used, the barrel will be damaged.

The SO₂ cylinders have fusible plugs (heat sensitive plugs) rated at 165°F. **DO NOT** expose cylinders to a heat source, including hot water. Doing so may rapidly release all of the SO₂ from the tank. If this happens, evacuate the work area until the air in the work area is shown to contain 2 ppm or less SO₂ or proper breathing apparatus is used.

After treatment, set cleaned barrels aside for 1-30 days. If barrels were gassed more than 30 days previously, they need to be re-gassed. When barrels are being gassed, device readings must occasionally be made using an appropriate detection device such as a portable electronic gas detector or gas detection tube system to assure that the SO₂ concentration in the gassing or work area does not exceed 2 ppm. If the work area readings are above 2 ppm, workers in the area must wear a NIOSH-approved full-face respirator with an acid gas or combination organic vapor/acid gas cartridge or leave the work area until the atmosphere is shown to be at or below 2 ppm by an appropriate detection device such as a portable electronic gas detector or gas detection tube system. If sulfur dioxide concentrations of 10 ppm are exceeded, or when concentrations are unknown, use either a supplied-air respirator (SAR) with NIOSH approval number prefix TC-19C, OR a self-contained breathing apparatus (SCBA) with NIOSH approval number TC-13F or combination air supplied/SCBA respirator must be used by all persons working in the fumigation area. **DO NOT** enter a high SO₂ concentration area using a short-term full-face respirator because these only have a limited capacity for protection. It is not possible for someone working in a high SO₂ concentration area to know when the limit of a full-face respirator has been reached.

FUMIGATING CORKS USED IN WINE PRODUCTION

For corks used in wine production: Fumigate the cork to reduce effects of non-public health fungal or bacterial growth prior to corking bottles to minimize contamination of the wine in the bottle.

To fumigate cork bags, use a Gas Cylinder only (no education tube) and cork bag gassing unit equipped with or without a vacuum sealer. The Gas Cylinder and pressure gauge are provided by Snowden Enterprises, Inc. or a designated distributor. Ensure pressure in the cylinder is between 18-45 psi. Begin treatment by placing a plastic bag into the cork loading equipment, fill the bag with corks, begin the heat sealing process, introduce SO₂ gas for 2-3 seconds, and complete the heat sealing process. If the cylinder pressure falls below 18 psi, change to another Gas Cylinder and continue the gassing process. Fumigated corks may be used the day following SO₂ gassing. Any bags thus treated must be labeled as "SO₂ treated".

STORAGE AND DISPOSAL, SPILL AND LEAK PROCEDURES

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage – Store in a secure location properly labeled for Category I pesticides. Store cylinders upright, secured to a rack or wall or placed in specially designed cases to prevent tipping. Do not subject cylinders to rough handling or mechanical shock such as dropping, bumping, dragging, or sliding. Do not use rope slings, hooks, tongs, or similar devices to unload cylinders. Do not store near flammable material, near the inlet of a ventilating or air conditioning unit, near any source of direct heat, nor in a subsurface location. Before use, locate the cylinder labeled for the room to be fumigated, which will show the room number and weight of SO₂ in the container, move this container to the room matched to the container for fumigation. If present, do not remove valve hood and valve outlet cap until immediately before use. If present, replace valve hood and valve outlet cap when not in use.

Pesticide Disposal – Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling - Refillable container. Refill this container with sulfur dioxide only. Do not reuse this container for any other purpose. When cylinder is empty after use, close valve by turning to the right until tight, disconnect lines and, if present, replace valve hood and valve outlet cap before returning to supplier. Do not use cylinders for any other purpose. Only Snowden Enterprises, Inc. is authorized to refill cylinders. After cylinder is empty and the valves are closed and uncoupled from the system, return cylinder to a secure location properly labeled for Category 1 Pesticides. Return empty

and/or partial cylinders only after consulting Snowden Enterprises, Inc., for proper shipping instructions.

Spill and Leak Procedures – Evacuate immediate area of spill or leak. Use a NIOSH - approved self-contained breathing apparatus (SCBA) or combination air supplied/SCBA respirator for entry into affected area to correct problem. Move leaking or damaged cylinders outdoors or to an isolated location, observing strict safety precautions. Work upwind if possible. Allow spill to evaporate. Do not permit entry into spill area by unprotected persons until concentration of sulfur dioxide is determined to be less than 2.0 ppm as determined by use of an appropriate detection device such as a portable electronic gas detector or gas detection tube system.

CONDITIONS OF SALE

1. Snowden Enterprises, Inc. warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with the directions under normal conditions of use. No one other than an officer of Snowden Enterprises, Inc. is authorized (and such authorization must be in writing) to make any other warranty, guarantee or direction concerning this product.
2. Because the time, place, rate of application, weather conditions and normal or abnormal conditions of use or storage are beyond Snowden Enterprises, Inc.'s control, to the extent consistent with applicable law, Snowden Enterprises, Inc.'s liability is limited to replacement of product or refund of purchase price. In no event shall Snowden Enterprises, Inc. be liable for indirect or consequential damages to the extent consistent with applicable law.

**[Small Cylinder Base Label –
small cylinders are packaged in
unit packaging of various sizes]**

RESTRICTED USE PESTICIDE

Due to corrosive effects during inhalation and to eyes and skin. For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certifications.



THE FRUIT DOCTOR

COMPRESSED SULFUR DIOXIDE

READ AND UNDERSTAND THE ENTIRE LABEL BEFORE USING THIS PRODUCT.

ACTIVE INGREDIENT: Sulfur Dioxide.....100%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

**See accompanying label booklet for additional
Precautionary Statements and Directions for Use
including Storage and Disposal instructions.**

EPA REG. No. 11195-1
EPA EST. No. 11195-CA-1 or 2

Manufactured for:
Snowden Enterprises, Inc., P.O. Box 751, Fresno,
California 93712
Net Contents: (See Attached Tag for Pounds Sulfur
Dioxide Net Contents)

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. **HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In the event of a medical emergency, you may also contact the National Pesticide Information Center (NPIC) at 1-800-858-7378. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS
DANGER - PELIGRO**

Corrosive. Liquid causes irreversible freeze damage to the eye. Liquid causes freeze burns to exposed skin. May be fatal if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Sulfur dioxide is an eye, nose, and throat irritant even at low levels. If tearing or upper respiratory tract irritation symptoms occur, leave fumigation area immediately. Avoid exposure to the product if you have a history of respiratory problems.

Conduct medical assessments of applicators and other persons who will be regularly exposed to sulfur dioxide prior to employment and at 1 – 2 year intervals.

[Large Cylinder Base Label]

RESTRICTED USE PESTICIDE

Due to corrosive effects during inhalation and to eyes and skin. For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certifications.



THE FRUIT DOCTOR

COMPRESSED SULFUR DIOXIDE

READ AND UNDERSTAND THE ENTIRE LABEL BEFORE USING THIS PRODUCT.

ACTIVE INGREDIENT: Sulfur Dioxide..... 100%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

See inside label booklet for Additional Precautionary Statements and Directions for Use including Storage and Disposal instructions.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. **HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In the event of a medical emergency, you may also contact the National Pesticide Information Center (NPIC) at 1-800-858-7378. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER - PELIGRO

Corrosive. Liquid causes irreversible freeze damage to the eye. Liquid causes freeze burns to exposed skin. May be fatal if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Do not get in eyes,

on skin, or on clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Sulfur dioxide is an eye, nose, and throat irritant even at low levels. If tearing or upper respiratory tract irritation symptoms occur, leave fumigation area immediately. Avoid exposure to the product if you have a history of respiratory problems.

Conduct medical assessments of applicators and other persons who will be regularly exposed to sulfur dioxide prior to employment and at 1 – 2 year intervals.

EPA REG. No. 11195-1

EPA EST. No. 11195-CA-1 or 2

Manufactured for: **Snowden Enterprises, Inc.**, P.O. Box 751, Fresno, California 93712

Net Contents: (See Attached Tag for Pounds Sulfur Dioxide Net Contents)

EPA[TBD]