

P. 23 REG # 11204-3

14

FRONT PANEL

LOGO

GreenAllTM

PRO-FORMULATM

WEED CONTROL
AND
LAWN FERTILIZER
25-5-3

ACCEPTED
AUG 7 . 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11204-3

Picture placement
Dandelion

COVERS 5,000 SQ. FT.

CONTROLS 31 BROADLEAF WEEDS INCLUDING: DANDELION,
SPOTTED SPURGE, PLANTAIN AND COMMON CHICKWEED

FOR TURF LAWNS ONLY - DO NOT USE ON D'CHONDRA
CONTAINS TRIMEC


KEEP OUT OF REACH OF CHILDREN (12 pt.)

CAUTION (18 pt.)

See Back Panel for Additional Cautions

EPA REG. NO. 11204
Net Weight 20 lbs.

EPA EST. NO. 11204-CA-1



LOGO

GreenAll™

PRO-FORMULA™

WEED CONTROL
AND
LAWN FERTILIZER
25-5-3

This combination of fertilizer and herbicide is specially formulated to provide a complete balanced feeding of turf grass lawns as well as the complete control of the following broadleaf weeds after they have germinated and are growing vigorously.

(1st column)

Bedstraw
Bindweed
Black Medic
Carpet Weed
Common Chickweed
Clover
Dandelion
Curly Dock

(2nd column)

Ground Ivy
Heal All
Purslane
Henbit
Knotweed
Lambsquarter
Milford (Yarrow)
Morning Glory

(3rd column)

Mouse Eared Chickweed
Mustard
Peppergrass
Pigweed
Plantain
Ragweed
Shepherds Purse
Sheep Sorrel

(4th column)

Smartweed
Sunflower
Spotted Spurge
Thistle
Wild Onion
Wild Garlic
Wild Lettuce

DIRECTIONS FOR USE

(12 pt.)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON DICHONDRA LAWNS

GreenAll Pro-Formula Weed Control and Lawn Fertilizer should be used from early spring through fall. Do not mow the lawn for one week prior to application in order to assure more leaf surface for herbicide to adhere to. Water thoroughly the day before application. Sprinkle lightly immediately before application, or be sure there is sufficient dew on the grass to assure that the particles stick to the leaves. Do not water or mow for 24 to 48 hours. Spread contents of this bag evenly on 5,000 sq. ft. of lawn using the proper spreader settings as indicated below. Do not apply to Bent grass lawns if temperature is over 85°F.

SPREADER SETTINGS: Scotts . . . 4-3/4 Central . . . 5-3/4 Lawn Beauty . . . 6-1/2

Age and condition of spreaders may cause a variation of these settings. Check your spreader on 250 sq. ft. (10 ft. x 25 ft.) applying one pound of this material.

3
4

HERBICIDE GUARANTEED ANALYSIS

ACTIVE INGREDIENTS:	BY WT.
*Dimethylamine salt of 2,4-dichlorophenoxyacetic acid . . .	0.866 %
**Dimethylamine salt of 2-(2-methyl-4- dichlorophenoxy) propionic acid	0.385 %
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.099 %
INERT INGREDIENTS:	
Vermiculite and Fertilizer constituents	98.650 %
TOTAL	100.000 %

- *13.75 lbs. of 0.687% 2,4-dichlorophenoxyacetic acid per ton.
- ** 6.60 lbs. of 0.330% 2-(2-methyl-4-chlorophenoxy) propionic acid per ton.
- *** 1.50 lbs. or 0.075% 3,6-dichloro-o-anisic acid per ton

* Isomer specific by AOAC method
From Trimec, Trademark of PBI-Gordon Corporation

FERTILIZER ANALYSIS

Total Nitrogen (N)	25.0%
2.0% Ammoniacal Nitrogen derived from Ammonium phosphate	
17.0% Water Soluble Nitrogen derived from Urea	
6.0% Water Insoluble Organic Nitrogen derived from Urea formaldehyde	
Available Phosphoric Acid (P ₂ O ₅) derived from Superphosphate and Ammonium Phosphate	5.0%
Water Soluble Potash (K ₂ O) derived from Muriate of Potash	3.0%

CHEMICAL HAZARDS (12 pt.)

Do not apply on a windy day or allow dust drifts to fall on shrubs, flowers, fruits or on vegetables such as beans, tomatoes, etc. Do not mix this material with other pesticides.

PRECAUTIONARY STATEMENTS (12 pt.)
HAZARDS TO HUMANS AND DOMESTIC ANIMALS (12 pt.)

CAUTION. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wash with soap and water after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT (12 pt.)

IF SWALLOWED get medical attention. IF ON SKIN wash with soap and water.
IF IN EYES flush with water for at least 15 minutes and get medical attention.

STORAGE AND DISPOSAL (12 pt.)

STORAGE: Store in original container in an area inaccessible to children and

BACK PANEL

Page -3-

pets. Do not store near food or feedstuffs. DISPOSAL: Do not reuse empty bag. Fold bag and discard in trash.

WARRANTY: Seller warrants that this product consists of ingredients as stipulated and will give satisfactory performance when used as directed. Because of the time, place and rate of application and other conditions beyond seller's control, seller's liability from handling, storage and use of this product is limited to replacement of the product or refund of the purchase price.

MANUFACTURED BY:

E. B. STONE & SON, INC.
P. O. BOX 57 SALINAS, CA 93902

