USE DIRECTION

READ ENTIRE LABEL BEFORE USING. USE ONLY AS DIRECTED.

Mix ZECTRAN insecticide with water and apply as a spray to pest infested ornamental plants and turf as specified in the Use Recommendations Table.

Make the application using hand or power spray equipment or hose attached applicator that will provide thorough and uniform coverage of plants and turf. Re-treat as necessary.

ACCEPTED

FEB 1 6 1973

ED UNDER NO. 1/2/4

Plants	Pests Controlled	ZECT 100	ount of RAN per gallons water	Remarks	
Ornamentals Flowers Shrubs Vines Trees (shade and flowering) Evergreen	Loopers, tent caterpillars, European pine shoot moth, birch leaf miner, thrips, red-pine sawfly, lygus, leafhoppers	1	quart	Spray to wet plants thoroughly in- cluding both upper and lower leaf surfaces. WARNING: Do not use on maiden- hair fern, cape chestnut or Gerald- ton wax flower.	
	Armyworms, cutworms, aphids, soft scales, scale crawlers, mealybugs, whiteflies, mites	11/2	quarts	Excessive dosage may cause slight injury to new foliage growth on roses, phlox and petunias.	
Turf and ground covers	Snails, slugs, sod webworms (lawn moths), armyworms, cutworms, millipedes, sowbugs (pillbugs)	11/2	quarts	Water turf thoroughly before treating. Apply 1 gallon of spray mixture per 130 to 180 square feeet of area treated. Soak debris under infested plants to kill snails and slugs se- cluded in such spots.	
				NOTE: Snails and slugs stop feeding soon after treatment but complete kill may be delayed for two or three days.	

USE RECOMMENDATIONS TABLE

UNDER THE LELENAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGIREFE.

ZECTRAN **Snail-Slug N Bug Killer**

4 , i

An outstanding insecticide for the control of a wide range of pests, including snails, and slugs on turf, shade trees, flowers and shrubs.

Kills armyworms, cutworms, sod webworms, loopers, birch leaf miners, European pine shoot moth, tent caterpillars, red-pine sawfly, thrips, leafhoppers, Whiteflies, mealybugs, lygus, aphids, soft scales and scale crawlers, mites, millipedes, sowbugs (pillbugs), snails and slugs.

ACTIVE INGREDIENTS BY	WEIGHT
4-dimethylamino-3, 5 xylyl methylcarbamate	22.7 %
Aromatic pertoleum derivative solvent	30.7 %
INERT INGREDIENTS	46.6%
Total	100.0%

WARNING: KEEP OUT OF REACH OF CHILDREN. See side panels for additional cartions.

* Registered Trademark of the Dow Chemical Company

E. P. A. Reg. No. 11214-7-AA Net Contents _

10 Avoi dild This

ING.

pply as a spray, F as specified in

spray equipment de thorough and t as necessary.

LE

ks

to wet plants thoroughly ing both upper and lower leaf ps.

HNG: Do not use on maidenfern, cape chestnut or Geraldax flower.

ive dosage may cause slight to new foliage growth on phlox and petunias.

turf thoroughly before treating. 1 gallon of spray mixture per 10 180 square feeet of area d. Soak debris under infested to kill snails and slugs sein such spots.

Snails and slugs stop feeding ufter treatment but complete kill be delayed for two or three

FEB 161973

ACCEPTED

UNDER THE FELENAL INSECTIONS FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGIMETER ED UNDER NO. ///////

ZECTRAN* Snail-Slug N Bug Killer

 \bullet

3 1

An outstanding insecticide for the control of a wide range of pests, including snails, and slugs on turf, shade trees, flowers and shrubs.

Kills armyworms, cutworms, sod webworms, loopers, birch leaf miners, European pine shoot moth, tent caterpillars, red-pine sawfly, thrips, leafhoppers, Whiteflies, mealybugs, lygus, aphids, soft scales and scale crawlers, mites, millipedes, sowbugs (pillbugs), snails and slugs.

ACTIVE INGREDIENTS BY V	VEIGHT
4-dimethylamino-3, 5 xylyl methylcarbamate	22.7 %
Aromatic pertoleum derivative solvent	30.7 %
INERT INGREDIENTS	46.6 %
Total	100.0 %

WARNING: KEEP OUT OF REACH OF CHILDREN. See side panels for additional cautions.

- * Registered Trademark of the Dow Chemical Company
- E. P. A. Reg. No. 11214-7-AA Net Contents

USE PRECAUTIONS

** Note: 2 and 3 teaspoonfuls per 1 gallon are equivalent to 1 and 1½ gquarts per 100 gallons respectively.

Avoid contamination of lawn and garden fishpools. Keep children and pets off treated areas until spray has dried.

This product is taxic to wildlife and birds. Do not apply when wind many cause spray to drift from treated areas during application. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning equipment or disposal of weste. Bury waste in non-crapland away from water supplies. Containers should be disposed by burying with wastes. Apply this product only as specified on this label.

WARNING

KEEP OUT OF REACH OF CHILDREN

MAY BE ABSORBED THROUGH SKIN MAY BE INJURIOUS TO EYES

Avoid Eye and Skin Contact. Avoid Breathing Spray Mists Avoid contaminution of food, feedstuffs and water supplies. Wash thoroughly after handling. In case of contact, immediately flush contaminated eyes with plenty of water for at least "5 minutes and get medical attention. If swallowed, call a physician immediately.

NOTE TO PHYSICIAN: Active ingredient has cholinergic effects. Treat symptomatically. Atropine is an antidate.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instruction or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

> Manufactured by TARGET CHEMICAL COMPANY 135 E. 157th Street Gardena, California 90248