

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS
AND DOMESTIC ANIMALS:
DANGER**

THIS FUMIGANT IS A HIGHLY HAZARDOUS MATERIAL AND MUST BE HANDLED WITH CARE ONLY BY THOSE INDIVIDUALS EXPERIENCED WITH ITS PROPER USE. CONSULT YOUR DEALER REPRESENTATIVE OR TRICAL INC. OR PHASE FOR CORRECT PROCEDURE BEFORE USING. READ AND FOLLOW ALL LABEL DIRECTIONS AND PRODUCT LITERATURE SPECIFIC TO YOUR PARTICULAR REQUIREMENTS.

**EXTREMELY HAZARDOUS LIQUID AND VAPOR
UNDER PRESSURE
INHALATION MAY BE FATAL OR CAUSE
DELAYED LUNG INJURY
LIQUID AND VAPOR CAUSE BURNS WHICH
MAY BE DELAYED**

The Chloroform or other fumigant has the capacity to cause marked irritation to the upper respiratory tract and a strong lachrymator (tear-producing eye irritant). Low concentrations below those necessary to cause serious systemic effects, are capable of causing severely painful eye irritation. This is not to be voluntarily tolerated. However, the effect may be so powerful that a person may become temporarily blinded and pain, blisters and that in fact may need to be treated.

**PRECAUTIONS TO FOLLOW
PRIOR TO FUMIGATION:**

1. Before using the fumigant read and follow all directions on the label and in product literature.
2. Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory Agencies as required.
3. If it is desirable to supply your physician with information on Methyl Bromide and Chloroform, the name of Methyl Bromide is available from the Manufacturing Chemists Association, 1875 Connecticut Avenue, N.W., Washington, D.C. 20009 (Chemical Safety Data Sheet SD-33) or contact TRICAL INCORPORATED for literature on Methyl Bromide and Chloroform.
4. Obtain medical assistance at once in case of illness after exposure and do not allow conditions which could accentuate or cause further exposure until recovery is complete.
5. Never fumigate alone. It is imperative to always have an assistant and proper protective equipment as listed below, to aid in case of accidents.
6. Drivers of applicator equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the safe handling operation of the tractor and how to safely work with the tractor and driver while fumigating.
7. Handle the fumigant in the open, with the operator "up wind" from the container where there is good ventilation.
8. Check fumigant pressure system for leaks before beginning application.
9. When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons additional water must be available from the service truck. This water must be drinkable but in containers marked "Water Not for Drinking."

RESPIRATORY EXPOSURE

10. **RESPIRATORY PROTECTION:** Do not breathe fumes. A gas mask must be carried in each service vehicle. Because of the lachrymator action of the fumigant, a well-sealed eye shield is also recommended. Because of the lachrymator action of the fumigant, a well-sealed eye shield is also recommended. However, if respiratory exposure may occur in a confined space, a full-face gas mask with an air supply (tank or airline) is recommended. Read and follow the gas mask manufacturer's instructions. A full-face gas mask with a filter (check for proper fit) and a NIOSH approved organic vapor cartridge can also be used under certain conditions where the vapor concentration is known to be under 2% by volume (5 lb. per 1000 cu ft.). Cartridges should be used for no more than that period recommended by the manufacturer. Do not use cartridges by crushing. Chloroform must not be depended upon as an absorbing agent when a certified gas mask is used.

EYE EXPOSURE

11. Wear safety glasses when working with this fumigant. Exposure of eyes to spraying liquid fumigant may render an individual helpless.
12. In case of eye exposure flush eyes with clean water.

SKIN EXPOSURE

13. Do not spill. If liquid fumigant splashes or spills on shoes or clothing, remove them at once as fumes from the contaminated area will be an irritable source of irritation. If liquid contacts skin, where rings or bandages are worn, remove them and wash exposed skin with soap and water. Air exposed shoes or clothing outside and do not wear until free of all traces of fumigant.
14. Do not wear gloves.
15. Always have adequate clean water available to wash skin.

SEE HANDLING PRECAUTIONS CONTINUED IN THIRD COLUMN

RESTRICTED USE PESTICIDE

For retail sale, use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certificate.

**TRI-CON 80/20
PREPLANT SOIL FUMIGANT**

ACTIVE INGREDIENTS

METHYL BROMIDE	80.0%
CHLOROFORM	19.8%
INERT INGREDIENTS	0.2%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER POISON



**SEND FOR A DOCTOR IMMEDIATELY
IN CASE OF EXPOSURE**

STATEMENT OF PRACTICAL TREATMENT

IF INHALED—Carry Patient To Fresh Air. Call Physician At Once. Make Sure Patient Can Breathe freely. Keep Patient Warm. Give Artificial Respiration If Breathing Has Stopped. Oxygen Should Be Administered Only By Qualified Personnel.

IF ON SKIN—Immediately Remove All Contaminated Skin Covering Including Shoes, Clothing And Adhesive Or Other Bandages. Wash Skin Thoroughly With Soap And Water. If Irritation Or Blisters Develop, Get Medical Attention. Do Not Reuse Shoes Or Clothing Until Free Of All Contamination.

IF IN EYES—Flush Immediately With Plenty Of Water For At Least 15 Minutes And Get Medical Attention.

NOTE TO PHYSICIAN—Keep Patient At Rest And Under Observation For 24 To 48 Hours.

PRECAUCION AL USUARIO: Si Usted No Lee Ingles, No Use Este Producto Hasta Que La Etiqueta Le Muestra Sida Explicada Ampliamente.

TRANSLATION (TO THE USER) If You Cannot Read English, Do Not Use This Product Until The Label Has Been Fully Explained To You.

See Side Panel For Additional Precautionary Statements

TRICAL

P.O. BOX 2 MORGAN HILL, CALIF. 95077

EPA EST. 11220 CA 1, 2, 3, 4
EPA REG. NO. 11220 3

ACCEPTED
SEP 1 1982
71220-3

LBS

FOR THE WEST OF ROCKY MOUNTAINS

ONIONS, DIRECT SEEDS

APPLICATION: Treatment can be made whenever soil conditions are suitable. In northern states, late summer or early fall treatments are best for land to be planted to early spring crops. Follow application directions as described above.

USE: For control of White Rot, weeds (grasses) and Nematodes.

DOSAGE: 1/2 lb./acre

LIMITATION: Use restricted to west of the Rocky Mountains, do not treat any field more than once every twelve months.

FOR USE IN CALIFORNIA ONLY

ASPARAGUS AND LETTUCE

APPLICATION: Follow application directions as described above.

DOSAGE AND USE TABLE

<u>CROP</u>	<u>USE</u>	<u>RATE</u>	<u>PRECAUTION</u>
Asparagus	Fungus diseases (damping off, Pythium spp.) weeds (grasses) Nematodes	375-500 lbs/A	Remove tarpaulin after 24-48 hours
Lettuce	Big Vein	250-375 lbs/A	Remove tarpaulin after 24-48 hours
	Weeds (including oxalis) Nematodes	375-500 lbs/A	Remove tarpaulin after 24-48 hours

LIMITATIONS: For use in California only, do not harvest asparagus during year of treatment, use on lettuce fields only once in 2 to 3 years.