

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS
AND DOMESTIC ANIMALS:

D A N G E R

EXTREMELY HAZARDOUS LIQUID AND
VAPOR UNDER PRESSURE.
INHALATION MAY BE FATAL OR CAUSE
SERIOUS ACUTE ILLNESS OR DELAYED
LUNG OR NERVOUS SYSTEM INJURY.

DO NOT BREATHE VAPORS.

LIQUID OR EXCESSIVE VAPOR CAN CAUSE
SERIOUS SKIN OR EYE INJURY WHICH MAY
HAVE A DELAYED ONSET.

DO NOT GET LIQUID ON SKIN, IN EYES,
OR ON CLOTHING.

THIS PRODUCT CONTAINS CHLOROPICRIN WHICH
MAY BE IRRITATING TO THE UPPER
RESPIRATORY TRACT, AND EVEN AT LOW LEVELS
CAN CAUSE PAINFUL IRRITATION TO THE EYES,
PRODUCING TEARING. IF THESE SYMPTOMS
OCCUR, LEAVE THE FUMIGATION AREA
IMMEDIATELY. EARLY SYMPTOMS OF CHLOROPIC-
RIN OVEREXPOSURE ARE LACHRYMATION,
RESPIRATORY DISTRESS AND VOMITING.

**OBSERVE THE FOLLOWING
PRECAUTIONS**

GENERAL PRECAUTIONS

1. Do not get in eyes, on skin, or on clothing.
2. Do not spill or discharge contents outside of areas confined for treatment.
3. Comply with all local regulations and ordinances.
4. It is advisable to supply your physician with information on Chloropicrin and Methyl Bromide. Literature is available from your dealer or distributor.
5. Obtain medical assistance at once in case of illness after exposure, and do not allow conditions which could accidentally cause further exposure until recovery is complete. (See Note to Physician.)

RESPIRATORY PROTECTION

If the concentration of methyl bromide in the working area, as measured by a direct-reading detector device (such as a Dräger gas detector) does not exceed 5 ppm (20 mg/cu.m), no respiratory protection is required. If this concentration is exceeded at any time, all persons in the fumigation area must wear protective clothing and a NIOSH/MSHA approved self-contained breathing apparatus, (SCBA) or combination air-supplied/SCBA respiratory (such as a U.S. Divers' Survivair or comparable device).

Under normal soil fumigation conditions, the concentration of methyl bromide in the working area will not generally exceed 5 ppm as a time-weighted average and no respiratory protection is required. However, there is the possibility of a spill or leak during soil fumigation. Therefore, a SCBA or combination air-supplier SCBA respirator must be available and will be required for entry into an affected area in the event of a leak or spill.

CLOTHING PRECAUTIONS

1. Wear loose clothing and socks that are cleaned after each wearing. Do not wear jewelry, gloves, or tight clothing when handling. Methyl Bromide is heavier than air and may be trapped inside clothing and cause skin injury. If full-face respiratory protection is not required, wear goggles or full face shield for eye protection when handling liquid.
2. Following exposure, immediately remove clothing, shoes, and socks. Do not reuse contaminated clothing or shoes until thoroughly cleaned and aerated. Drenched clothing cannot be adequately decontaminated.
3. Do not wear gloves of any type, or rubber protective clothing, or rubber boots.
4. If liquid fumigant splashes or spills on clothing, remove them at once, as fumes will be an intolerable source of irritation.

SPILL OR LEAK PROCEDURE

RESTRICTED USE PE

DUE TO ACUTE TOXIC

For retail sale to and use only
Applicators, or persons under
supervision, and only for those
by the Certified Applicator's cer

TRI-CON 6'
PREPLANT SOIL FUN

ACTIVE INGREDIENTS:

METHYL BROMIDE

CHLOROPICRIN

INERT INGREDIENTS:

TOTAL

1

KEEP OUT OF REACH OF

DANGER



POISON

PRECAUCION AL USARIO: Si usted no lee
este producto hasta que la etiqueta le
cada ampliamente.

**IN ALL CASES OF OVEREXPO
MEDICAL ATTENTION IMM
TAKE PERSON TO A DOCTOR
EMERGENCY TREATMENT FA**

**STATEMENT OF PRAC
TREATMENT**

IF INHALED: Get exposed person to fr.
warm. Make sure person can breathe free
ing has stopped, give artificial resp
oxygen if needed. Do not give anything
unconscious person. Seek medical attent

IF ON SKIN: Immediately remove contam
shoes, and other items covering the sk
taminated skin area thoroughly with soap

IF IN EYES: Hold eyelids open and flush
gentle stream of water for at least 15 mi

NOTE TO PHYSICIAN: Early symptoms of ov
dizziness, headache, nausea and vomiting,
collapse. Lung edema may develop in
after exposure, accompanied by cardiac i
these effects are the usual cause of de
overexposure can result in blurred visi
gait, and mental imbalance, with prot
after a period of no exposure. blood
suggest the occurrence, but not the d
posure. Treatment is symptomatic.

See Side Panel For Additional Precautiona

TRICAL

CR ON CLOTHING.

THIS PRODUCT CONTAINS CHLOROPICRIN WHICH MAY BE IRRITATING TO THE UPPER RESPIRATORY TRACT, AND EVEN AT LOW LEVELS CAN CAUSE PAINFUL IRRITATION TO THE EYES, PRODUCING TEARING. IF THESE SYMPTOMS OCCUR, LEAVE THE FUMIGATION AREA IMMEDIATELY. EARLY SYMPTOMS OF CHLOROPICRIN OVEREXPOSURE ARE LACHRYMATION, RESPIRATORY DISTRESS AND VOMITING.

OBSERVE THE FOLLOWING PRECAUTIONS

GENERAL PRECAUTIONS

1. Do not get in eyes, on skin, or on clothing.
2. Do not spill or discharge contents outside of areas confined for treatment.
3. Comply with all local regulations and ordinances.
4. It is advisable to supply your physician with information on Chloropicrin and Methyl Bromide. Literature is available from your dealer or distributor.
5. Obtain medical assistance at once in case of illness after exposure, and do not allow conditions which could accidentally cause further exposure until recovery is complete. (See Note to Physician.)

RESPIRATORY PROTECTION

If the concentration of methyl bromide in the working area, as measured by a direct-reading detector device (such as a Dräger gas detector) does not exceed 5 ppm (20 mg/cu.m), no respiratory protection is required. If this concentration is exceeded at any time, all persons in the fumigation area must wear protective clothing and a NIOSH/MSHA approved self-contained breathing apparatus, (SCBA) or combination air-supplied/SCBA respiratory (such as a U.S. Divers' Survivair or comparable device).

Under normal soil fumigation conditions the concentration of methyl bromide in the working area will not generally exceed 5 ppm as a time-weighted average and no respiratory protection is required. However, there is the possibility of a spill or leak during soil fumigation. Therefore, a SCBA or combination air-supplied/SCBA respirator must be available and will be required for entry into an affected area in the event of a leak or spill.

CLOTHING PRECAUTIONS

1. Wear loose clothing and socks that are cleaned after each wearing. Do not wear jewelry, gloves, or tight clothing when handling. Methyl Bromide is heavier than air and may be trapped inside clothing and cause skin injury. If full-face respiratory protection is not required, wear goggles or full face shield for eye protection when handling liquid.
2. Following exposure, immediately remove clothing, shoes, and socks. Do not reuse contaminated clothing or shoes until thoroughly cleaned and aerated. Drenched clothing cannot be adequately decontaminated.
3. Do not wear gloves of any type, or rubber protective clothing, or rubber boots.
4. If liquid fumigant splashes or spills on clothing, remove them at once, as fumes will be an intolerable source of irritation.

SPILL OR LEAK PROCEDURE

1. Evacuate the immediate area of the spill or leak. Use SCBA or combination air-supplied/SCBA respirator for entry into the affected area to correct problem. Move leaking or damaged cylinders or containers outdoors or to an isolated location, observing strict safety precautions. Work upwind if possible. Allow spill to evaporate. Do not permit entry into spill area by unprotected persons until the concentration of methyl bromide is determined to be less than 5 ppm (20 mg/cu.m) and chloropicrin less than 0.1 ppm.
2. Contaminated soil, water, and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if reportable quantity of 1000 lbs. is exceeded.

SEE PRECAUTIONS CONTINUED IN THIRD COLUMN

INERT INGREDIENTS:

TOTAL

276

KEEP OUT OF REACH OF

DANGER



POISON

PRECAUCION AL USARIO: Si usted no lee este producto hasta que la etiqueta le cada implamente.

IN ALL CASES OF OVEREXP
MEDICAL ATTENTION IM
TAKE PERSON TO A DOCTOR
EMERGENCY TREATMENT F

STATEMENT OF PRE TREATMENT

IF INHALED: Get exposed person to warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration if needed. Do not give anything to an unconscious person. Seek medical attention.

IF ON SKIN: Immediately remove contaminated clothing, shoes, and other items covering the contaminated skin area thoroughly with soap and water.

IF IN EYES: Hold eyelids open and flush with a gentle stream of water for at least 15 minutes.

NOTE TO PHYSICIAN: Early symptoms of chloropicrin exposure are dizziness, headache, nausea and vomiting. Lung edema may develop after exposure, accompanied by cardiac effects. These effects are the usual cause of overexposure can result in blurred vision, gait, and mental imbalance, with possible collapse after a period of no exposure. Blood tests suggest the occurrence, but not the severity of exposure. Treatment is symptomatic.

See Side Panel For Additional Precautions

TRICAL

P.O. BOX 1327 • HOLLISTER, CA

E.P.A. EST. 11220-CA-1
E.P.A. REG. NO. 1122

NET CONTENTS

3 986

PESTICIDE

TOXICITY

Use only by Certified
under their direct
or those uses covered
for's certification.

67/33
FUMIGANT

67.0%
32.7%
0.3%
100.0%

CH OF CHILDREN

PELIGRO

ted no lee Ingles, no uso
liqueta le haya sido expli-

**VEREXPOSURE, GET
ON IMMEDIATELY
DOCTOR OR TO AN
MENT FACILITY**

**F PRACTICAL
MENT**

erson to fresh air. Keep
breathe freely. If breath-
icilal respiration. Give
anything by mouth to any
ical attention.

ove contaminated clothing,
ing the skin. Wash con-
y with soap and water.

h and flush with a steady,
least 15 minutes.

ptoms of overexposure are
nd vomiting, weakness, and
velop in 2 to 48 hours
y cardiac irregularities;
cause of death. Repeated
lurred vision, staggering
with probable recovery
e. blood bromide levels
not the degree, of ex-
tic.

Precautionary Statements.

AL

ISTER, CA 95024

PRECAUTIONS FOR SOIL FUMIGATION USE

PRIOR TO FUMIGATION

1. Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory Agencies as required.
2. Never fumigate alone. It is imperative always to have an assistant and proper protective equipment in case of accidents.
3. Drivers of application equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the mechanical operation of the tractor and how to safely work with the tractor and driver while fumigating.
4. Handle this fumigant in the open, with the operator "up wind" from the container where there is good ventilation.
5. Check fumigant pressure system for leaks before beginning operation.
6. Two trained persons must be present during introduction of the fumigant.
7. When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons of additional water must be available from the service truck. This water must be potable and in containers marked "Decontamination water not to be used for drinking."
8. Field should be reasonably free of trash before starting the fumigation.

DURING FUMIGATION

1. This fumigant should not be applied when there is an atmospheric inversion. Since uncomfortable concentrations of chloropicrin may drift to nearby areas, immediately cover treated area with plastic tarpaulin for a minimum of 48 hours when the injection depth is less than 10".
2. Do not lift injection shanks to turn at the end of a pass until fumigant has drained from system following closure of shutoff valve.
3. If trash is inadvertently pulled by the shanks to the ends of the field when fumigating, it must be covered by lifting the shanks, then covering the trash with polyethylene film before making the turn for the next pass.
4. When changing the cylinders, be certain they are turned off and fumigant system is not under pressure. Do not open the system when there are people or structures downwind where exposures above the permissible exposure levels could occur.

FOLLOWING FUMIGATION

1. Post all treated areas with warning signs, available from your dealer or representative.
2. No children, unauthorized people, or animals should be in the fumigation area for 48 hours.
3. When tarpaulin is used, two trained persons must be present during removal of the tarpaulin.

SPILL AND LEAK PROCEDURE

1. In case of a rupture of hose or fitting while applying fumigant, immediately stop tractor and motor. Evacuate immediate area of spill or leak. Use SCBA or combination air-supplied/SCBA respirator for entry into affected area to correct the problem. Approach from upwind to make necessary repairs.
2. Do not reenter area without respiratory protection until spill has evaporated or leak has been fixed.

NOTE CAREFULLY

Fumigation may temporarily raise the level of ammonia nitrogen and soluble salts in the soil. This is most likely to occur when heavy rates of fertilizer and fumigant are applied to soils that are either cold, wet, acid, or high in organic matter. To avoid injury to plant roots, fertilize as indicated by soil tests made after fumigation. To avoid ammonia injury and/or nitrate starvation to crops, avoid using fertilizers containing ammonium salts and use only fertilizers containing nitrates until after the crop is well established and the soil temperature is above 65° F. Liming highly acid soils before fumigation stimulates nitrification and reduces the possibility of ammonia toxicity.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE AND HANDLING

Store in a secure manner either outdoors under ambient conditions or indoors in a well ventilated area. Post as a pesticide storage area. Do not contaminate water, food, or feed by storage. Persons moving or handling containers should wear protective clothing. Open container only in a well-ventilated area wearing protective clothing, and respiratory protection if necessary. Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subject to rough handling or mechanical shock such as dropping, bumping, dragging.

Cylinders are the p

TRICA
8770 High
Hollister,

and should be retu
ship cylinders with
When a cylinder is
ment for the produc

This fumigant is cla
Hazardous Materials
mixtures, 2.3, UN 15F
exemptions from spec
allowed. Describe
Chloropicrin and Met
ship with foods, feed

Do not contaminate
Pesticide wastes or
spray mixture, or r
wastes cannot be d
tions, contact you
Agency, or the Hazi
Regional Office for

This pesticide is
containing this pr
oceans, or public
identified and add
effluent containing
viously notifying t
ance contact your S

Do not use containe
aluminum, or their
gant may be severa
to be used to cla
result. Diesel oil

GENE

THIS FUMIGANT IS A HIC
INDIVIDUALS TRAINED I
ALL LABEL PRECAUTIONS
MENT. ALL PERSONS WC
ABOUT THE HAZARDS, ANI
MENT AND DETECTOR DEV
FUMIGANT.

General Information: Thi
for control of soil-borne
weed and grass seeds,
diseases caused by cert.
Fusarium, and Phytoph
planted to the crops liste

SOIL PREPARATION: Fric
for planting and with

APPLICATION: Apply thi
18" apart and at a dep
ant after application.

A

Under
Rode
pestic
EPA

0.34
100.04

EACH OF CHILDREN



PELIGRO

DISON

usted no lee Ingles, no use
etiqueta le haya sido expli-

**OVEREXPOSURE, GET
TION IMMEDIATELY
A DOCTOR OR TO AN
TREATMENT FACILITY**

**OF PRACTICAL
TREATMENT**

person to fresh air. Keep
an breathe freely. If breath-
artificial respiration. Give
give anything by mouth to any
medical attention.

remove contaminated clothing,
covering the skin. Wash con-
thoroughly with soap and water.

open and flush with a steady,
at least 15 minutes.

symptoms of overexposure are
na and vomiting, weakness, and
develop in 2 to 48 hours
ed by cardiac irregularities;
ual cause of death. Repeated
in blurred vision, staggering
nce, with probable recovery
posure. Blood bromide levels
but not the degree, of ex-
symptomatic.

onal Precautionary Statements.

CAL

HOLLISTER, CA 95024

11220-CA-1, 2, 3, 4; MX-1
NO. 11220-07

... LBS.

1. This fumigant should not be applied when there is an atmospheric inversion. Since uncomfortable concentrations of chloropicrin may drift to nearby areas, immediately cover treated area with plastic tarpaulin for a minimum of 48 hours when the injection depth is less than 10".
2. Do not lift injection shanks to turn at the end of a pass until fumigant has drained from system following closure of shutoff valve.
3. If trash is inadvertently pulled by the shanks to the ends of the field when fumigating, it must be covered by lifting the shanks, then covering the trash with polyethylene film before making the turn for the next pass.
4. When changing the cylinders, be certain they are turned off and fumigant system is not under pressure. Do not open the system when there are people or structures downwind where exposures above the permissible exposure levels could occur.

FOLLOWING FUMIGATION

1. Post all treated areas with warning signs, available from your dealer or representative.
2. No children, unauthorized people, or animals should be in the fumigation area for 48 hours.
3. When tarpaulin is used, two trained persons must be present during removal of the tarpaulin.

SPILL AND LEAK PROCEDURE

1. In case of a rupture of hose or fitting while applying fumigant, immediately stop tractor and motor. Evacuate immediate area of spill or leak. Use SCBA or combination air-supplied/-SCBA respirator for entry into affected area to correct the problem. Approach from upwind to make necessary repairs.
2. Do not reenter area without respiratory protection until spill has evaporated or leak has been fixed.

NOTE CAREFULLY

Fumigation may temporarily raise the level of ammonia nitrogen and soluble salts in the soil. This is most likely to occur when heavy rates of fertilizer and fumigant are applied to soils that are either cold, wet, acid, or high in organic matter. To avoid injury to plant roots, fertilize as indicated by soil tests made after fumigation. To avoid ammonia injury and/or nitrate starvation to crops, avoid using fertilizers containing ammonium salts and use only fertilizers containing nitrates until after the crop is well established and the soil temperature is above 65° F. Liming highly acid soils before fumigation stimulates nitrification and reduces the possibility of ammonia toxicity.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE AND HANDLING

Store in a secure manner either outdoors under ambient conditions or indoors in a well ventilated area. Post as a pesticide storage area. Do not contaminate water, food, or feed by storage. Persons moving or handling containers should wear protective clothing. Open container only in a well-ventilated area wearing protective clothing, and respiratory protection if necessary. Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subject to rough handling or mechanical shock such as dropping, bumping, dragging, or sliding. Do not use rope slings, hooks, tongs, or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be tightly secured. Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use. When cylinder is empty, close valve, screw safety cap onto valve outlet, and replace protection bonnet before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose. Follow registrant's instructions for return of empty or partially empty cylinder.

STORAGE AND DISPOSAL DIRECTIONS CONTINUED

Regional Office

This pesticide containing thi oceans, or p identified and effluent Cont; viously notify ance contact y

Do not use cor aluminum, or t gant may be se to be used to result. Diesel

GE

THIS FUMIGANT IS INDIVIDUALS TRAI ALL LABEL PRECAI MENT. ALL PERSON ABOUT THE HAZARD: MENT AND DETECTO FUMIGANT.

General Information: for control of soil-weed and grass se diseases caused by fusarium, and Phyt planted to the crops

SOIL PREPARATION for planting and

APPLICATION: App 18" apart and at ant after applic

NOTICE: Seller description and when used in acc but neither this FITNESS FOR A P. use of this pro: conditions, or and buyer assume

RETURN OF CYLINDERS

the property of:

TRICAL
1029 Railroad Street
Corona, CA 91720

returned promptly by collect auto freight. Do not
without safety caps or valve protection bonnets.
is partially full and there is no further require-
product, contact TRICAL for return instructions.

SHIPPING

is classified in the U.S. Department of Transportation
Regulations as Chloropicrin and Methyl Bromide
1581, Poison-Inhalation hazard, Hazard Zone B and no
specifications, packaging, marking, or labeling are
cribe empty cylinders as having last contained
Methyl Bromide mixtures (inhalation hazard). Do not
feeds, or clothing.

DISPOSAL

inate water, food, or feed by storage or disposal.
es are toxic. Improper disposal of excess pesticide,
or rinsate is a violation of Federal Law. If these
be disposed of by use according to label instruc-
your State Pesticide or Environmental Control
Hazardous Waste representative at the nearest EPA
e for guidance.

ENVIRONMENTAL HAZARD

is toxic to wildlife. Do not discharge effluent
product into lakes, streams, ponds, estuaries,
public waters unless this product is specifically
addressed in an NPDES permit. Do not discharge
this product to sewer systems without pre-
ing the sewage treatment plant authority. For guid-
our State Water Board or Regional Office of the EPA.

CHEMICAL HAZARD

ainers or application equipment made of magnesium,
their alloys, as under certain conditions this fumi-
verely corrosive to such metals. Do not permit water
clean fumigant pressure system as corrosion will
oil is satisfactory for this purpose.

GENERAL INSTRUCTIONS

A HIGHLY HAZARDOUS MATERIAL AND SHOULD BE USED ONLY BY
MED IN ITS PROPER USE. BEFORE USING, READ AND FOLLOW
TIONS AND DIRECTIONS, INCLUDING THE ATTACHED SUPPLE-
MS WORKING WITH THIS FUMIGANT MUST BE KNOWLEDGEABLE
S, AND TRAINED IN THE USE OF REQUIRED RESPIRATOR EQUIP-
R DEVICES, EMERGENCY PROCEDURES, AND PROPER U. OF THE

This fumigant is a preplant soil fumigant
borne pests as listed: wireworms, nematodes,
ods, granville wilt, blackshank, and other
certain species of Rhizoctonia, Pythium,
ophthora. It is to be used in soil to be
listed in the dosage table.

Prior to application, the soil should be in condition
with sufficient moisture to support seed germination.

ly this fumigant by means of chisels spaced from 12" to
a depth of 6" to 8" below soil surface. To seal fumiga-
tion, cover with a gas-tight tarpaulin.

GENERAL INSTRUCTIONS, CONTINUED

576

DOSAGE TABLE:

Land To Be Planted To:	Lbs. Per Acre
Strawberries	225 - 355
Tomatoes	225 - 355
Floral Crops	225 - 450
Nursery Crops	225 - 450
Tobacco	85 - 128
Plant and Seed Beds	225 - 450

For production of replants or nonfood/feed crops. The
nonfood/feed crops can not be used for human food or animal feed
consumption.

AERATION: Remove tarpaulin after 48 hours. Allow the soil to aerate for
two weeks before planting. If odors of fumigant persist beyond this
two-week period, disc or plow the soil to help aeration.

FOR USE WEST OF ROCKY MOUNTAINS ONIONS, DIRECT SEEDED

APPLICATION: Treatment can be made whenever soil conditions are suit-
able. In northern states, late summer or early fall treat-
ments are best for land to be planted to early spring
crops. Follow application directions as described above.

USE: For control of White Rot, weeds (grasses) and Nematodes.

DOSAGE: 450 Lbs/Acre

LIMITATION: Use restricted to west of the Rocky Mountains. Do not
treat any field more than once every twelve months.

FOR USE IN CALIFORNIA ONLY ASPARAGUS AND LETTUCE


APPLICATION: Follow application directions as described above.

DOSAGE AND USE TABLE			
CROP	USE	RATE	AERATION
Asparagus	Fungus diseases (damping off, Phythium spp)	450-600 lbs/A	Remove tarpaulin after 48 hrs.
	Weeds (grasses).		
	Nematodes		
Lettuce	Weeds (including oxalis)	450-600 lbs/A	Remove tarpaulin after 48 hrs.
	Nematodes		
	Big Vein		
		300-450 lbs/A	Remove tarpaulin after 48 hrs.

LIMITATIONS: For use in California only. Do not harvest asparagus dur-
ing year of treatment. Use on lettuce fields only once in 2 to 3 years.



POISON GAS



is toxic to wildlife. Do not discharge effluent
this product into lakes, streams, ponds, estuaries,
public waters unless the product is specifically
addressed in an NPDES permit. Do not discharge
this product to sewer systems without pre-
arranging the sewage treatment plant authority. For guid-
ance, contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARD

Containers or application equipment made of magnesium,
their alloys, or under certain conditions this fumi-
gant is severely corrosive to such metals. Do not permit water
to clean fumigant pressure system as corrosion will
occur. Soil is satisfactory for this purpose.

GENERAL INSTRUCTIONS

is a HIGHLY HAZARDOUS MATERIAL AND SHOULD BE USED ONLY BY
EXPERIENCED PERSONS IN ITS PROPER USE. BEFORE USING, READ AND FOLLOW
INSTRUCTIONS AND DIRECTIONS, INCLUDING THE ATTACHED SUPPLE-
MENTS WORKING WITH THIS FUMIGANT MUST BE KNOWLEDGEABLE
OF THE USE OF REQUIRED RESPIRATOR EQUIP-
MENT, AND TRAINED IN THE USE OF REQUIRED RESPIRATOR EQUIP-
MENT, EMERGENCY PROCEDURES, AND PROPER USE OF THE

This fumigant is a preplant soil fumigant
which kills pests as listed: wireworms, nematodes,
grasses, granville wilt, blackshank, and other
pests. It is to be used in soil to be
fumigated. It is listed in the dosage table.

Prior to application, the soil should be in condition
with sufficient moisture to support seed germination.

Apply this fumigant by means of chisels spaced from 12" to
18" and to a depth of 6" to 8" below soil surface. To seal fumi-
gation, cover with a gas-tight tarpaulin.

ACCEPTED

14 FEB 1993

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 11220-7

WARRANTY

Warrants that the product conforms to its chemical
composition and is reasonably fit for the purposes stated on the label
in accordance with directions under normal conditions of use.
This warranty nor any other warranty of MERCHANTABILITY or
FITNESS FOR PARTICULAR PURPOSE, express or implied, extends to the
product contrary to label instructions, or under abnormal
conditions not reasonably foreseeable to seller,
except the risk of any such use.


FOR USE IN CALIFORNIA ONLY
ASPARAGUS AND LETTUCE

6 46

APPLICATION: Follow application directions as described above.

DOSAGE AND USE TABLE			
CROP	USE	RATE	AERATION
Asparagus	Fungus diseases (damping off, Phythium spp)	450-600 lbs/A	Remove tarpaulin after 48 hrs.
	Weeds (grasses), Nematodes		
Lettuce	Weeds (including oxalis)	450-600 lbs/A	Remove tarpaulin after 48 hrs.
	Nematodes Big Vein	300-450 lbs/A	Remove tarpaulin after 48 hrs.

LIMITATIONS: For use in California only. Do not harvest asparagus dur-
ing year of treatment. Use on lettuce fields only once in 2 to 3 years.



CHLOROPICRIN AND
METHYL BROMIDE
MIXTURES
UN 1581
INHALATION HAZARD