

HANDLING PRECAUTIONS

HAZARD TO HUMANS AND DOMESTIC ANIMALS: This fumigant is a highly toxic substance and must be handled with care. Only the individuals who are trained in its proper use should use it. It is extremely hazardous to humans and domestic animals. The label on the container of this fumigant has the symbol for acute toxicity. The upper respiratory tract and the skin are the primary routes of exposure. It is a strong irritant to the eyes, nose, throat, and lungs. It is also a strong irritant to the skin. It is a strong irritant to the eyes, nose, throat, and lungs. It is also a strong irritant to the skin. It is a strong irritant to the eyes, nose, throat, and lungs. It is also a strong irritant to the skin.

HAZARD TO HUMANS AND DOMESTIC ANIMALS:

This fumigant is a highly toxic substance and must be handled with care. Only the individuals who are trained in its proper use should use it. It is extremely hazardous to humans and domestic animals. The label on the container of this fumigant has the symbol for acute toxicity. The upper respiratory tract and the skin are the primary routes of exposure. It is a strong irritant to the eyes, nose, throat, and lungs. It is also a strong irritant to the skin. It is a strong irritant to the eyes, nose, throat, and lungs. It is also a strong irritant to the skin.

PRECAUTIONS TO FOLLOW PRIOR TO FUMIGATION:

- Before using this fumigant, read and follow all label directions and product literature.
- Obtain a permit from the appropriate authority before using this fumigant.
- It is advisable to supply your tractor with information on Methyl Bromide and Chloropicrin. The Methyl Bromide Association, 1815 Connecticut Avenue, N.W., Washington, D.C. 20009, has a Safety Data Sheet SD-35 or contact Soil Chemicals Corporation, 10000 West 10th Avenue, Denver, Colorado 80202, for information on Methyl Bromide and Chloropicrin.
- Obtain medical assistance or call a doctor in case of illness after exposure, and an ambulance if necessary, which could be delayed by a further exposure.
- Never fumigate alone. It is imperative to always have an assistant and proper protective equipment available to aid in case of accidents.
- Drivers of application equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the proper operation of the tractor and how to safely work with the tractor and driver while fumigating.
- Handle this fumigant in the open, with the operator upwind from the container where there is good ventilation.
- RESPIRATORY PROTECTION:** Do not breathe fumes. A gas mask must be worn in each service vehicle. Because of the lacrimatory action of this fumigant, it will serve as an irritant to the eyes. To help prevent overexposure, however, if vapor exposure may occur, in a confined space, a full-face gas mask with an air supply tank or a filter is recommended. Read and follow the gas mask manufacturer's recommendations. A full-face gas mask with a fresh black canister meeting NIOSH specifications for organic vapors can also be used under certain circumstances where the vapor concentration is known to be under 2% by volume (5 lb. per 1000 cu. ft.). Canisters should be used for no more than the period recommended by the manufacturer. Do not use canisters by crushing. Chloropicrin must not be depended upon as an identifying agent when a canister gas mask is used.
- Wear safety glasses when working with this fumigant. Exposure of eyes to splashing liquid fumigant may render an individual helpless. Do not spit. If liquid fumigant splashes or spills on shoes or clothing, remove them at once as fumes from the contaminated area will be an intolerable source of irritation. If liquid contacts skin, where rings or bandages are worn, remove them and wash exposed skin with soap and water. Air exposed shoes or clothing outside and do not wear until free of all traces of fumigant.
- Do not wear gloves.
- Always have adequate clean water available to wash skin and or flush eyes. When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons additional water must be available from the service truck. The water must be drinkable but in containers marked "water not for drinking".
- Check fumigant pressure system for leaks before beginning application.

PRECAUTIONS TO FOLLOW DURING FUMIGATION:

- This fumigant should not be applied when there is an atmospheric inversion, since uncomfortable concentrations of Chloropicrin may drift to nearby areas. Immediately cover treated areas with plastic tarpaulin for a minimum of 48 hours.
- Do not apply to areas adjacent to fields where crops are growing or near buildings inhabited by humans or livestock, unless the area is properly covered with gas tight tarpaulins as specified by the local Agricultural Commissioner.
- Do not let tractor start to turn at end of a pass until fumigant has drained from system following closure of shutoff valve.
- Trash piled by the wheels to the ends of the field when fumigating must be covered by filling the spaces then covering the trash with polyethylene film before making the turn for the next pass.
- In case of a rupture of hose or fitting while applying fumigant, immediately stop tractor and motor. Get off tractor and get to a place where the problem can be observed without exposure to fumes. Approach from upwind with respiratory protection if required and make necessary repairs.
- When charging the cylinders be certain they are turned off and fumigant system is not under pressure. Do not open the system when there is a pressure or shut-off downwind.

SEE HANDLING PRECAUTIONS CONTINUED IN THIRD COLUMN

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators, persons under their direct supervision, and only for those uses covered by the Certified Applicators certification.

TRI-CON⁷⁵/25

PREPLANT SOIL FUMIGANT

ACTIVE INGREDIENTS	
METHYLE BROMIDE	75.0%
CHLOROPICRIN	24.9%
INERT INGREDIENTS	
	0.2%
TOTAL	
	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

- EXTREMELY HAZARDOUS LIQUID AND VAPOR UNDER PRESSURE
- INHALATION MAY BE FATAL OR CAUSE DELAYED LUNG INJURY
- LIQUID AND VAPOR CAUSE BURNS WHICH MAY BE DELAYED

DO NOT BREATHE VAPOR • USE ONLY WITH ADEQUATE VENTILATION • DO NOT GET IN EYES, ON SKIN, ON CLOTHING • DO NOT USE ORDINARY RUBBER PROTECTIVE CLOTHING INCLUDING GLOVES AND BOOTS • KEEP AWAY FROM HEAT • KEEP CHILDREN AND ANIMALS AWAY FROM AREAS UNDER TREATMENT • DO NOT SPILL OR DISCHARGE CONTENTS OUTSIDE OF AREAS CONFINED FOR TREATMENT • IN CASE OF EMERGENCY, HAVE AVAILABLE A FULL FACE GAS MASK • BEFORE USING, READ SIDE PANEL FOR ADDITIONAL SAFETY PRECAUTIONS.

SEND FOR A DOCTOR IMMEDIATELY IN CASE OF EXPOSURE

FIRST AID

IF INHALED—Carry Patient To Fresh Air. Call Physician At Once. Make Sure Patient Can Breathe Freely. Keep Patient Warm. Give Artificial Respiration If Breathing Stops. Oxygen Should Be Administered Only By Qualified Personnel.

IF ON SKIN—Immediately Remove All Contaminated Skin Covering Including Shoes, Clothing And Adhesive Or Other Bandages. Wash Skin Thoroughly With Soap And Water. If Irritation Or Blisters Develop, Get Medical Attention. Do Not Reuse Shoes Or Clothing Until Free Of All Contamination.

IF IN EYES—Flush Immediately With Plenty Of Water For At Least 15 Minutes And Get Medical Attention.

NOTE TO PHYSICIAN—Keep Patient At Rest And Under Observation For 24 To 48 Hours.

TRICAL

P. O. BOX 1 MORGAN HILL, CALIF. 95137

EPA REG. NO. 100-100000

EPA REG. NO. 100-100000

NET CONTENTS

U.S.

HANDLING PRECAUTIONS (CONTINUED)

PRECAUTIONS TO FOLLOW AFTER FUMIGATION:

20. Post off treated areas with warning signs. Restrict traffic.
21. Keep off treated areas until authorized people have been under fumigation during 48-hour exposure period and during removal of fumigant.
22. Do not feed domestic animals or crop residues unless an EPA-registered label for such use has been issued. Do not feed or volunteer cover crops growing on soil which has been fumigated as a preplant treatment for a registered crop use.
23. **NOTE: CAUTION:** Fumigation may temporarily heat the soil up to 100°F. Do not apply fertilizer or other soil treatments until the soil has cooled to 80°F. Do not apply fertilizer or other soil treatments until the soil has cooled to 80°F. Do not apply fertilizer or other soil treatments until the soil has cooled to 80°F. Do not apply fertilizer or other soil treatments until the soil has cooled to 80°F.

ENVIRONMENTAL HAZARD

This fumigant is toxic to fish and wildlife. It should not be discharged where it will pollute lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

CHEMICAL HAZARD

Do not use containers or application equipment made of magnesium, aluminum or metal alloys as under certain conditions this fumigant may be severely corrosive to such metals. Do not permit contact to be made between fumigant pressure system or connection with metal. Contact with metal may cause fire or explosion.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the following:

STORAGE AND RETURN OF FUMIGANT CYLINDERS

STORAGE

Do not store with food, feeds or clothing.

Storage areas should be:

- (1) Secured by lock and key.
- (2) Paved or concrete storage.
- (3) Away from dwellings.
- (4) Dry and cool.
- (5) Well ventilated.

SPILL OR LEAK PROCEDURE

Exposure affected areas use respiratory protection and restrict people. Move cylinders outdoors or to an isolated location. Absorb fumigant into soil or remove with soil as possible. Allow to evaporate. Do not permit reentry to area until free of fumigant.

RETURN OF CYLINDERS

- (1) Cylinders are the property of Truag 2000 Inc. 22200 Shiner Long Beach, CA and should be returned promptly by return auto freight.
- (2) When a cylinder is empty, the valve should be closed, the safety cap screwed on the valve outlet, and the protective banner replaced prior to its return to the shipper.
- (3) Do not ship cylinders without safety caps or valve protection banners.
- (4) When a cylinder is partially full and there is no further requirement for the product, cylinders should be returned for refilling.
- (5) Containers should never be refilled by the consumer or user for any other product or purpose.

WARNING:

This fumigant is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Toxic Gas and more than 2% Chloroform mixture, liquid, class B, poison and no exemptions from section 101.101(a)(1) marking and labeling are allowed. Describe every cylinder as having formerly contained Methyl Bromide and more than 2% Chloroform mixture, liquid. Do not ship with food, feeds or clothing.

REMARKS:

- (1) The valve protection banner and safety cap should be removed only when fumigant is about to be removed from the cylinder.
- (2) Cylinders should never be subjected to rough handling or to abnormal mechanical shock, such as dropping, bumping, dragging or sliding.
- (3) Repair of leaks, tanks, valves and other handling devices should not be used for repairing cylinders.
- (4) A suitable hand truck, fork lift, or similar device to move cylinders should be used for moving cylinders.

DIRECTIONS FOR USE

GENERAL INFORMATION

This fumigant is a potent fumigant for use on soil for pre-plant and post-plant control of nematodes, weeds and grasses, and is also used for the control of soil-borne fungi, bacteria and viruses. It is to be used in accordance with the label instructions.

SOIL PREPARATION

Plants to be used on the soil should be in condition for planting and with sufficient moisture to insure good germination.

APPLICATION

Apply the fumigant by means of a nozzle spaced from 12" to 18" apart and at a depth of 4" to 6" below the soil surface. To test fumigant effectiveness, dig a small hole immediately behind the nozzle and then cover with a gas tight tarp.

DOSEAGE TABLE

Land to be Fumigated	Rate (lb. A. G.)
Shrubbery	275-300
Lawns	200-300
Flower beds	300-400
Native Soil	300-400
Plant & Seed Beds	100-150

(After production of reports on)

ADDITION

Remove tarpaulin after 48 hours. Allow the soil to settle for two weeks before planting. In case of fumigant loss, beyond the two week period, do not plant the soil to help re-plant.

WARRANTY

NOTICE: Seller warrants that the product conforms to the label description and is suitable for the purposes stated on the label when used in accordance with the directions on the label. Seller does not warrant the product for any other purpose. **MERCHANTABLE IN FITNESS FOR A PARTICULAR PURPOSE.** Express warranty extends to the use of this product for the purposes stated on the label under conditions of use or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

SPECIMEN



