

DANGER POISON

[illegible][illegible]

- 14 The fungicide should not be applied when there is an atmospheric inversion, i.e., when favorable conditions of Chloropyron may drift to nearby areas. Immediately cover treated areas with plastic tarpaulin for a minimum of 48 hours.
- 15 Do not apply the spray solution to fields where crops are growing or near buildings inhabited by human or livestock, unless the crop is properly covered with gas tight tarpaulins as specified by the local Agricultural Commissioner.
- 16 Do not let untreated plants to turn or end of a pass until fungicide has dissipated from system following closure of shut-off valve.
- 17 Trash pulled by the chains to the ends of the field when fungicide must be covered by lying the chains down using the mesh with polyethylene film backing making the mesh ≈ 1 ft. for the next pass.
- 18 In case of a rupture of hose or fitting while applying fungicide, immediately stop tractor and engine. Can off line and get to a place where the problem can be solved without exposure to human. Approach from upwind with respiratory protection if required, and make necessary repairs.
- 19 When changing the cylinder, be certain they are turned off and fungicide is not under pressure. Do not open the system when there are people or structures downwind.

THE HANDBOOK PRECAUTIONS CONTAINED IN THIS COLLAGE IS-->

It is to be used only by Certified Appraisers and
persons authorized by them and only for those
uses permitted by the Certified Appraiser's certification.

PREPLANT SOIL FUMIGANT

KEEP OUT OF REACH OF CHILDREN

DANGER **POISON**



- DO NOT BREATHE VAPOR • USE ONLY WITH ADEQUATE VENTILATION • DO NOT GET IN EYES, ON SKIN, ON CLOTHING • DO NOT USE ORDINARY RUBBER PROTECTIVE CLOTHING INCLUDING GLOVES AND BOOTS • KEEP AWAY FROM HEAT • KEEP CHILDREN AND ANIMALS AWAY FROM AREAS UNDER TREATMENT • DO NOT SPILL OR DISCHARGE CONTENTS OUTSIDE OF AREAS CONFINED FOR TREATMENT • IN CASE OF EMERGENCY, HAVE AVAILABLE A FULL FACE GAS MASK • BEFORE USING, READ SIDE PANEL FOR ADDITIONAL SAFETY PRECAUTIONS

FIRST AID

IF INHALED—Carry Patient To Fresh Air Call Physician At Once Make Sure Patient Can Breathe Freely Keep Patient Warm Give Artificial Respiration If Breathing Has Stopped Oxygen Should Be Administered Only By Qualified Personnel

IF ON SKIN—Immediately Remove All Contaminated Skin Covering Including Shoes, Clothing And Adhesive Or Other Bandages. Wash Skin Thoroughly With Soap And Water. If Irritation Or Blisters Develop, Get Medical Attention. Do Not Reuse Shoes Or Clothing Until Free Of All Contamination.

IF IN EYES - Flush Immediately With Plenty Of Water For At Least 15 Minutes And Get Medical Attention

NOTE TO PHYSICIAN—Keep Patient At Rest And Under Observation For 24 To 48 Hours

TRICAL

PAGE 2 MORGAN HILL CAMP 1966?

FPA Ex 11220 CA 3

EPA REG NO 112208

NET CONTENTS

LBS.

MAKING PREPARATION OF FUMIGANT

PRECAUTIONS TO FOLLOW AFTER FUMIGATION

20. Prior to fumigation, ensure that fumigant is available from local sources.
21. Before fumigation, ensure that fumigant is available from local sources.
22. Do not use fumigant in any way which is not intended for fumigation.
23. Do not use fumigant in any way which is not intended for fumigation.

ENVIRONMENTAL HAZARD

This fumigant is toxic to fish and wildlife. It should not be discharged into water bodies or onto land.

CHEMICAL HAZARD

Do not use fumigant in any way which is not intended for fumigation. Do not use fumigant in any way which is not intended for fumigation.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

DIRECTIONS FOR USE

GENERAL INFORMATION

This fumigant is a potent fumigant for control of soil-borne pests. It is used in the control of soil-borne pests and is used in the control of soil-borne pests.

SOIL PREPARATION

For best results, the soil should be in condition for planting and with sufficient moisture to support seed germination.

APPLICATION

Apply this fumigant by means of a device which will apply it at a depth of 6 to 8 inches below the soil surface. Do not apply this fumigant in any way which is not intended for fumigation.

DOSE RATE

Form To Be Fumigated	Rate Per Acre
Soil	2.5 lb.
Grass	2.5 lb.
Grain	2.5 lb.
Plant A Seed Bed	2.5 lb.

ABSORPTION

Do not use this fumigant in any way which is not intended for fumigation. Do not use this fumigant in any way which is not intended for fumigation.


WARRANTY

NOTE: Buyer warrants that the product conforms to its chemical description and is suitable for the purposes intended on the label when used in accordance with directions under normal conditions of use. The buyer warrants that the product is suitable for the purposes intended on the label when used in accordance with directions under normal conditions of use.

SPECIMEN

STORAGE AND RETURN OF FUMIGANT CYLINDERS

1. Do not store with food, feed, or clothing.
2. Do not store with food, feed, or clothing.
3. Do not store with food, feed, or clothing.
4. Do not store with food, feed, or clothing.
5. Do not store with food, feed, or clothing.
6. Do not store with food, feed, or clothing.
7. Do not store with food, feed, or clothing.
8. Do not store with food, feed, or clothing.
9. Do not store with food, feed, or clothing.
10. Do not store with food, feed, or clothing.
11. Do not store with food, feed, or clothing.
12. Do not store with food, feed, or clothing.
13. Do not store with food, feed, or clothing.
14. Do not store with food, feed, or clothing.
15. Do not store with food, feed, or clothing.
16. Do not store with food, feed, or clothing.
17. Do not store with food, feed, or clothing.
18. Do not store with food, feed, or clothing.
19. Do not store with food, feed, or clothing.
20. Do not store with food, feed, or clothing.
21. Do not store with food, feed, or clothing.
22. Do not store with food, feed, or clothing.
23. Do not store with food, feed, or clothing.
24. Do not store with food, feed, or clothing.
25. Do not store with food, feed, or clothing.
26. Do not store with food, feed, or clothing.
27. Do not store with food, feed, or clothing.
28. Do not store with food, feed, or clothing.
29. Do not store with food, feed, or clothing.
30. Do not store with food, feed, or clothing.
31. Do not store with food, feed, or clothing.
32. Do not store with food, feed, or clothing.
33. Do not store with food, feed, or clothing.
34. Do not store with food, feed, or clothing.
35. Do not store with food, feed, or clothing.
36. Do not store with food, feed, or clothing.
37. Do not store with food, feed, or clothing.
38. Do not store with food, feed, or clothing.
39. Do not store with food, feed, or clothing.
40. Do not store with food, feed, or clothing.
41. Do not store with food, feed, or clothing.
42. Do not store with food, feed, or clothing.
43. Do not store with food, feed, or clothing.
44. Do not store with food, feed, or clothing.
45. Do not store with food, feed, or clothing.
46. Do not store with food, feed, or clothing.
47. Do not store with food, feed, or clothing.
48. Do not store with food, feed, or clothing.
49. Do not store with food, feed, or clothing.
50. Do not store with food, feed, or clothing.
51. Do not store with food, feed, or clothing.
52. Do not store with food, feed, or clothing.
53. Do not store with food, feed, or clothing.
54. Do not store with food, feed, or clothing.
55. Do not store with food, feed, or clothing.
56. Do not store with food, feed, or clothing.
57. Do not store with food, feed, or clothing.
58. Do not store with food, feed, or clothing.
59. Do not store with food, feed, or clothing.
60. Do not store with food, feed, or clothing.
61. Do not store with food, feed, or clothing.
62. Do not store with food, feed, or clothing.
63. Do not store with food, feed, or clothing.
64. Do not store with food, feed, or clothing.
65. Do not store with food, feed, or clothing.
66. Do not store with food, feed, or clothing.
67. Do not store with food, feed, or clothing.
68. Do not store with food, feed, or clothing.
69. Do not store with food, feed, or clothing.
70. Do not store with food, feed, or clothing.
71. Do not store with food, feed, or clothing.
72. Do not store with food, feed, or clothing.
73. Do not store with food, feed, or clothing.
74. Do not store with food, feed, or clothing.
75. Do not store with food, feed, or clothing.
76. Do not store with food, feed, or clothing.
77. Do not store with food, feed, or clothing.
78. Do not store with food, feed, or clothing.
79. Do not store with food, feed, or clothing.
80. Do not store with food, feed, or clothing.
81. Do not store with food, feed, or clothing.
82. Do not store with food, feed, or clothing.
83. Do not store with food, feed, or clothing.
84. Do not store with food, feed, or clothing.
85. Do not store with food, feed, or clothing.
86. Do not store with food, feed, or clothing.
87. Do not store with food, feed, or clothing.
88. Do not store with food, feed, or clothing.
89. Do not store with food, feed, or clothing.
90. Do not store with food, feed, or clothing.
91. Do not store with food, feed, or clothing.
92. Do not store with food, feed, or clothing.
93. Do not store with food, feed, or clothing.
94. Do not store with food, feed, or clothing.
95. Do not store with food, feed, or clothing.
96. Do not store with food, feed, or clothing.
97. Do not store with food, feed, or clothing.
98. Do not store with food, feed, or clothing.
99. Do not store with food, feed, or clothing.
100. Do not store with food, feed, or clothing.



FOR USE WEST OF ROCKY MOUNTAINS

ONIONS, DIRECT SEEDING

APPLICATION: Treatment can be made whenever soil conditions are suitable. In northern states, late summer or early fall treatments are best for land to be planted to early spring crops. Follow application directions as described above.

USE: For control of White Rot, weeds (grasses) and Nematodes.

DOSAGE: 400 lbs/Acre

LIMITATION: Use restricted to west of the Rocky Mountains, do not treat any field more than once every twelve months.

FOR USE IN CALIFORNIA ONLY

ASPARAGUS AND LETTUCE

APPLICATION: Follow application directions as described above.

DOSAGE AND USE TABLE

<u>CROP</u>	<u>USE</u>	<u>RATE</u>	<u>AREATION</u>
Asparagus	Fungus diseases (damping off, Pythium spp.) weeds (grasses) Nematodes	400-530 lbs/A	Remove tarpaulin after 24-48 hours
Lettuce	Big Vein	270-400 lbs/A	Remove tarpaulin after 24-48 hours
	Weeds (including oxalis) Nematodes	400-530 lbs/A	Remove tarpaulin after 24-48 hours

LIMITATIONS: For use in California only, do not harvest asparagus during year of treatment, use on lettuce fields only once in 2 to 3 years.