



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Mardel Rose Belotinsky
Trical, Inc.
P.O. Box 1327
Hollister, CA 95024-1327

DEC 12 2007

Subject: Tri-Con 75/25
EPA Registration No. 11220-8
Your submission dated: September 18, 2006
Decision No. S799583

Dear Ms. Belotinsky:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable, provided that the changes listed below are made.

1) On pages 5-6, please break the information under "Precautions for Soil Fumigation" into 3 subheadings which will read "Prior to Fumigation", "During Fumigation", and "After Fumigation". The "Prior to Fumigation" subheading should include the information from bullets 1 - 9 of this section (ending with the bullet which states "Post all treated areas with warning signs"). The "During Fumigation" subheading should include the information from bullets 10-14 of this section (ending with the bullet which states "Do not open the system when there are people or structures downwind where exposures above the permissible exposure levels could occur"). The "After fumigation" subheading should include the information from bullets 15-16 of this section (ending with the bullet which states "two trained persons must be present during removal of the tarpaulin").

2) Under "Personal Protective Equipment", revise the 3rd bullet to read "When handling the product full-face shield or safety glasses with brow and temple shields (Do NOT wear goggles)".

3) Under "Personal Protective Equipment", revise the 4th bullet to read "When the air concentration of chloropicrin is above 0.1 ppm or the air concentration level of methyl bromide is above 5 ppm and a respirator is required, protect the eyes by wearing a full-face respirator".


2 8 11

4) Under "General Information and Instructions", change the first sentence to read "This fumigant is a highly hazardous material and may be used only by individuals trained in its proper use".

5) On page 6 of the product label, revise the 4th bulleted statement to read "This fumigant must not be applied when there is an atmospheric inversion.

One copy of the label stamped "Accepted, with comments" is enclosed for your records. Please submit one copy of the final printed label before the product is released for shipment. If you have any questions, please contact Tracy Keigwin of my team at (703) 305-6605 and/or via email at keigwin.tracy@epa.gov.

Sincerely,



Mary L. Waller
Product Manager (21)
Fungicide Branch
Registration Division (7505P)

Enclosure

3 8 11

Specimen Label

**RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY**

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

Tri-Con 75/25
Preplant Soil Fumigant

ACTIVE INGREDIENTS:

Methyl Bromide 75.0%

Chloropicrin 24.8%

OTHER INGREDIENTS: 0.2%

TOTAL: 100.0%

**ACCEPTED
with COMMENTS
In EPA Letter Dated**

DEC 12 2007

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.**

11220-8

This product weighs 13.96 lbs. per gal. @ 68° F.

KEEP OUT OF REACH OF CHILDREN



DANGER

PELIGRO

POISON [Note : « Poison » will be printed in red.]

*Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)*

**IN ALL CASES OF OVEREXPOSURE, GET MEDICAL ATTENTION IMMEDIATELY.
TAKE PERSON TO A DOCTOR OR TO AN EMERGENCY TREATMENT FACILITY.**

FIRST AID	
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. Keep warm. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<ul style="list-style-type: none"> • For additional information in case of an emergency, call toll free (1-800-424-9300). • Have the product container or label with you when calling a poison control center or doctor, or going for treatment. 	

NOTE TO PHYSICIAN

Early symptoms of overexposure to methyl bromide are dizziness, headache, nausea and vomiting, weakness, and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait, and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



Trical, Inc.

P. O. Box 1327

Hollister, CA 95024-1327

EPA Reg. No. 11220-8

EPA Est. 11220-CA-4; 11220-CA-8; 5785-CA-1

NET CONTENTS.....LBS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

D A N G E R

- EXTREMELY HAZARDOUS LIQUID AND VAPOR UNDER PRESSURE.
- INHALATION MAY BE FATAL OR CAUSE SERIOUS ACUTE ILLNESS OR DELAYED LUNG OR NERVOUS SYSTEM INJURY.
- DO NOT BREATHE VAPORS. LIQUID OR EXCESSIVE VAPOR CAN CAUSE SERIOUS SKIN OR EYE INJURY, WHICH MAY HAVE A DELAYED ONSET.
- DO NOT GET LIQUID ON SKIN, IN EYES, OR ON CLOTHING.
- THIS PRODUCT CONTAINS CHLOROPICRIN, WHICH MAY BE IRRITATING TO THE UPPER RESPIRATORY TRACT, AND EVEN AT LOW LEVELS CAN CAUSE PAINFUL IRRITATION TO THE EYES, PRODUCING TEARING. IF THESE SYMPTOMS OCCUR, LEAVE THE FUMIGATION AREA IMMEDIATELY.
- EARLY SYMPTOMS OF CHLOROPICRIN OVEREXPOSURE ARE LACHRYMATION, RESPIRATORY DISTRESS AND VOMITING.

AIR CONCENTRATION LEVEL

The acceptable air concentration level for persons exposed to chloropicrin is 0.1 ppm (0.7 mg/m³). The acceptable air concentration level for persons exposed to methyl bromide is 5 ppm (20 mg/m³). The air concentration level is measured by a direct reading detection device, certified for chloropicrin use, such as a Matheson-Kitagawa.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Loose-fitting or well ventilated long-sleeved shirt and long pants or equivalent, e.g., coveralls
- Shoes and socks
- When handling the product (e.g. mixer, loader), full-face shield or safety glasses with brow and temple shields (Do NOT wear goggles.)
- When the air concentration level of chloropicrin is above 0.1 ppm and the air concentration level of methyl bromide is above 5 ppm and a respirator is required, protect the eyes by wearing a full-face respirator.
- No respirator is required, if the air concentration level of chloropicrin in the working area is 0.1 ppm or less AND the air concentration level of methyl bromide in the working area is 5 ppm or less.
- A respirator is required if the air concentration level of 0.1 ppm for chloropicrin OR 5 ppm for methyl bromide is exceeded at any time. The respirator must be one of the following types: (a) a supplied-air respirator (MSHA/NIOSH approval number prefix TC-19C) OR (b) a self-contained breathing apparatus (SCBA) (MSHA/NIOSH approval number prefix TC-13F). [NOTE: Under normal soil fumigation conditions, the air concentration level of chloropicrin in the working area will not generally exceed 0.1 ppm AND the air concentration level of methyl bromide in the working area will not generally exceed 5 ppm, and no respiratory protection will be required. However, there is the possibility of a spill or leak during soil fumigation; therefore, a respirator of a type specified above must be available and will be required for entry into an affected area in the event of a leak or spill.]

WORK SAFETY REQUIREMENTS

- Do not wear jewelry, gloves, goggles, tight clothing, rubber protective clothing, or rubber boots when handling. Methyl bromide and chloropicrin are heavier than air and can be trapped inside clothing and cause skin injury.
- If liquid fumigant splashes or spills on clothing, remove them at once, as fumes will be an intolerable source of irritation.
- Immediately after contamination, remove outer clothing, shoes and socks, and do not reuse until thoroughly aerated or ventilated. Keep such clothing and shoes outdoors until thoroughly aerated. Then follow the PPE manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE and work clothing separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.
- Follow PPE manufacturer's instructions for cleaning/maintaining protective eyewear and respirators.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets on clothing. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARD

- This pesticide is toxic to wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge.
- Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARD

- Do not use containers or application equipment made of magnesium, aluminum, or their alloys, as under certain conditions this fumigant may be severely corrosive to such metals.
- Do not permit water to be used to clean the fumigant pressure system, as corrosion will result. Diesel oil is satisfactory for this purpose.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements in this labeling about personal protective equipment, restricted-entry intervals, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS). No instructions elsewhere on this labeling relieve users from complying with the requirements of the WPS.

ENTRY RESTRICTIONS—Outdoor Soil Fumigation: Entry (including early entry that would otherwise be permitted under the WPS) by any person—other than a correctly trained and equipped handler who is performing a handling task permitted on this labeling—is PROHIBITED from the start of application until 48 hours after application. In addition, if tarps are used for the application, non-handler entry is prohibited while tarps are being removed.

NOTIFICATION: Notify workers of the application by warning them orally and by posting fumigant warning signs, as described in the "Placarding of Fumigated Areas" section of this labeling. Post the fumigant warning sign instead of the WPS sign for this application, but follow all WPS requirements pertaining to location, legibility, size, and timing of posting and removal.

Outdoor Soil Fumigation: Post the fumigant warning signs at entrances to treated areas.

PPE FOR ENTRY DURING ENTRY-RESTRICTED PERIOD: PPE for entry that is permitted by this labeling is listed in the "Hazards to Humans and Domestic Animals" section of this labeling.

PLACARDING OF FUMIGATED AREAS

The applicator (or supervisor of the application) must placard all entrances to the fumigated area with signs bearing:

- skull and crossbones symbol
- "DANGER/PELIGRO"
- "Area under fumigation, DO NOT ENTER/NO ENTRE"
- "Methyl Bromide and Chloropicrin Fumigants in use"
- the date and time of fumigation
- name, address, and telephone number of the applicator

Do not allow entry by unprotected persons into the fumigated area until the signs are removed. Such signs must only be removed when the air concentration level of chloropicrin is 0.1 ppm or less AND the air concentration level of methyl bromide is 5 ppm or less. Signs must remain legible during the entire posting period. Warning signs are available from your dealer or distributor.

GENERAL INFORMATION AND INSTRUCTIONS

This fumigant is a highly hazardous material and should be used only by individuals trained in its proper use. Before using, read and follow all label precautions and directions. All persons working with this fumigant must be knowledgeable about the hazards and trained in the use of required respirator equipment and detector devices, emergency procedures, and proper use of the fumigant.

OBSERVE THE FOLLOWING PRECAUTIONS GENERAL PRECAUTIONS

1. Do not get in eyes, on skin or on clothing.
2. Do not spill or discharge contents outside of areas confined for treatment.
3. Comply with all local regulations and ordinances.
4. It is advisable to supply your physician with information on Chloropicrin and Methyl Bromide. Literature is available from your dealer or distributor.
5. Obtain medical assistance at once in case of illness after exposure, and do not allow conditions which could accidentally cause further exposure until recovery is complete. (See Note to Physician.)

PRECAUTIONS FOR SOIL FUMIGATION

- Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory Agencies as required.
- Never fumigate alone. It is imperative always to have an assistant and proper protective equipment in case of accidents.
- Drivers of application equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the mechanical operation of the tractor and how to safely work with the tractor and driver while fumigating.
- Handle this fumigant in the open, with the operator "up wind" from the container where there is good ventilation.
- Check fumigant pressure system for leaks before beginning operation.
- Two trained persons must be present during introduction of the fumigant.

- When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons of additional water must be available from the service truck. This water must be potable and in containers marked "Decontamination water not to be used for drinking."
- Field should be reasonably free of trash and in good tilth before starting the fumigation.
- Post all treated areas with warning signs.
- This fumigant should not be applied when there is an atmospheric inversion. Since uncomfortable concentrations of chloropicrin may drift to nearby areas, immediately cover treated area with plastic tarpaulin for a minimum of 48 hours when the shank injection depth is less than 10 inches.
- Do not lift injection shanks to turn at the end of a pass until fumigant has drained from system following closure of shutoff valve.
- If trash is inadvertently pulled by the shanks to the ends of the field when fumigating, it must be covered by lifting the shanks, then covering the trash with polyethylene film before making the turn for the next pass.
- When changing the cylinders, be certain they are turned off and fumigant system is not under pressure.
- Do not open the system when there are people or structures downwind where exposures above the permissible exposure levels could occur.
- Keep pets, livestock, and other domestic animals out of the treated area during application, during the exposure period as specified for applications in Directions for Use, and during removal of the tarpaulin, if used.
- Two trained persons must be present during tarpaulin removal.

SPILL AND LEAK PROCEDURES

- In case of a rupture of hose or fitting while applying fumigant, immediately stop tractor and motor.
- Evacuate everyone from the immediate area of the spill or leak.
- Wear the personal protective equipment (including prescribed respirators) specified in the HAZARDS TO HUMANS section of this labeling for entry into affected area to correct problem.
- Approach from upwind to make necessary repairs.
- Do not enter area without the required PPE until the spill has evaporated or the leak has been fixed.
- Contaminated soil, water, and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if the reportable quantity of 1000 lbs. is exceeded.

NOTE CAREFULLY: Fumigation may temporarily raise the level of ammonia nitrogen and soluble salts in the soil. This is most likely to occur when heavy rates of fertilizer and fumigant are applied to soils that are either cold, wet, acid, or high in organic matter. To avoid injury to plant roots, fertilize as indicated by soil tests made after fumigation. To avoid ammonia injury and/or nitrate starvation to crops, avoid using fertilizers containing ammonium salts and use only fertilizers containing nitrates until after the crop is well established and the soil temperature is above 65° F. Liming highly acid soils before fumigation stimulates nitrification and reduces the possibility of ammonia toxicity.

GENERAL INFORMATION: This product is a preplant soil fumigant for control of soil-borne pests as listed: wireworms and nematodes, weed and grass seeds, granville wilt, blackshank, and other diseases caused by certain species of *Rhizoctonia*, *Phythium*, *Fusarium*, and *Phytophthora*. It is to be used in soil to be planted to the crops listed in the "Dosage Table -- Soil Fumigation Uses".

SOIL PREPARATION: Prior to application, the soil should be in condition for planting and with sufficient moisture to support seed germination.

APPLICATION: Apply this fumigant with a chisel type applicator, having the injection points spaced no more than 12 inches apart and injecting the fumigant to a minimum depth of 6 to 8 inches below the final soil surface. To seal the fumigant after application, drag or cultipack immediately behind chisels or cover with a gas-tight tarpaulin.

AERATION: If a tarpaulin is used, it can be removed after 48 hours. Allow the soil to aerate for two weeks before planting. If odors of fumigant persist beyond this two-week period, disc or plow the soil to help aeration.

DOSAGE TABLE -- SOIL FUMIGATION USES	
LAND TO BE PLANTED TO:	LBS./ACRE
Strawberries	275 - 320
Tomatoes	300 - 320
Floral Crops	300 - 450
Nursery Crops	300 - 450
Plant & Seed Beds*	300 - 650
*For production of replants or nonfood/feed crops. The nonfood/feed crops cannot be used for human food or animal feed consumption.	

FOR USE WEST OF ROCKY MOUNTAINS: ONIONS, DIRECT SEEDED	
APPLICATION	Treatment can be made whenever soil conditions are suitable. In northern states, late summer or early fall treatments are best for land to be planted to early spring crops. Follow application directions as described above.
USE	For control of White Rot, weeds (grasses) and nematodes
DOSAGE	400 lbs. / acre
LIMITATION	Use restricted to west of the Rocky Mountains. Do not treat any field more than once every twelve months.

FOR USE IN CALIFORNIA ONLY: ASPARAGUS AND LETTUCE			
APPLICATION	Follow application directions as described above.		
DOSAGE AND USE TABLE			
Crop	Use	Rate	Aeration
Asparagus	Fungus diseases (damping off, <i>Phythium</i> spp.), Weeds (grasses), Nematodes	400 - 530 lbs. / acre	Remove tarpaulin after 48 hours.
Lettuce	Weeds (including oxalis), Nematodes	400 - 530 lbs. / acre	Remove tarpaulin after 48

10 8 11

			hours.
	Big Vein	270 - 400 lbs. / acre	Remove tarpaulin after 48 hours.
LIMITATIONS	For use in California only. Do not harvest asparagus during year of treatment. Use on lettuce fields only once in 2 to 3 years.		

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE AND HANDLING: Store in a secure manner either outdoors under ambient conditions or indoors in a well-ventilated area. Post as a pesticide storage area. Persons moving, handling, or opening containers must wear the personal protective equipment (including prescribed respirators when necessary) specified in the Hazards to Humans section of this labeling. Open container only in a well-ventilated area. Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subjected to rough handling or mechanical shock, such as dropping, bumping, dragging, or sliding. Do not use rope slings, hooks, tongs or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured. Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use. When cylinder is empty, close valve, screw safety cap onto valve outlet, and replace protection bonnet before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose. Follow registrant's instructions for return of empty or partially empty cylinder.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Return cylinders to Trical, Inc., 8770 Highway 25, Hollister, CA 95023. Cylinders are the property of Trical, Inc. and should be returned promptly by collect auto freight. Do not ship cylinders without safety caps or valve protection bonnets. When a cylinder is partially full and there is no further requirement for the product, contact the company for return instructions.

SHIPPING: This fumigant is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Chloropicrin and Methyl Bromide Mixtures, 2.3, UN 1581, Poison-Inhalation Hazard, Hazard Zone B and no exemptions from specifications, packaging, marking, or labeling are allowed. Describe empty cylinders as having last contained Chloropicrin and Methyl Bromide Mixtures (inhalation hazard). Do not ship with foods, feeds, or clothing.

NOTICE: Contains methyl bromide, a substance which harms public health and the environment by destroying ozone in the upper atmosphere.

WARRANTY

Seller warrants that this product conforms to the chemical description on its label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. To the extent consistent with applicable law, neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product in a manner contrary to its label.