

ACCEPTED
 JUL 16 1982
 11220-10

**PRECAUTIONARY STATEMENTS
 HAZARD TO HUMANS
 AND DOMESTIC ANIMALS:
 DANGER**

THIS FUMIGANT IS A HIGHLY HAZARDOUS MATERIAL AND MUST BE HANDLED WITH CARE ONLY BY THOSE INDIVIDUALS EXPERIENCED WITH ITS PROPER USE. CONSULT YOUR DEALER REPRESENTATIVE OR TRICAL INCORPORATED FOR CORRECT PROCEDURE. BEFORE USING, READ AND FOLLOW ALL LABEL DIRECTIONS AND PRODUCT LITERATURE SPECIFIC TO YOUR PARTICULAR REQUIREMENTS.

**EXTREMELY HAZARDOUS LIQUID AND VAPOR
 UNDER PRESSURE
 INHALATION MAY BE FATAL OR CAUSE
 DELAYED LUNG INJURY
 LIQUID AND VAPOR CAUSE BURNS WHICH
 MAY BE DELAYED**

The Chloropicrin portion of the fumigant has the capacity to cause marked irritation to the upper respiratory tract, and is a strong lachrymator (tear-producing eye irritant). Low concentrations, below those necessary to cause serious systemic intoxication, are capable of causing severely painful eye irritation, hence will not be voluntarily tolerated. However, the effect may be so powerful that a person may become temporarily blinded and panic-stricken and that in turn may lead to accidents.

**PRECAUTIONS TO FOLLOW
 PRIOR TO FUMIGATION:**

1. Before using the fumigant, read and follow all directions on the label and in product literature.
2. Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory Agencies as required.
3. It is advisable to supply your physician with information on Methyl Bromide and Chloropicrin. Literature on Methyl Bromide is available from Manufacturing Chemists Association, 1825 Connecticut Avenue, N.W. Washington, D.C. 20009 (Chemical Safety Data Sheet 32-35) or contact TRICAL INCORPORATED for literature on Methyl Bromide and Chloropicrin.
4. Obtain medical assistance at once in case of illness after exposure, and do not allow conditions which could accidentally cause further exposure until recovery is complete.
5. Never fumigate alone. It is imperative to always have an assistant and proper protective equipment, as listed below, to aid in case of accidents.
6. Drivers of application equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the mechanical operation of the tractor and how to safely work with the tractor and driver while fumigating.
7. Handle this fumigant in the open, with the operator "up wind" from the container where there is good ventilation.
8. Check fumigant pressure system for leaks before beginning application.
9. When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons additional water must be available from the service truck. The water must be drinkable but in containers marked "Water Not for Drinking."

RESPIRATORY EXPOSURE

RESPIRATORY PROTECTION: Do not breathe fumes. A gas mask must be carried in each service vehicle. Because of the lachrymatory action of this fumigant, it will serve as its own identifying agent to help prevent over-exposure. However, if vapor exposure may occur in a confined space, a full face gas mask with an air supply (canister or cylinder) is recommended. Read and follow the gas mask manufacturer's recommendations. A full face gas mask with a fresh black canister meeting NIOSH specifications for organic vapors can also be used under certain circumstances where the vapor concentration is known to be under 2% by volume (5 lb per 1000 cu ft). Canisters should be used for no more than that period recommended by the manufacturer. Destroy used canisters by crushing. Chloropicrin must not be deposited upon an identifying agent when a canister gas mask is used.

EYE EXPOSURE

11. Wear safety glasses when working with this fumigant. Exposure of eyes to splashing liquid fumigant may render an individual helpless.
12. In case of eye exposure flush eyes with clean water.

SKIN EXPOSURE

13. Do not spit. If liquid fumigant splashes or spills on shoes or clothing, remove them at once as fumes from the contaminated area will be an intolerable source of irritation. If liquid contacts skin where rings or bandages are worn, remove them and wash exposed skin with soap and water. Air expose shoes or clothing outside and do not wear until free of all traces of fumigant.
14. Do not wear gloves.
15. Always have adequate clean water available to wash skin.

SEE HANDLING PRECAUTIONS CONTINUED IN THIRD COLUMN

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

TRI-CON 50/50

PREPLANT SOIL FUMIGANT

ACTIVE INGREDIENTS	
METHYL BROMIDE	50%
CHLOROPICRIN	50%
INERT INGREDIENTS	
	0%
TOTAL	
	100%

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

**SEND FOR A DOCTOR IMMEDIATELY
 IN CASE OF EXPOSURE**

STATEMENT OF PRACTICAL TREATMENT

IF INHALED—Carry Patient To Fresh Air. Call Physician At Once. Make Sure Patient Can Breathe Freely. Keep Patient Warm. Give Artificial Respiration If Breathing Has Stopped. Oxygen Should Be Administered Only By Qualified Personnel.

IF ON SKIN—Immediately Remove All Contaminated Skin Covering Including Shoes, Clothing And Adhesive Or Other Bandages. Wash Skin Thoroughly With Soap And Water. If Irritation Or Blisters Develop, Get Medical Attention. Do Not Reuse Shoes Or Clothing Until Free Of All Contamination.

IF IN EYES—Flush Immediately With Plenty Of Water For At Least 15 Minutes And Get Medical Attention.

NOTE TO PHYSICIAN—Keep Patient At Rest And Under Observation For 24 To 48 Hours.

PRECAUCION AL USUARIO: Si Usted No Lee Inglés, No Use Este Producto Hasta Que La Etiqueta Le haya Sido Explicada Ampliamente.

TRANSLATION: (TO THE USER If You Cannot Read English, Do Not Use This Product Until The Label Has Been Fully Explained To You.)

See Side Panel For Additional Precautionary Statements.

TRICAL

P O BOX 2 MORGAN HILL CALIF 95037

EPA EST 11220 CA 1, 2, 3, 4

EPA REG NO 11220 10

NET CONTENTS

LBS

BEST DATE