

PM 21

11220-10

11-28-97

1073

**RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY**

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

**TRI-CON 50/50
PREPLANT SOIL FUMIGANT**

ACTIVE INGREDIENTS:	
METHYL BROMIDE	50%
CHLOROPICRIN	50%
INERT INGREDIENTS:	
TOTAL	100%

This product weighs 14.4 pounds per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER



PELIGRO

POISON

PELIGRO: Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**IN ALL CASES OF OVEREXPOSURE
GET MEDICAL ATTENTION IMMEDIATELY.
TAKE PERSON TO A DOCTOR OR TO AN
EMERGENCY TREATMENT FACILITY**

STATEMENT OF PRACTICAL TREATMENT

IF INHALED Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration. Give oxygen if needed. Do not give anything by mouth to any unconscious person. Seek medical attention.

IF ON SKIN: Immediately remove contaminated clothing, shoes, and other items covering the skin. Wash contaminated skin area thoroughly with soap and water.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

NOTE TO PHYSICIAN: Early symptoms of overexposure are dizziness, headache, nausea and vomiting, weakness, and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait, and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic.

See Side Panel For Additional Precautionary Statements.

ACCEPTED

NOV 25 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11220-10

TRICAL

P.O. Box 1327, Hollister CA 95024

E.P.A. EST. 11220-CA-1, 2, 3, 4; MX-1
E.P.A. REG NO. 11220-10
NET CONTENTS LBS.

Storage and Disposal, Continued:

SHIPPING: This fumigant is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Chloropicrin and Methyl Bromide mixtures, 2.3, UN 1581, Poison-Inhalation hazard, Hazard Zone B and no exemptions from specifications, packaging, marking, or labeling are allowed. Describe empty cylinders as having last contained Chloropicrin and Methyl Bromide mixtures (Inhalation hazard). Do not ship with foods, feeds, or clothing.

DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

PLACARDING OF FUMIGATED AREAS

The applicator (or supervisor of the application) must placard at entrances to the fumigated area with signs bearing:

- skull and crossbones symbol
- "DANGER/PELIGRO"
- "Area under fumigation, DO NOT ENTER/NO ENTREE,"
- "Methyl Bromide and Chloropicrin Fumigants in use,"
- "the date and time of fumigation, and"
- "name, address, and telephone number of the applicator."

Do not allow entry by unprotected persons into the fumigated area until the signs are removed. Such signs must only be removed when the air concentration level of chloropicrin is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide is measured to be less than 5 ppm. Signs must remain legible during the entire posting period. Warning signs are available from your dealer or distributor.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements in this labeling about personal protective equipment, restricted-entry intervals, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

No instructions elsewhere on this labeling relieve users from complying with the requirements of the WPS.

ENTRY RESTRICTIONS, Outdoor Soil Fumigation: Entry (including early entry that would otherwise be permitted under the WPS) by any person—other than a correctly trained and equipped handler who is performing a handling task permitted on this labeling—is PROHIBITED from the start of application until 48 hours after application. In addition, if tarps are used for the application, non-handler entry is prohibited while tarps are being removed.

NOTIFICATION: Notify workers of the application by warning them orally and by posting fumigant warning signs, as described in the "Placarding of Fumigated Areas" section of this labeling. Post the fumigant warning sign instead of the WPS sign for this application, but follow all WPS requirements pertaining to location, legibility, size, and timing of posting and removal. Outdoor Soil Fumigation: Post the fumigant warning signs at entrances to treated areas.

PPE FOR ENTRY DURING ENTRY-RESTRICTED PERIOD: PPE for entry that is permitted by this labeling is listed in the "Hazards to Humans and Domestic Animals" section of this labeling.

WARNING: Contains methyl bromide a substance which harms public health and environment by destroying ozone in the upper atmosphere.

WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

CA SEPT. 1997

GENERAL INSTRUCTIONS

THIS FUMIGANT IS A HIGHLY HAZARDOUS MATERIAL AND SHOULD BE USED ONLY BY INDIVIDUALS TRAINED IN ITS PROPER USE. BEFORE USING, READ AND FOLLOW ALL LABEL PRECAUTIONS AND DIRECTIONS. ALL PERSONS WORKING WITH THIS FUMIGANT MUST BE KNOWLEDGEABLE ABOUT THE HAZARDS, AND TRAINED IN THE USE OF REQUIRED RESPIRATOR EQUIPMENT AND DETECTOR DEVICES, EMERGENCY PROCEDURES, AND PROPER USE OF THE FUMIGANT.

GENERAL INFORMATION: This fumigant is a preplant soil fumigant for control of soil-borne pests as listed: Wireworms and nematodes, weed and grass seeds, graminae wilt, blackshank, and other diseases caused by certain species of *Rhizoctonia*, *Pythium*, *Fusarium*, and *Phytophthora*. It is to be used in soil to be planted to the crops listed below.

SOIL PREPARATION: Prior to application, the soil should be in condition for plowing and with sufficient moisture to support seed germination.

APPLICATION: Apply this fumigant by means of chisels spaced from 12" to 18" apart and at a depth of 6" to 8" below soil surface. To seal fumigant after application, cover with a gas-tight tarpaulin.

Land To Be Planted To:	Lbs. Per Acre
Strawberries	350 - 400
Tomatoes	350 - 400
Tobacco	85 - 125
Floral Crops	350 - 400
Nursery Crops	350 - 400
Plant & Seed Beds*	350 - 400

* For production of replants or nonfood/nonfeed crops. The nonfood/non-feed crops cannot be used for human food or animal feed consumption.


AERATION: Remove tarpaulin after 48 hours. Allow the soil to aerate for two weeks before planting. If odors of fumigant persist beyond this two-week period, disc or plow the soil to help aeration.

**FOR USE IN CALIFORNIA ONLY
FRUIT AND NUT TREE PREPLANT SOIL APPLICATION**

For the control of soil-borne pests such as wireworms, nematodes, and diseases caused by certain species of *Verticillium*, *Pythium*, and *Phytophthora*.

Apply 350 to 450 pounds per acre of Tri-Con 50/50 by means of chisels spaced no more than 12" apart and 8" - 12" below the soil surface. To seal fumigant after application, cover with a gas-tight tarpaulin. Remove tarpaulin after 72 hours. Allow the soil to aerate for two weeks before planting. If odors of Tri-Con 50/50 still persist after two weeks, disc or plow the soil to help aeration.

Do not apply to areas adjacent to fields where valuable crops are growing or near buildings inhabited by humans or livestock.



CHLOROPICRIN AND
METHYL BROMIDE
MIXTURES
UN 1581
INHALATION HAZARD