

See pages 2 and 7

RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

TRI-CON 45/55

PREPLANT SOIL FUMIGANT

ACTIVE INGREDIENTS

CHLOROPICRIN 55%

METHYL BROMIDE 45%

INERT INGREDIENTS 0%

TOTAL 100%

ACCEPTED
MAY 26 1987
 11220-11

UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND ROENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. _____ SUBJECT
 TO ATTACHED COMMENTS.


Revised Label

FRONT PANEL

March 18, 1987

Separate the Spanish warning statement from the precautionary labeling text.

KEEP OUT OF REACH OF CHILDREN

DANGER  **PELIGRO**

Red **POISON**

IN ALL CASES OF OVEREXPOSURE, GET MEDICAL ATTENTION IMMEDIATELY. TAKE PERSON TO A DOCTOR OR AN EMERGENCY TREATMENT FACILITY

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration. Give oxygen if needed. Do not give anything by mouth to any unconscious person. Seek medical attention.

IF ON SKIN: Immediately remove contaminated clothing, shoes and other items covering the skin. Wash contaminated skin area thoroughly with soap and water.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

PRECAUCION AL USARIO: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

NOTE TO PHYSICIAN: Early symptoms of overexposure are dizziness, headache, nausea and vomiting, weakness and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposures can result in blurred vision, staggering gait and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic.

See Side Panel For Additional Precautionary Statements

*Red
Boulder*

*Red
Boulder*

TRICAL

P. O. BOX 1327 HOLLISTER, CALIF. 95024

E.P.A. EST. 11220-CA-1, 2, 3, 4
E.P.A. REG. NO. 11220-11

NET CONTENTS LBS.

FRONT PANEL

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS
AND DOMESTIC ANIMALS:
D A N G E R**

**EXTREMELY HAZARDOUS LIQUID AND
VAPOR UNDER PRESSURE.
INHALATION MAY BE FATAL OR CAUSE
SERIOUS ACUTE ILLNESS OR DELAYED LUNG
OR NERVOUS SYSTEM INJURY.**

DO NOT BREATHE VAPORS.

**LIQUID OR EXCESSIVE VAPOR CAN CAUSE
SERIOUS SKIN OR EYE INJURY WHICH MAY
HAVE A DELAYED ONSET.**

**DO NOT GET LIQUID ON SKIN, IN EYES,
OR ON CLOTHING.**

**THIS PRODUCT CONTAINS CHLOROPICRIN
WHICH MAY BE IRRITATING TO THE
UPPER RESPIRATORY TRACT,
AND EVEN AT LOW LEVELS CAN CAUSE
PAINFUL IRRITATION TO THE EYES,
PRODUCING TEARING. IF THESE SYMPTOMS OCCUR,
LEAVE THE FUMIGATION AREA IMMEDIATELY.
EARLY SYMPTOMS OF CHLOROPICRIN OVEREXPOSURE
ARE LACHRYMATION,
RESPIRATORY DISTRESS AND VOMITING.**

OBSERVE THE FOLLOWING PRECAUTIONS:

GENERAL PRECAUTIONS

1. Do not get in eyes, on skin, or on clothing.
2. Do not spill or discharge contents outside of areas confined for treatment.
3. Comply with all local regulations and ordinances.
4. It is advisable to supply your physician with information on Chloropicrin and Methyl Bromide. Literature is available from your dealer or distributor.
5. Obtain medical assistance at once in case of illness after exposure, and do not allow conditions which could accidentally cause further exposure until recovery is complete. (See Note to Physician.)

RESPIRATORY PROTECTION

If the concentration of methyl bromide in the working area, as measured by a direct-reading detector device (such as a Drager gas detector) does not exceed 5 ppm (20 mg/cu.m), no respiratory protection is required. If this concentration is exceeded at any time, all persons in the fumigation area must wear protective clothing and a NIOSH/MSHA approved self-contained breathing apparatus, (SCBA) or combination air-supplied/SCBA respirator (such as a U.S. Divers' Survivair or comparable device)

Under normal soil fumigation conditions, the concentration of methyl bromide in the working area will not generally exceed 5 ppm as a time-weighted average and no respiratory protection is required. However, there is the possibility of a spill or leak during soil fumigation. Therefore, a SCBA or combination air-supplied/SCBA respirator must be available and will be required for entry into an affected area in the event of a leak or spill.

CLOTHING PRECAUTIONS

1. Wear loose clothing and socks that are cleaned after each wearing. Do not wear jewelry, gloves, or tight gloves, or tight clothing when handling. Methyl Bromide is heavier than air and may be trapped inside clothing and cause skin injury. If full-face respiratory protection is not required, wear goggles or full face shield for eye protection when handling liquid.
2. Following application, immediately remove clothing, shoes, and socks. Do not reuse contaminated clothing or shoes until thoroughly cleaned and aerated. Drenched clothing cannot be adequately decontaminated.
3. Do not wear gloves of any type, or rubber protective clothing or rubber boots.
4. If liquid fumigant splashes or spills on clothing, remove them at once, as fumes will be an intolerable source of irritation.

SPILL OR LEAK PROCEDURE

1. Evacuate the immediate area of the spill or leak. Use SCBA or combination air-supplied/SCBA respirator for entry into the affected area to correct problem. Move leaking or damaged cylinders or containers outdoors or to an isolated location, observing strict safety precautions. Work upwind if possible. Allow spill to evaporate. Do not permit entry into spill area by unprotected persons until the concentration of methyl bromide is determined to be less than 5 ppm (20 mg/cu.m) and chloropicrin less than 0.1 ppm..
2. Contaminated soil, water, and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if the reportable quantity of 1000 lbs. is exceeded.

SEE PRECAUTIONS CONTINUED THIRD COLUMN

PRECAUTIONS FOR SOIL FUMIGATION USE**PRIOR TO FUMIGATION:**

1. Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory Agencies as required.
2. Never fumigate alone. It is imperative always to have an assistant and proper protective equipment in case of accidents.
3. Drivers of application equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the mechanical operation of the tractor and how to safely work with the tractor and driver while fumigating.
4. Handle this fumigant in the open, with the operator "up wind" from the container where there is good ventilation.
5. Check fumigant pressure system for leaks before beginning operation.
6. Two trained persons must be present during introduction of the fumigant.
7. When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons of additional water must be available from the service truck. This water must be potable and in containers marked "Decontamination water not to be used for drinking."
8. Field should be reasonably free of trash before starting the fumigation.

DURING FUMIGATION:

1. This fumigant should not be applied when there is an atmospheric inversion. Since uncomfortable concentrations of chloropicrin may drift to nearby areas, immediately cover treated area with plastic tarpaulin for a minimum of 48 hours when the injection depth is less than 10".
2. Do not lift injection shanks to turn at the end of a pass until fumigant has drained from system following closure of shutoff valve.
3. If trash is inadvertently pulled by the shanks to the ends of the field when fumigating, it must be covered by lifting the shanks, then covering the trash with polyethylene film before making the turn for the next pass.
4. When changing the cylinders, be certain they are turned off and fumigant system is not under pressure. Do not open the system when there are people or structures downwind where exposures above the permissible exposure levels could occur.

FOLLOWING FUMIGATION:

1. Post all treated areas with warning signs, available from your dealer or from TRICAL.
2. No children, unauthorized people, or animals should be in the fumigation area for 48 hours.
3. When tarpaulin is used, two trained persons must be present during removal of the tarpaulin.

SPILL AND LEAK PROCEDURE:

1. In case of a rupture of hose or fitting while applying fumigant immediately stop tractor and motor. Evacuate immediate area of spill or leak. Use SCBA or combination air-supplied/SCBA respirator for entry into affected area to correct the problem. Approach from upwind to make necessary repairs.
2. Do not reenter area without respiratory protection until spill has evaporated or leak has been fixed.

NOTE CAREFULLY:

Fumigation may temporarily raise the level of ammonia nitrogen and soluble salts in the soil. This is most likely to occur when heavy rates of fertilizer and fumigant are applied to soils that are either cold, wet, acid, or high in organic matter. To avoid injury to plant roots, fertilize as indicated by soil tests made after fumigation. To avoid ammonia injury and/or nitrate starvation to crops, avoid using fertilizers containing ammonium salts and use only fertilizers containing nitrates until after the crop is well established and the soil temperature is above 65 degrees F. Liming highly acid soils before fumigation stimulates nitrification and reduces the possibility of ammonia toxicity.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE AND HANDLING:

Store in dry, cool, well-ventilated area under lock and key. Post as a pesticide storage area. Do not contaminate water, food, or feed by storage. Persons moving or handling containers should wear protective clothing. Open container only in a well-ventilated area wearing protective clothing, and respiratory protection if necessary. Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subjected to rough handling or mechanical shock such as dropping, bumping, dragging, or sliding. Do not use rope slings, hooks, tongs, or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured. Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use. When cylinder is empty, close valve, screw safety cap onto valve outlet, and replace protection bonnet before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose. Follow registrant's instructions for return of empty or partially empty cylinder.

RETURN OF CYLINDERS:

Cylinders are the property of:

Trical	Trical	Trical
8770 Hwy. 25	1029 Railroad St.	7610 Hwy. 41 North
Hollister, CA 95023	Corona, CA 91720	Palmetto, FL 33561

and should be returned promptly by collect auto freight. Do not ship cylinders without safety caps or valve protection bonnets. When a cylinder is partially full and there is no further requirement for the product, contact TRICAL for return instructions.

SHIPPING:

This fumigant is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Methyl Bromide and more than 2% Chloropicrin mixture, class "B" poison (inhalation hazard) and no exemptions from specifications, packaging, marking or labeling are allowed. Describe empty cylinders as having last contained Methyl Bromide and more than 2% Chloropicrin mixture (inhalation hazard). Do not ship with foods, feeds, or clothing.

DISPOSAL:


Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

ENVIRONMENTAL HAZARD

This fumigant is toxic to fish and wildlife. It should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

CHEMICAL HAZARD

Do not use containers or application equipment made of magnesium, aluminum, or their alloys, as under certain conditions this fumigant may be severely corrosive to such metals. Do not permit water to be used to clean fumigant pressure system as corrosion will result. Diesel oil is satisfactory for this purpose.



Revise this statement in accordance with the language for MUPS, item 3(c) on page 22 of the Registration Standard for Methyl Bromide.

GENERAL INSTRUCTIONS

THIS FUMIGANT IS A HIGHLY HAZARDOUS MATERIAL AND SHOULD BE USED ONLY BY INDIVIDUALS TRAINED IN ITS PROPER USE. BEFORE USING, READ AND FOLLOW ALL LABEL PRECAUTIONS AND DIRECTIONS, INCLUDING THE ATTACHED SUPPLEMENT. ALL PERSONS WORKING WITH THIS FUMIGANT MUST BE KNOWLEDGEABLE ABOUT THE HAZARDS, AND TRAINED IN THE USE OF REQUIRED RESPIRATOR EQUIPMENT AND DETECTOR DEVICES, EMERGENCY PROCEDURES, AND PROPER USE OF THE FUMIGANT.

DIRECTIONS FOR USE (continued)

GENERAL INFORMATION

This material is a preplant soil fumigant for control of soil-borne pests as listed. Wireworms and nematodes, weed and grass seeds, and diseases caused by certain species of Rhizoctonia, Pythium, Fusarium, Phytophthora and Verticillium. It is to be used in soil to be planted to crops listed below.

SOIL PREPARATION

Prior to application the soil should be in condition for planting and with sufficient moisture to support seed germination.

APPLICATION

Apply this fumigant by means of chisels spaced from 12" to 18" apart and at a depth of 6" to 8" below soil surface. To seal fumigant after application cover with a gas-tight tarpaulin.

DOSAGE TABLE

Land To Be Planted To:	Lbs. Per Acre
Strawberries	350-400
Tomatoes	350-400
Floral Crops	350-400
Nursery Crops	350-400
Plant & Seed Beds	350-400

AERATION

Remove tarpaulin after 24 hours. Allow the soil to aerate for two weeks before planting. If odors of fumigant persist beyond this two-week period, disc or plow the soil to help aeration.

WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

