

EPA REG. NO.
11246-1



65 LBS.
NET WT.

GRANULAR

CALCIUM CYANAMIDE FERTILIZER

(FERTILIZER-HERBICIDE-FUNGICIDE)

ACTIVE INGREDIENT: CALCIUM CYANAMIDE 44 %
INERT INGREDIENTS 56 %
TOTAL NITROGEN 19.5 %

READ ENTIRE LABEL BEFORE USING
USE FOR NON-FOOD USES AS SHOWN ON REVERSE SIDE

ACCEPTED

2-25-72

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 11246-1

WARNING: May be fatal if swallowed. KEEP OUT OF REACH OF CHILDREN.
POISONS HUMANS, LIVESTOCK, AND CATTLE. SKIN AND EYES IRRITATED. AVOID CONTACT WITH
OR EYES.

KEEP CLEAN

AVOID Prolonged contact with skin. WASH IMMEDIATELY WITH WATER.

MADE IN U.S.A.

GENERAL INFORMATION:

NOTE:

FACTORS AFFECTING

FACTORS THAT WILL CAUSE

Cameraman's Note

Poor Copy

WARNING! (any re. animal) **KEEP OUT OF REACH OF CHILDREN**
 PETS AND LIVESTOCK, MAY CAUSE SKIN IRRITATION, ACID BURNS WITH
 OR EYES

KEEP CLEAN

AVISO! Puede ser fatal si se toma. MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS.

MANTENGASE LIMPIO

Cameraman's Note

Poor Copy

GENERAL INFORMATION:

NOTE:

FACTORS ENCOURAGING

FACTORS THAT WILL CAUSE

AS CONDITIONS OF USE VARY

DISTRIBUTED BY:

WILSON & GEO. MEYER & CO.

SOUTH SAN FRANCISCO, CALIF., QUEBEC, AND TAMPA FLA.


MADE IN NORWAY

NORSK HYDRO A.S.

OSLO, NORWAY

SELLER MAKES NO WARRANTY EXPRESS OR IMPLIED

EPA Reg. No.
11246-1



Granular

(FRONT)

65 lbs.
NET WEIGHT

CALCIUM CYANAMIDE FERTILIZER
(FERTILIZER-HERBICIDE-FUNGICIDE)

Active ingredient: Calcium Cyanamide..... 44%
Inert ingredients..... 56%

Total Nitrogen 19.5%

Nitrate Nitrogen..... 1.8%
Ammoniac Nitrogen..... .5%
Water Soluble Organic*
and urea Nitrogen 16.8%
Water insoluble Nitrogen..... .4%
Derived from calcium cyanamide, calcium nitrate, urea,
dicyandiamide and related compounds.
*Synthetic, non-protein form.

READ ENTIRE LABEL BEFORE USING

Use only for non-food uses as shown on panel on reverse side of bag

WARNING: May be fatal if swallowed. KEEP OUT OF REACH OF CHILDREN, pets and livestock. May cause skin or eye irritation. Avoid contact with skin or eyes. Avoid breathing dust. In case of eye contact, flush with plenty of water and get medical attention. After skin contact, cleanse with a bland oil such as corn oil or mineral oil, followed by soap and water. Do not consume alcoholic beverages within 48 hours of exposure to Calcium Cyanamide. The temporary reaction otherwise noticed may include flushness, nausea, a general ill feeling, or faintness.
KEEP CLEAN! Contains lime. In case of skin irritation consult physician. Destroy contaminated food or feedstuffs. Keep stored material dry; if stocks become waterlogged, ventilate facility until disposal. Do not contaminate water supplies. Calibrate application equipment carefully to insure even distribution, and clean thoroughly after use. Do not re-use container. Destroy when empty.
This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Treated granules exposed on soil surface may be hazardous to birds and other wildlife. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

AVISO: (Spanish language translation of first 8 lines above of warning statement, per attached)

GENERAL INFORMATION: Calcium Cyanamide Fertilizer requires time to convert to useful forms of nitrogen fertilizer. The amount of time will be influenced by the following factors: NOTE: Seedlings after application of this material may not germinate until conversion occurs.


Factors Favoring Conversion - Moist soil, low rates, warm temperatures, high organic soils, even distribution throughout the soil.

Factors That Will Slow Down Conversion - Dry soil, cold soil, sandy soil, high rates of use and uneven distribution.


As conditions of use vary, seller can make no specific recommendations for use. Consult your local county agent or University Extension Service for local recommendations.

Distributed by:
WILSON & GEO. MEYER & CO.
South San Francisco, Calif., 94080 and Tampa, Fla.
Made in Germany for:
NORSK HYDRO a.s.
Oslo, Norway

Seller makes no warranty, express or implied, concerning the composition or use of this product other than indicated on the label. Buyer assumes all risk of use of this product when such is contrary to any instructions or precautions appearing on the label.



USES



(This is copy for record only, from FILE)

Crop or Use	Purpose or Pest	Dosage	Limitations
Grain Stubble	Fall plow-down fertilizer	400-800 lbs. per acre	Cultivate thoroughly into soil with stubble 60 days before soil freezes, or 90 days before planting.
Deep Rooted Ornamentals	Fertilizer	200 lbs. per acre (1/2 lb. per 100 sq. ft.)	Broadcast fertilizer - keep it off of foliage.
Vegetable planting areas	Fertilizer	400 lbs. per acre (1 lb. per 100 sq. ft.)	Turn under with crop residue. Do not apply on growing crops. Do not plant within 30 days.
Compost and topsoil	Fertilizer and weed seeds.	6 lbs. per cubic yard	Mix thoroughly with moist screened material that goes into pile or bin. Wait 8 weeks before using.
Beans Celery Cucumbers Potatoes Tomatoes	Pink Rot Sclerotiniase Crown Rot White Mold (Sclerotinia sp) Cottony Rot Drop Stem Rot Watery Soft Rot Club Root (Plasmodiophora)	475-950 pounds per acre	Non-food pre-plant. Do not apply within 30 days of planting. Incorporate into top 3 or 4 inches of soil by thorough cultivation.
Cole Crops (Brassica sp)	Same as above.	475-700 pounds per acre.	Same as above.
Tobacco	Weed Seeds	1 - 2 lbs. per sq. yd. depending on soil.	Plant bed treatment: Do not exceed 2 lbs. per sq. yd. Pre-plant by thorough cultivation 90 days before seeding and 60 days before soil freezes.
Vegetable Plant Beds	Weed Seeds	same as above.	same as above.

SPANISH LANGUAGE TRANSLATION

2-25-72

11246-1

AVISO: Puede ser fatal si es tragado. MANTENGASE FUERA DEL ALCANCE DE NIÑOS, y animales domesticos. Puede causar irritacion de la piel o los ojos. Evite contacto con los ojos, laveselos con bastante agua y consiga la atencion de un medico. Despues de contacto con la piel, limpiela con un olio blando tal como olio de maiz o olio mineral, seguido por una lavada con agua y jabon. No se debe tomar bebidas alcolicos dentro de 48 horas antes o despues de usar cianamida de calcio. Las sintomas temporarias que se puede notar incluye rubor de la cara, nausea, indisposicion general o desfallecido.

MANTENGASE LIMPIO: Contiene cal. En caso de irritacion de la piel, consiga los consejos de un medico.