

■ *
■
■
■
II

NT

**nt of Crop
r Soil Pests**

DANGER

**KEEP OUT OF REACH OF CHILDREN
HAZARDOUS LIQUID AND VAPOR
MAY BE FATAL IF INHALED,
ABSORBED THROUGH SKIN, OR SWALLOWED
CAUSES BURNS OF SKIN OR EYES
COMBUSTIBLE**

Do Not Get in Eyes, on Skin, or on Clothing. Wear Eye and Skin Protection Necessary to Prevent Contact When Handling This Material. Wash Thoroughly after Handling and Before Eating and Smoking. Wash Contaminated Clothing and Air Contaminated Shoes Thoroughly Before Reuse. DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME Use Only with Adequate Ventilation. Do Not Breathe Vapor.

In case of contact, immediately remove contaminated clothing and shoes, and wash skin with soap and plenty of water. **for eyes,** flush with flowing water for at least 15 minutes and get medical attention.

In case of spillage indoors have available an approved full face mask equipped with a fresh back canister cartridge, specifications of the U. S. Bureau of Mines for organic vapors, a full face self contained breathing apparatus, or full face air supplied respirator.

If inhaled, remove to fresh air and use artificial respiration if breathing has stopped. Get immediate medical attention. Keep patient absolutely quiet.

If swallowed, call a doctor. Reduce vomiting by giving an emetic such as 2 tablespoonfuls of table salt in a glass of warm water.

TELONE II

SOIL FUMIGANT

GENERAL INFORMATION

preplanting soil treatment *

preplanting soil treatment

Vegetable Crops

Field Crops

Citrus Fruit Tree Planting Sites

Deciduous Fruit and Nut Tree Planting Sites

Bush and Vine Planting Sites

DOSAGE AND USE RECOMMENDATIONS

to Control Nematodes, Symphylans, and Wireworms

[illegible]

White Potatoes in Northwestern States

Nursery Crops including flowering and fruiting plants and trees, shrubs and bushes, fruit trees, herbaceous plants and vines, and bramble fruits of all types.

DIRECTIONS FOR USE

WHEN TO TREAT: Apply TEFLONE to either the wings or feet of caterpillars. Apply to the wings of caterpillars that are past the 1st or 2nd instar stage (up to the 4th instar stage) in your state. In northern states, caterpillars are usually found feeding on plants before October. Thus, best time to apply is up to early September. In southern states, caterpillars are found feeding on plants as early as February. Thus, best time to apply is up to early April. Apply to the feet of caterpillars that are past the 1st or 2nd instar stage (up to the 4th instar stage) in your state. In northern states, caterpillars are usually found feeding on plants before October. Thus, best time to apply is up to early September. In southern states, caterpillars are found feeding on plants as early as February. Thus, best time to apply is up to early April. **Note:** Treat caterpillars that are past the 4th instar stage in your state as soon as possible. The caterpillars may be feeding on plants when they are found on the wings or feet of caterpillars. This is because the caterpillars are feeding on the plants when they are found on the wings or feet of caterpillars.

SOIL PREPARATIONS

APPLICATION

For overall application

[illegible]

SEALING

[illegible]

EXPOSURE PERIOD

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.

AERATION AND PREPARATION OF SOIL BEFORE PLANTING

[illegible]

if heavy rains or low temperatures occur during the exposure period

1. The mass of the π^0 is less than the sum of the masses of the π^+ and π^- . As a result, the π^0 is more stable than the π^+ and π^- . As a result, the π^0 is more stable than the π^+ and π^- .

Time of Treatment	Gallons per Acre	Fl Oz 1000 Fl Row per Chisel
Spring	100	100
Fall	100	100

Mint in Northwestern States—Mint is raised in the States of Washington, Oregon, Idaho, and California. It is also raised in the States of Montana, Wyoming, and Nevada, but in much smaller quantities. The principal minting States are Washington, Oregon, Idaho, and California. The principal minting States are Washington, Oregon, Idaho, and California. The principal minting States are Washington, Oregon, Idaho, and California.

USE PRECAUTIONS

Important Note Carefully The following information is for informational purposes only and is not intended to be used as a substitute for professional medical advice. Always consult your healthcare provider for any medical concerns.

[illegible]

Attention

Do not use containers, pumps, or other transfer equipment made of aluminum, magnesium or their alloys, as under certain conditions TFLONE II may be severely corrosive to such metals.

[illegible]

NOTES

