


thuricide[®]

400M

GRANULES



FOR EUROPEAN CORN BORERS

ACTIVE INGREDIENT: Bacillus Thuringiensis
Berliner, potency of 880 International
Units (at least 1.3 million viable spores)
per milligram* 0.176%
INERT INGREDIENTS 99.824%
100.000%

*Equivalent to 400 million
International Units per pound.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See other precautions on side panel.

EPA Reg. No. 11773-18

EPA Est. No. 33591-CA-1

Pounds Net

Lot

S Sandoz Inc.
Crop Protection
Homestead, Florida 33030
SANDOZ

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION

Avoid contact with eyes and open wounds.

ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds or streams. Do not contaminate
water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of the law to use this product in a
manner inconsistent with its labeling.

FOR THE SUPPRESSION OF EUROPEAN CORN BORER IN FIELD CORN

With calibrated ground or aerial equipment apply 7-14 lbs.
per acre over the corn so the granules fall into the whorls.

1st Generation Borers: Treat when 50% of the plants show
leaf feeding. A second application may be made seven days
following if fresh feeding is evident.

2nd Generation Borers: Treat when 100 egg masses per 100
plants are present.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Pesticide that cannot be used should
be buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Dispose of bag by burial in a safe
place away from water supplies or in accordance with
local trash disposal regulations.

STORAGE: Store in a cool place.

NOTICE: Sandoz, Inc. makes no warranty, express or implied,
including the warranties of merchantability and/or fitness
for any particular purpose, concerning this material except
those which are contained on Sandoz' label.