

Adrienne St. Marie
Zoecon Corporation, A Sandos Company
975 California Avenue
Palo Alto, CA 94304

JUN 3 1985

Dear Ms. St. Marie:

Subject: New Brand Name and Formula:
Label Revisions
Telok Dry Flowable Herbicide
EPA Registration No. 11273-24
Your Submission of May 14, 1985

The amendment referred to above, submitted in connection with registration under FIFRA is acceptable, provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. In the chemical name close the parentheses after "-tolyl)" and close the bracket "-pyridazinone]"
 - b. Modify "Keep out of lakes, streams and ponds" to read

Do not apply directly to any body of water.
 - c. On the second page clarify "...2 (four) weeks..."
 - d. Delete the section with the heading "Tank Mixes."

Specific directions for tank mixes must appear on the labeling including naming the pesticide and stating the application rates. Refer to the attached PR Notice 82-1.

Submit one (1) copy of your final printed labeling before you release the product for shipment.


CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

-2-

A stamped copy of the labeling is enclosed for your records. The new brand name in the subject and formula are acceptable.

Sincerely yours,

Richard F. Mountfort 
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosure

RD/FHB:JOB-89466:Mountfort:RD85/30:Kendrick:898-1270:5/29/85:Del.6/5/85:DAA

Formula change
No change
in precautions
statements or
directions 305

TELOR

DRY FLOWABLE HERBICIDE

For Industrial Weed Control

①

ACTIVE INGREDIENT:

norflurazon [4-chloro-5-(methylamino)-2-(alpha, alpha,
alpha-trifluoro-m-tolyl)-B(2H)-pyridazinone].....80%

INERT INGREDIENTS.....20%
100%

②

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams and ponds. Do not apply when weather conditions favor runoff or drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

ACCEPTED
with comments
JUN 3 1985 PM
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 11273-24

WARRANTY AND CONDITIONS OF SALE

③

Zoecon Corporation warrants that the chemical composition of this product conforms the chemical description on the label and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Zoecon makes no other warranty, express or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given on the label.

U.S. Pat. No. 3,644,355 and 3,834,889

EPA Reg. No. 11273-24
EPA Est. No. 39578-TX-1

NET WT. 15 POUNDS

ZOECON CORPORATION
A Sandoz Company
Crop Protection Division
Palo Alto, California 94304

TELOR is a trademark of Sandoz, Ltd.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labelling.

GENERAL INFORMATION

4

TELOK Dry Flowable Herbicide is an effective general herbicide for use on noncrop areas for control of certain grasses and broadleaf weeds. It provides long-term weed control on areas such as industrial sites, railroad, pipeline and utility rights-of-way, highway medians and shoulders, lumberyards, airports, military installations, petroleum tank farms and areas around building, fences, pumps and machinery. TELOK can also be used to extend the life of asphalt pavement by preventing weeds from emerging through it.

TELOK is a preemergence herbicide and must be applied to the soil surface before weed growth begins. The soil surface must be free of weeds and relatively free of plant residues. TELOK alone will not control established weeds. TELOK must be moved into the seed germination zone to be effective. Moisture is required within 2 (four) weeks after application to fully activate the product. Make only one application per year.

TELOK has an excellent long lasting residual activity. Weed growth in areas previously treated with standard application rate can be controlled with applications at a lower rate in successive yearly treatments.

PRECAUTIONS: Do not use on easily eroded, fine-textured soils. Do not use on land to be cropped or near adjacent desirable plants or in greenhouses, as injury may occur.

WEEDS CONTROLLED

Annual bluegrass	Goose grass	Ragweed
Barnyardgrass	Horseweed (marestail)	Ripgut brome
Carpetweed	Italian ryegrass	Redmaids
Chickweed	Johnsongrass (seedling)	Russian thistle
Common purslane	Little mallow (cheeseweed)	Shepherdspurse
Crabgrass	London rocket	Sicklepod
Downy brome	Mutsedge	Southwestern cupgrass
False dandelion	Panicum sp.	Sowthistle
Fiddleneck (smooth cat's ear)	Pennsylvania smartweed	Spurge
Filaree (red stem & white stem)	Pigweed	Spurred anoda
Florida pusley	Pineapple weed	Wild barley
Foxtail (green & yellow)	Prickly sida	Witchgrass
	Puncturevine	

5

APPLICATION DIRECTIONS

Use 5-10 lbs. of TELOK per acre in 20-100 gallons of water. Use the lower rate on coarse soil. Use the higher rates on medium to fine textured soils or soils with higher than 3% organic matter.

When applying TELOK to asphalt pavement, apply at the rate of 5-10 lbs. per acre in 20-100 gallons of water. The application should be made to the laying of the blacktop or asphalt.

6

MIXING INSTRUCTIONS

7

Clean and calibrate the sprayer. Add TELOK to the spray tank already filled with the required volume of water. This will eliminate or minimize foaming. Maintain agitation while filling and spraying. If a by-pass line is used, discharge at the bottom of the tank to minimize foaming.

Do not allow TELOK spray mixture to remain in the spray tank overnight, because settling could occur and resuspension would be difficult.

TANK MIXES

8

Always predetermine the compatibility of labeled tank mixes by mixing small proportional quantities in advance. Products should be added to the spray tank in the following order:

1. Wettable powders and water dispersible granules. Wettable powders should be premixed in a small amount of water. Water dispersible granulars should be added during filling. Allow both to disperse before other products are added. The order of addition is not important.
2. Flowable liquids.
3. Emulsifiable concentrates.

Begin adding wettable powders, flowable liquids and emulsifiable concentrates after the spray tank is 3/4 full. Continue agitation during the addition of all the materials and while filling and spraying.

STORAGE AND DISPOSAL

9

Storage: Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at any approved waste disposal facility.

Container Disposal: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.