

TECHNICAL SCILLIROSIDE, 20%

A RODENTICIDE FOR FORMULATING USE ONLY

ACTIVE INGREDIENT:

*Scilliroside [6 beta-(acetyloxy)-
3 beta(beta-D-glucopyranosyloxy)-
8,14-dihydroxy-bufa-4,20,22-
trienolide]**

20%

INERT INGREDIENTS:

80%

100%

ACCEPTED

011241980

11273 25

*Minimum toxicity LD₅₀ for male rats is 8.5 mg/kg.

**A purified glucoside extracted from Urginea maritima.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

Harmful if swallowed. Nausea and vomiting will result. Avoid contamination of food and feedstuffs.

Antidote: In case of poisoning, treat as for poisoning with cardiac glycosides. Call a physician.

ENVIRONMENTAL HAZARDS:

This product is toxic to birds. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

STORAGE:

Store in a cool dry place. Keep container tightly closed.

DISPOSAL:

Do not reuse empty container. Wrap container and put in trash collection.

Formulators using this product are responsible for providing data to support their own registrations.

Manufacturer to furnish user with complete directions for use.

NOTICE: Sandoz, Inc. makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose concerning this material except those which are contained on this label

Net Weight _____
Lot No. _____



Sandoz, Inc.
Crop Protection
480 Camino Del Rio South
San Diego, CA 92108

EPA Reg. No. 11273-25
EPA Est. No. 34818-SW-01 37

BEST DOCUMENT AVAILABLE