

**DRAFT**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Keep away from humans, domestic animals, and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding.

Do not get in eyes, on skin, or on clothing. Wash hands and face with soap and water after applying and before eating and smoking. If swallowed, call a physician at once.

**NOTE TO PHYSICIAN:** If ingested, administer Vitamin K, intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

**STORAGE AND DISPOSAL**

STORE IN A COOL PLACE. STORE IN ORIGINAL CONTAINER.

Do not contaminate water, food or feed by storage or disposal. Open burning and dumping are prohibited.

**PESTICIDE DISPOSAL:** Bait that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not reuse empty container. Dispose of bait containers in a sanitary landfill or by incineration if allowed by State and local authorities.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**ACCEPTED**

AUG 29 1983

7123-169

# safrotin<sup>®</sup>

DUST INSECTICIDE

FOR CONTROL OF COCKROACHES AND OTHER PESTS

ACTIVE INGREDIENT:


propetamphos [(E)-1-methylethyl 3-[[[(ethylamino) methoxyphosphinothioyl] oxy]-2-butenate]	1%
INERT INGREDIENTS	99%
	100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side label for additional precautionary statements, first aid treatments, and directions for use.

NOTICE: Sandoz, Inc. makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on this label.



Date \_\_\_\_\_  
Lot \_\_\_\_\_



Sandoz, Inc.  
Crop Protection  
460 Camino Del Rio So.  
San Diego, CA 92108

EPA Reg. No. 11273-  
EPA Est. No. 36299-01

11213-4

## PRECAUTIONARY STATEMENTS AND FIRST AID TREATMENT

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

May be harmful if inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. In the case of any suspected poisoning, either internal or external, consult a physician immediately. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

If swallowed, drink one to two glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. If patient is not breathing, start artificial respiration immediately.

NOTE TO PHYSICIAN: Propetamphos, an organophosphate compound, is a cholinesterase inhibitor. Atropine with 2-PAM is the emergency antidote if symptoms of cholinesterase inhibition are present.

#### HANDLING OR SAFETY PRECAUTIONS

After using SAFROTIN® Dust, wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

#### GENERAL DIRECTIONS

SAFROTIN Dust provides effective control of the listed household pests in and on buildings or structures and their immediate surroundings and on modes of transportation. Permitted sites of application include but are not limited to homes, apartment buildings, stores, warehouses, schools, nursing homes, hospitals, industrial buildings, vessels, rail cars, trucks, trailers and aircraft. SAFROTIN Dust may also be applied to non-food areas of food handling establishments such as restaurants and institutions. Non-food areas include but are not limited to: trays, ventilators, offices, laboratories, floor drains (to sewer), locker rooms, restrooms, trailer floors and garages.

Do not use SAFROTIN Dust in the food areas of food processing plants, restaurants and other areas where food is customarily prepared or placed. Do not use in serving areas while food is exposed. In warehouses and stores, do not use in areas where feed and foodstuffs are stored or displayed.

SAFROTIN Dust may be applied as a spot or crack application or previous treatment with a bulbous duster or other suitable equipment. SAFROTIN Dust may also be applied with a power duster into ceilings, wall voids, false floors, crawl spaces, and attics. At sites where power duster applications are permitted and used, keep all persons and pets out of treated area until dust has settled.

Apply SAFROTIN Dust lightly and as uniformly as possible to affected areas. Application of 1/2 lb. of SAFROTIN Dust per square foot is recommended. This amount will vary with the nature of the application site.

#### SPECIFIC INSTRUCTIONS

11 273 45

Cockroaches, Ants, Crickets, Firebrats, Pillbugs, Sowbugs, Spiders and Silverfish: Apply where these pests normally occur such as baseboards, storage areas, closets, around water pipes and plumbing, doors and windows, behind and under refrigerators, cabinets, sinks and stoves, and other similar areas. For control of ants, apply dust to ant trails, around doors and windows and other places where ants may enter structures.

Carpenter Ants: Apply to ant trails: around doors and windows; in wall voids and other places where ants are found or may enter the premises. Where accessible, treat ant nest or infested wood directly.

Fleas, Brown Dog Ticks, Carpet Beetles: Spot and crack and crevice applications of SAFROTIN Dust can aid in the control of these pests when made in conjunction with a general application of SAFROTIN EC Insecticide. Apply the dust to infested areas such as cracks and crevices, between and under cushions of furniture, under edges of floor covering and other areas where these insects may be present. Pet beds and frequented resting areas including adjacent cracks and crevices should also be treated. Old bedding should be removed and replaced with clean fresh bedding after premises are treated. Do not treat pets with this product.

Boxelder bugs, Earwigs, Ground beetles: Apply around windows, doors, along baseboards, and to other areas where these insects are seen or suspected.

#### STORAGE AND DISPOSAL

Storage: Store in a cool, dry and ventilated area away from humans, pets, foodstuffs and feed.

Plastic containers disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Pesticide disposal: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.