



QUAT SANITIZER RINSE

ACTIVE INGREDIENTS:

ALKYL (C14, 50%, C12, 40%, C16, 10%)

DIMETHYL BENZYL AMMONIUM CHLORIDE

INERT INGREDIENTS

TOTAL INGREDIENTS

10.00%

90.00%

100.00%

A DISINFECTANT & DEODORIZER

THIS DISINFECTANT IS AN EFFECTIVE VIRUCIDE AGAINST INFLUENZA VIRUS TYPE A, BRAZIL AT 1 OZ /GAL ON PRECLEANED, NON-POROUS HARD SURFACES

DANGER: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET CONTENT: 1 GAL.
(3.78 LITERS)

ACCEPTED

APR 19 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 11292-7

**USE DIRECTIONS
GENERAL CLASSIFICATION**

USE ACCORDING TO DIRECTION. IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

THIS DISINFECTANT HAS NOT BEEN TESTED FOR EFFECTIVENESS AGAINST MYCOBACTERIUM TUBERCULOSIS AND MUST NOT BE RELIED UPON WHEN TUBERCULOCIDAL ACTIVITY IS INTENDED.

DISINFECTION IN HOSPITALS, RESTAURANTS, COMMERCIAL AND INDUSTRIAL OFFICES, AND RESTROOMS

THIS PRODUCT MAY BE USED ON FLOORS, WALLS, WOODWORK, BED FRAMES, AND FURNISHINGS. TYPES OF SURFACES SUITABLE FOR DISINFECTION INCLUDE GLASS, SMOOTH METAL, WASHABLE PAINTED WOOD OR METAL, VINYL, GLAZED PORCELAIN, PLASTIC, FINISHED LEATHER, FINISHED WOOD, AND SIMILAR NON-POROUS, HARD, SMOOTH SURFACES.

ALWAYS PRECLEAN SURFACES WITH A SUITABLE DETERGENT AND RINSE WELL WITH WATER BEFORE DISINFECTION. AFTER CLEANING, APPLY A SOLUTION CONTAINING 1 OUNCE OF DISINFECTANT PER GALLON OF WATER FOR USUAL DISINFECTING APPLICATIONS. FOR DISINFECTING CONTAMINATED INANIMATE AREAS USE 1 1/2 OUNCES PER GALLON OF WATER.

THIS DISINFECTANT IS EFFECTIVE AT 1 OZ./GAL. AGAINST PSEUDOMONAS AERUGINOSA, PRODIGIOSA, SALMONELLA CHOLERAESUIS ATCC 10708, AND STAPHYLOCOCCUS

AUREUS ATCC 8538 WHEN TESTED BY THE A.O.A.C. USE DILUTION TEST METHOD FOR PRECLEANED, NON-POROUS, HARD SURFACES.

THIS DISINFECTANT IS AN EFFECTIVE VIRUCIDE AGAINST INFLUENZA VIRUS TYPE A, BRAZIL AT 1 OZ./GAL. ON PRECLEANED, NON-POROUS, HARD SURFACES.

FOR INDUSTRIAL, COMMERCIAL OR MEDICAL USE ONLY

THE USE SOLUTION SHOULD BE APPLIED USING A CLEAN MOP, SPONGE, OR BY A MECHANICAL SPRAYING DEVICE. SURFACES MUST REMAIN MOIST FOR AT LEAST 10 MINUTES TO ASSURE PROPER GERMICIDAL ACTION. FOOD CONTACT SURFACES TREATED WITH THIS CONCENTRATION OF DISINFECTANT MUST BE RINSED WITH POTABLE WATER BEFORE REUSE. PREPARE FRESH SOLUTIONS DAILY. DISCARD SOLUTIONS WHEN VISIBLY SOILED.

SANITIZATION OF FOOD CONTACT SURFACES, GLASSWARE, SILVERWARE, DISHES, COOKING UTENSILS, MILK CANS, AND EQUIPMENT IN FOOD PROCESSING PLANTS, MEAT PLANTS, DAIRIES AND RESTAURANTS. SCRAPE OR FLUSH AWAY GROSS SOILS AND CLEAN WITH A SUITABLE DETERGENT. RINSE THOROUGHLY WITH POTABLE WATER. THEN APPLY A SANITIZING TREATMENT OF 1 OUNCE OF THIS PRODUCT IN 4 GALLONS OF WATER (200 P.P.M. ACTIVE SANITIZER). THE SANITIZING TREATMENT MAY

BE APPLIED BY IMMERSION, FLOODING, FLUSHING, SPRAYING OR WITH A CLEAN CLOTH OR MOP. ALL SURFACES MUST BE THOROUGHLY WET FOR 1-2 MINUTES FOR PROPER SANITIZATION. ALLOW TREATED ITEMS TO DRAIN THOROUGHLY AND AIR DRY. DO NOT USE A TOWEL. NO RINSING IS REQUIRED. WHERE POSSIBLE, INVERT TREATED ITEMS (GLASSWARE, DISHES, UTENSILS, MILK CANS, ETC.) AND LET THEM DRAIN AND AIR DRY ON A CLEAN SURFACE. PREPARE FRESH SOLUTIONS DAILY OR MORE OFTEN IF SOLUTIONS BECOME DILUTED OR SOILED.

FOR DEODORIZING GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES, AND GARBAGE HANDLING EQUIPMENT. PRECLEAN WITH A SUITABLE DETERGENT AND RINSE WELL. THEN, APPLY A WETTING SOLUTION OF 2 OZ. OF THIS PRODUCT PER GALLON OF WATER.

DISPOSAL

STORE ONLY IN TIGHTLY CLOSED ORIGINAL CONTAINER IN A SECURE AREA INACCESSIBLE TO CHILDREN AND AWAY FROM FOOD OR FEED.

DO NOT REUSE EMPTY CONTAINER. RINSE THOROUGHLY BEFORE DISCARDING IN TRASH.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
DANGER**

CAUSES EYE DAMAGE AND SKIN IRRITATION. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. AVOID BREATHING SPRAY MIST.

ENVIRONMENTAL HAZARDS: THIS PRODUCT IS TOXIC TO FISH. DO NOT DISCHARGE INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER UNLESS IN ACCORDANCE WITH AN NPDES PERMIT. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR BY DISPOSING OF WASTES.

PRACTICAL TREATMENT (FIRST AID): IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. FOR EYES, CALL A PHYSICIAN. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED, DRINK PROMPTLY A LARGE QUANTITY OF MILK, RAW EGG WHITES, GELATIN SOLUTION OR, IF THESE ARE NOT AVAILABLE, DRINK A LARGE QUANTITY OF WATER. AVOID ALCOHOL. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO PHYSICIAN: PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

E.P.A. REG. NO. 11292-7 E.P.A. EST. NO. 11292-CA-1

Mfg by **CHEMIFAX**

CITY OF COMMERCE CALIF. 90040

BEST AVAILABLE COPY

ACCEPTED

APR 19 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 11292-7

BEST AVAILABLE COPY



QUAT SANITIZER RINSE

ACTIVE INGREDIENTS

ALKYL (C14 50%, C12 40%, C18 10%)

DIMETHYL BENZYL AMMONIUM CHLORIDE

10.00%

INERT INGREDIENTS

90.00%

TOTAL INGREDIENTS

100.00%

A DISINFECTANT & DEODORIZER

*THIS DISINFECTANT IS AN EFFECTIVE VIRUCIDE AGAINST INFLUENZA VIRUS TYPE A BRAZIL AT 1 OZ /GAL ON PRECLEANED NON POROUS HARD SURFACES

DANGER: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET CONTENT 1 GAL
(3.78 LITERS)

ACCEPT

APR 19 1981

U.S. DEPARTMENT OF HEALTH, EDUCATION & WELFARE
FEDERAL BUREAU OF INVESTIGATION
RECEIVED FOR THE
REGISTERED PRODUCT
EPA Reg. No. 112

BEST AVAILABLE COPY

11292-7

**USE DIRECTIONS
GENERAL CLASSIFICATION**

USE ACCORDING TO DIRECTION. IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

THIS DISINFECTANT HAS NOT BEEN TESTED FOR EFFECTIVENESS AGAINST MYCOBACTERIUM TUBERCULOSIS AND MUST NOT BE RELIED UPON WHEN TUBERCULOCIDAL ACTIVITY IS INTENDED.

DISINFECTION IN HOSPITALS, RESTAURANTS, COMMERCIAL AND INDUSTRIAL OFFICES, AND RESTROOMS

THIS PRODUCT MAY BE USED ON FLOORS, WALLS, WOODWORK, BED FRAMES, AND FURNISHINGS. TYPES OF SURFACES SUITABLE FOR DISINFECTION INCLUDE GLASS, SMOOTH METAL, WASHABLE PAINTED WOOD OR METAL, VINYL, GLAZED PORCELAIN, PLASTIC, FINISHED LEATHER, FINISHED WOOD, AND SIMILAR NON-POROUS, HARD, SMOOTH SURFACES.

ALWAYS PRECLEAN SURFACES WITH A SUITABLE DETERGENT AND RINSE WELL WITH WATER BEFORE DISINFECTION. AFTER CLEANING, APPLY A SOLUTION CONTAINING 1 OUNCE OF DISINFECTANT PER GALLON OF WATER FOR USUAL DISINFECTING APPLICATIONS. FOR DISINFECTING CONTAMINATED INANIMATE AREAS, USE 1 1/2 OUNCES PER GALLON OF WATER.

THIS DISINFECTANT IS EFFECTIVE AT 1 OZ./GAL. AGAINST PSEUDOMONAS AERUGINOSA, P. 10, SALMONELLA CHOLERAESUIS ATCC 19098, AND STAPHYLOCOCCUS

AUREUS ATCC 8539 WHEN TESTED BY THE A.O.A.C. USE DILUTION TEST METHOD FOR PRECLEANED, NON-POROUS, HARD SURFACES.

THIS DISINFECTANT IS AN EFFECTIVE VIRUCIDE AGAINST INFLUENZA VIRUS TYPE A, BRAZIL, AT 1 OZ./GAL. ON PRECLEANED, NON-POROUS, HARD SURFACES.

FOR INDUSTRIAL, COMMERCIAL OR MEDICAL USE ONLY

THE USE SOLUTION SHOULD BE APPLIED USING A CLEAN MOP, SPONGE OR BY A MECHANICAL SPRAYING DEVICE. SURFACES MUST REMAIN MOIST FOR AT LEAST 10 MINUTES TO ASSURE PROPER DERMICIDAL ACTION. FOOD CONTACT SURFACES TREATED WITH THIS CONCENTRATION OF DISINFECTANT MUST BE RINSED WITH POTABLE WATER BEFORE REUSE. PREPARE FRESH SOLUTIONS DAILY. DISCARD SOLUTIONS WHEN VISIBLY SOILED.

SANITIZATION OF FOOD CONTACT SURFACES, GLASSWARE, SILVERWARE, DISHES, COOKING UTENSILS, MILK CANS, AND EQUIPMENT IN FOOD PROCESSING PLANTS, MEAT PLANTS, DAIRIES AND RESTAURANTS. SCRAPE OR FLUSH AWAY GROSS SOILS AND CLEAN WITH A SUITABLE DETERGENT. RINSE THOROUGHLY WITH POTABLE WATER. THEN APPLY A SANITIZING TREATMENT OF 1 OUNCE OF THIS PRODUCT IN 4 GALLONS OF WATER (200 P.P.M. ACTIVE SANITIZER). THE SANITIZING TREATMENT MAY

BE APPLIED BY IMMERSION, FLOODING, FLUSHING, SPRAYING OR WITH A CLEAN CLOTH OR MOP. ALL SURFACES MUST BE THOROUGHLY WET FOR 1-2 MINUTES FOR PROPER SANITIZATION. ALLOW TREATED ITEMS TO DRAIN THOROUGHLY AND AIR DRY. DO NOT USE A TOWEL. NO RINSING IS REQUIRED, WHERE POSSIBLE, INVERT TREATED ITEMS (GLASSWARE, DISHES, UTENSILS, MILK CANS, ETC.) AND LET THEM DRAIN AND AIR DRY ON A CLEAN SURFACE. PREPARE FRESH SOLUTIONS DAILY OR MORE OFTEN IF SOLUTIONS BECOME DILUTED OR SOILED.

FOR DEODORIZING GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES, AND GARBAGE HANDLING EQUIPMENT. PRECLEAN WITH A SUITABLE DETERGENT AND RINSE WELL. THEN, APPLY A WETTING SOLUTION OF 2 OZ. OF THIS PRODUCT PER GALLON OF WATER.

DISPOSAL

STORE ONLY IN TIGHTLY CLOSED ORIGINAL CONTAINER IN A SECURE AREA INACCESSIBLE TO CHILDREN AND AWAY FROM FOOD OR FEED.

DO NOT REUSE EMPTY CONTAINER. RINSE THOROUGHLY BEFORE DISCARDING IN TRASH.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
DANGER**

CAUSES EYE DAMAGE AND SKIN IRRITATION. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. AVOID BREATHING SPRAY MIST.

ENVIRONMENTAL HAZARDS: THIS PRODUCT IS TOXIC TO FISH. DO NOT DISCHARGE INTO LAKES, STREAMS, PONDS OR PUBLIC WATER UNLESS IN ACCORDANCE WITH AN NPDES PERMIT. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR BY DISPOSING OF WASTES.

PRACTICAL TREATMENT (FIRST AID): IN CASE OF CONTACT IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. FOR EYES CALL A PHYSICIAN. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED DRINK PROMPTLY A LARGE QUANTITY OF MILK, RAW EGG WHITES, GELATIN SOLUTION OR IF THESE ARE NOT AVAILABLE DRINK A LARGE QUANTITY OF WATER. AVOID ALCOHOL. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO PHYSICIAN: PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

E.P.A. REG. NO. 11292-7 E.P.A. EST. NO. 11292-CA-1

Mfg. by **CHEMIFAX**
CITY OF COMMERCE CALIF 90040

ACCEPTED
APR 19 1985
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11292-7

11292-7
31