

# SUPER CLEARON

CONCENTRATED POOL CHLORINE  
FIRE RESISTANT

**DANGER!**

**KEEP OUT OF REACH  
OF CHILDREN**

Corrosive causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin. CONTAINS VERY STRONG OXIDIZING AGENT.

## FIRST AID:

In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician immediately.

AUG 5 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 11329-8

**DANGER**

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool, dry place. Keep closed when not being used. Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

## INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 2 oz. SUPER CLEARON concentrated Pool Chlorine per 1000 gal. of pool water. The next morning, add SUPER STABILIZER cyanuric acid at the rate of 4 oz. per 1000 gal. to stabilize pool.

SUPER CLEARON Pool Chlorine should be added daily or as needed at the rate of 1/8 to 1/4 oz. per 1000 gal. of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of SUPER CLEARON concentrated Pool Chlorine per 1000 gal. of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine has reached the 1.0 ppm to 2.0 ppm range.

Keep in  
ity must  
of heavy  
dirt cau  
bathing  
onal dos  
the chl  
ppm an

This pro  
pool eff  
discharg  
lakes,  
water. D  
cleaning  
of waste

Seller m  
or impl  
this pro  
the labe  
use and  
when su  
contrary

E.P.A. R

PACKAGED

ALADI

High  
Rog

# ER CLEARON

TRATED POOL CHLORINE  
FIRE RESISTANT

AUG 5 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 11329-8

**DANGER**

age. Do  
n. Do not  
kin, nose  
be fatal  
burns to  
S VERY  
ENT.

et remove  
n skin or  
t least 15  
edical at-  
ed cloth-

or cooked  
l or cook-  
mediately.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool, dry place. Keep closed when not being used. Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

## INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 2 oz. SUPER CLEARON concentrated Pool Chlorine per 1000 gal. of pool water. The next morning, add SUPER STABILIZER cyanuric acid at the rate of 4 oz. per 1000 gal. to stabilize pool.

SUPER CLEARON Pool Chlorine should be added daily or as needed at the rate of 1/8 to 1/4 oz. per 1000 gal. of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of SUPER CLEARON concentrated Pool Chlorine per 1000 gal. of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

## NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of the material when such use and/or handling is contrary to label instructions.

E.P.A. REG. NO. 11329-8"

PACKAGED BY:

**ALADDIN CHEMICAL CO.**

Highway 152 - P.O. Box 244  
Rogers, Minnesota 55374