

TM 31 11350-25

14

<b>US ENVIRONMENTAL PROTECTION AGENCY</b> <b>OFFICE OF PESTICIDES PROGRAMS</b> <b>REGISTRATION DIVISION (TS-767)</b> <b>WASHINGTON, DC 20460</b>	<b>EPA REGISTRATION NO.</b> <b>11350-25</b>	<b>DATE OF ISSUANCE</b> <b>MAR 16 1989</b>
	<b>NAME OF PESTICIDE PRODUCT</b> <b>Sigmaplane 7284 Hi-Build Antifouling</b> <b>Red Brown</b>	
<b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>		
<b>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</b>  <div style="border: 1px solid black; padding: 10px; margin: 10px auto; width: 80%;">Sigma Coatings Division of Fina Oil and Chemical Company 3300 River Road P.O. Box 816 Harvey, LA 70059</div>		
<b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is not to be used in accordance with the label until the label is received from the Agency.</p> <p>1. Submit/cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all companies to submit such data.</p> <p>2. Before you release the product for shipment bearing the approved labeling submit an amended Confidential Statement of Formula for your product which demonstrates that your product is within certified limits for TBT release rate which places it within the release rate limit imposed by the Antifouling Paint Control Act of 1968. Your product was certified as being within the CAPCA limit by the Agency on 11/15/88.</p> <p>3. If it is acceptable to the Agency, registration will be extended to include use of the product as a waterborne antifouling paint on ships and boats. Your application for this use must be submitted by June 1, 1989. The registration and materials must be submitted by June 1, 1989. The application must be addressed to the Registration Division and include the information specified in the Agency's notice at 53 FR 39,38.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
<b>SIGNATURE OF APPROVING OFFICIAL</b>		<b>DATE</b>

14

4. Make the labeling changes listed below before you release the product for shipment bearing the approved label:

a. On the front panel:

- 1) Place the restricted use block and paragraph (from the third paragraph right side) at the top, as suggested by item (9a) of "The Label" enclosure.

- 2) Expand the sentences:

If inhaled remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

b. On the left panel:

- 1) Delete the last sentence of the first paragraph "Harmful If Swallowed" because this conflicts with the previous caution "May be fatal if swallowed."

- 2) Also, delete the words "General Classification" (below "Directions for Use") because this conflicts with the "Restricted Use" block.

- 3) Add the phrase "EPA Registration No. 1135-25."

c. On the right panel:

- 1) The sentence "Users must comply with all OSHA requirements" would be better placed after the "It is unlawful . . ." and before the "During and after . . ." paragraphs.

- 2) Submit, for your file, the information sheets 9101 and 9111 referred to in the "Surface Preparation" directions.

5. Submit one (1) copy of your final printed labeling before you release the product for shipment bearing the approved labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing a label approved as part of your conditional registration constitutes acceptance of these conditions. All products must bear such a label.

A stamped copy of the label is enclosed for your records. In order to be acceptable, your label must also bear the language as indicated in the changes listed at item 4 above.

*M. L. Lee, for*

John H. Lee  
Product Manager (31)  
Antimicrobial Program Branch  
Registration Division (H7504C)

Enclosures

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

1977 10 10

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No.

REDUCED SIZE

# PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS

## DANGER

Corrosive. Causes skin burns. Wear protective clothing such as gloves, long sleeved cotton shirt, long pants and hat. Causes eye irritation. May be fatal if swallowed. Harmful if absorbed through skin or inhaled. The product may be a dermal sensitizer. Avoid contact with skin, eyes or clothing. Avoid breathing vapor, spray mist and dust from sanding. Wash thoroughly with soap and water after handling and before eating or smoking. Use with adequate ventilation. When product is used in confined areas or applied by spraying, wear protective clothing and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR 11. Harmful if swallowed.

## ENVIRONMENTAL HAZARDS

This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

## PHYSICAL OR CHEMICAL HAZARD

Do not use or store near heat or open flame.

## DIRECTIONS FOR USE

General Classification — It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

## PESTICIDE DISPOSAL

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

## CONTAINER DISPOSAL:

Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill, or by other approved State and local procedures.



# SIGMA

## SIGN TO PROTECT YOUR INVESTMENT SIGMAPLANE

7284 HI-BUILD ANTIFOULING RED BROWN

ACTIVE INGREDIENTS	
TRIBUTYL TIN METHACRYLATE	17.0%
(AS PART OF A POLYMER)	
CUPROUS OXIDE	28.6%
INERT INGREDIENTS	54.4%
	100.0%

TOTAL COPPER AS METALLIC	24.1%
TOTAL TIN AS METALLIC	3.4%

## KEEP OUT OF REACH OF CHILDREN DANGER

### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: flush with plenty of water. Get medical attention if irritation persists.  
IF ON SKIN: wash with plenty of soap and water. Get medical attention.  
IF SWALLOWED: drink plenty of water. Do not induce vomiting. If these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.  
NOTES TO PHYSICIANS: Probable mucousal damage may contraindicate the use of gastric lavage.  
IF INHALED: remove to fresh air.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS  
FOR USE IN COMMERCIAL SHIPYARDS

SIGMA COATINGS • 3300 River Road • Harvey, LA 70058

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
It is unlawful to use this product on any vessel (boat) less than 25 feet (7.5 meters) in length or on any motor vehicle or other drive unit of a motor vehicle.  
Restricted Use Pesticide due to its toxicity. For sale only to and use only by persons under the direct supervision of a certified commercial applicator.  
March 1, 1988.

During and after paint removal, methods must be employed to prevent paint chips and dust from entering water. After application of new SIGMAPLANE, paint chips and dust must be removed or application must be delayed until water is clear.  
Users must comply with the following instructions:

## FOR DETAILED DIRECTIONS, SEE THE INFORMATION SHEET

SHEET 3101 — Antifouling  
to be topped with antifouling  
SHEET 3111 — SIGMAPLANE  
SHEET 7284 — SIGMAPLANE

CONTROL — Settlement of paint chips and dust must be prevented. Can be used on all surfaces.  
SURFACE PREPARATION — Surface must be clean, dry, and free of old paint. For new and old paint, SIGMA COATING PREPARE Universal Primer as a first coat. High Solids Epoxy Coating of 10 mils. For smaller boats, use SIGMAPLANE directly. NUMBER OF COATS — SIGMAPLANE can be applied in 1, 2, or 3 coats depending on the condition of the surface. 3111 For smaller boats use SIGMAPLANE. SIGMAPLANE can be applied to another surface in 14 days. In ready to use consistency, spray apply.  
APPLICATION — Can be applied by brush or spray. SIGMAPLANE can be applied to another surface in 14 days. In ready to use consistency, spray apply.  
DRYING TIME — Allow SIGMAPLANE to cure for 14 days before launching.

Manufactured by  
3300 River Road

NET CONTENTS

EPA Establishment No. 11350-1-A-1

EPA Reg. No. 11350-EL