

ACTIVE INGREDIENTS Gama isomer of Benzene Hexachloride (from lindane)...... 20% **INERT INGREDIENTS** Diethylene glycol monomethyl ether.. 24% **CAUTION:**

May be absorbed through skin. In case of contact with ski. wash with soap and water. Do not spray directly on pets or other animals for tick control. Avoid contamination of feed and food stuffs. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Food utensils such as teaspoons or other measuring devices should not be used for food purposes after use with pesticides.

Keep Out Of Reach Of Children.

See side panel for other precautions.

Sold by

SENTINEL PEST CONTROL LABORATORY Phone 523-6312 211 N. Klein St., Springfield, Ill.

If swallowed call a physician.

RECOMMENDED USES

Inside the home for silverfish, ticks, and boxelder bugs mix 3 oz. lindane to 1 gal. water. Direct the spray into the cracks and crevices behind the baseboards, door frames, and window frames. For better tick control also treat the pet's sleeping quarters. For carpet beetles spray along baseboards, edges of carpeting, under furniture, under carpeting and rugs, and in closets and shelving wherever these insects are seen or suspected. Repeat application as often as necessary to maintain control.

Outside the home for boxelder bugs and elmleaf beetles mix 3 oz. lindane to 1 gal. water. Treat the infested areas, door frames, patios, window frames, the foundation and particularly up under the bottom piece of siding, and any other areas where insects may enter the building. Repeat application as often as necessary to maintain control.

CAUTION

Harmful if swallowed. Avoid breathing spray mist.

TREATMENT

DO NOT REUSE EMPTY CONTAINER. BURY OR DISCARD IN A SAFE PLACE.

