

SANITATION CONSULTANTS

TERMITE CONTROL

INSPECTION SERVICE

Sentinel Laboratory

Geo. L. Hockenyos

SCIENTIFIC PEST CONTROL

Sales and Service

211 N. KLEIN ST.

PHONE 528-6312

SPRINGFIELD, ILLINOIS

Read this Label Carefully, Use Only as Directed
For Spot Applications Only

DIRECTIONS:

1. Remove everything from all kitchen cabinets; remove all drawers and everything under sink.
2. If you are going to wash cabinets, do so before spraying, as this material will leave an effective residue.
3. Spray all cracks and crevices in cabinets, drawer area, and under sink. Any run-off or puddled material is wasted material.
4. Spray under and behind stove and refrigerator.
5. Spray all cracks and crevices around baseboards, door frames and window frames.
6. In other rooms spray all cracks and crevices around baseboards, door frames, and window frames, and any other areas which may harbor roaches.
7. Dishes, etc., may be put back as soon as sprayed surfaces are dry. If weather permits you may open doors and windows to speed up drying time.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Limited to Crack and Crevice Treatment Only —
Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where Roaches hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. •Avoid contamination of food or food processing surfaces.

Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

11357-5

EPA Reg. No. 11357-5

NET CONTENTS
1 GALLON



SENTINEL

ROACH SPRAY

ACTIVE INGREDIENTS

Chlorpyrifos (O, O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate)*	0.5%
Pyrethrins	0.1%
Piperonyl butoxide, technical**	0.2%
N-octyl bicycloheptene dicarboximide	0.3%
Aromatic petroleum derivative solvent	1.0%
Petroleum distillate	97.9%

TOTAL 100.0%

*DURSBAN—Trademark of the Dow Chemical Company
U.S. Patent No. 3,244,586

**Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

See side panel for other cautions

SENTINEL PEST CONTROL LABORATORY

211 NORTH KLEIN ST. • SPRINGFIELD, ILLINOIS

CAUTION

Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs.

Avoid eye contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. Wash contaminated clothing before reuse.

TREATMENT

If taken internally, call a doctor. If victim is unconscious call a doctor and give artificial respiration if needed until medical help arrives. **Note to physician:** Contains petroleum distillate. If gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube. Active ingredients contain a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

RESTRICTIONS: Read Carefully

1. DO NOT take internally.
2. DO NOT spray on or over food.
3. DO NOT spray in presence of small children, pet birds, or tropical fish, or allow small children to contact sprayed surfaces until thoroughly dry.
4. DO NOT spray on wallpaper, rubber or asphalt tile, or electrical wiring.
5. DO NOT pour, store, or use near an open flame.
6. DO NOT reuse empty container. Bury or discard in safe place.

ACCEPTED

APR 4 1974

11357-5

SANITATION CONSULTANTS

TERMITE CONTROL

INSPECTION SERVICE

Sentinel Laboratory

Geo. L. Hockanycos

SCIENTIFIC PEST CONTROL

Sales and Service

211 N. KLEIN ST.

PHONE 523-6312

SPRINGFIELD, ILLINOIS

Read this Label Carefully, Use Only as Directed For Spot Applications Only

DIRECTIONS:

1. Remove everything from all kitchen cabinets; remove all drawers and everything under sink.
2. If you are going to wash cabinets, do so before spraying, as this material will leave an effective residue.
3. Spray all cracks and crevices in cabinets, drawer area, and under sink. Any run-off or puddled material is wasted material.
4. Spray under and behind stove and refrigerator.
5. Spray all cracks and crevices around baseboards, door frames and window frames.
6. In other rooms spray all cracks and crevices around baseboards, door frames, and window frames, and any other areas which may harbor roaches.
7. Dishes, etc., may be put back as soon as sprayed surfaces are dry. If weather permits you may open doors and windows to speed up drying time.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Limited to Crack and Crevice Treatment Only — Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where Roaches hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

11357-5

EPA Reg. No. 11357-5

NET CONTENTS 1 GALLON

CAUTION

Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs.

Avoid eye contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. Wash contaminated clothing before reuse.

TREATMENT

If taken internally, call a doctor. If victim is unconscious call a doctor and give artificial respiration if needed until medical help arrives. **Note to physician:** Contains petroleum distillate. If gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube. Active ingredients contain a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.


RESTRICTIONS: Read Carefully

1. DO NOT take internally.
2. DO NOT spray on or over food.
3. DO NOT spray in presence of small children, pet birds, or tropical fish, or allow small children to contact sprayed surfaces until thoroughly dry.
4. DO NOT spray on wallpaper, rubber or asphalt tile, or electrical wiring.
5. DO NOT pour, store, or use near an open flame.
6. DO NOT reuse empty container. Bury or discard in safe place.



SENTINEL

ROACH SPRAY



ACTIVE INGREDIENTS

Chlorpyrifos (O, O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate)*	0.5%
Pyrethrins	0.1%
Piperonyl butoxide, technical**	0.2%
N-octyl bicycloheptene dicarboximide	0.3%
Aromatic petroleum derivative solvent	1.0%
Petroleum distillate	97.9%
TOTAL	100.0%

*DURSBAN—Trademark of the Dow Chemical Company U.S. Patent No. 3,244,586

**Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

See side panel for other cautions

SENTINEL PEST CONTROL LABORATORY

211 NORTH KLEIN ST. • SPRINGFIELD, ILLINOIS