


This draft to allow use of oil/sulfur mixes during dormant stage.

BAC HI SUPREME SPRAY OIL

ACTIVE INGREDIENT: Petroleum Oil.....98.0%
 INERT INGREDIENTS:.....2.0%
 100.0%
 Unsulfonated Residue.....93%



KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Aspiration may be a hazard. Give vegetable oil demulcents. Call a physician or your Poison Control Center if large volume has been swallowed.

IF IN EYES: Flush with plenty of water.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and water. Launder clothing before reusing.

IF INHALED: Remove the victim to fresh air and apply artificial respiration if indicated.

NOT TO PHYSICIAN: Emergency Information Call CHEMTREC (800) 424-9300.


PHYSICAL OR CHEMICAL HAZARDS

Do not store, use or spill near heat or open flame. Do not weld, heat or drill container. Residue may ignite with explosive violence if heated sufficiently.

EPA Reg. No. 11369-16

EPA Est. No. 1202-CA-7

MANUFACTURED FOR:
BAKERSFIELD AG-CHEM, INC.
 34710 Seventh standard Road
 Bakersfield, CA 93312



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION

HARMFUL IF SWALLOWED. Avoid contact with eyes or skin. Avoid breathing vapor or spray mist. In case of contact, immediately flush eyes with plenty of water. If irritation persists, get medical attention. For skin, wash with plenty of soap and water. Harmful if swallowed. If swallowed do not induce vomiting. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

CHEMIGATION PROHIBITION

Do not apply this product through any type of irrigation system.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected clothing until sprays have dried. Because certain state may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in treated areas or in a n area about to be treated with this product. When oral warnings are given, warning shall be in a language customarily understood by workers. Written warnings must include the following information:

"CAUTION - Area treated with BAC HI Supreme Oil on (date). Do not enter without appropriate protective clothing until sprays have dried".

In case of accidental exposure refer to Statements of Practical Treatment found on this product label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Keep container closed when not in use. Protect from freezing. Keep in shade. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Open dumping is prohibited.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

RECOMMENDATIONS

HIGH GALLONAGE, FULL COVER SPRAYS: Rates given are for 100 gallons of water. Fill spray tank with 1/2 the required amount of water. Start agitator. Add total amount of spray oil. Continue operation of agitator while adding balance of water and while spraying. Use only in spray machine with powerful positive agitation. BAC HI SUPREME OIL is formulated as a "fastbreak" spray oil, and will not stay in solution unless agitated constantly. Apply to give total coverage to all parts of tree or vine for maximum insect control.

APPLES, ALMONDS, APRICOTS, CHERRIES, NECTARINES, OLIVES, PEACHES, PEAR, PLUMS, PRUNES, WALNUTS: Dormant or delayed dormant applications: Apply 1-2 gallons per 100 gallons of water. Summer application apply 1-1.2 gallons per 100 gallons of water for control of San Jose Scale, Brown Apricot Scale, Italian Pear Scale, Pariatoria Scale, Oleander Scale, Pear Psylla, and mites.

PEARS: Do not apply within 30 days of harvest.

LOW VOLUME, CONCENTRATE SPRAYS: Rates given are actual gallons spray oil per acre. Use 45-200 gallons of water per acre by ground application and 15 to 30 gallons by aircraft. Dormant delayed dormant, or summer applications.

ALMONDS, APPLES, APRICOTS, CHERRIES, NECTARINES, OLIVES, PEACHES, PEARS, PLUMS, PRUNES, WALNUTS: Apply 5-8 gallons per acre for control of San Jose Scale, Brown Apricot Scale, Italian Pear Scale, Pariatoria Scale, Oleander Scale, Pear Psylla, and mites.

PEARS: Do not apply within 30 days of harvest.

GRAPES: Apply 2-4 gallons per acre for control of mites.

CAUTION

READ ENTIRE LABEL: Use strictly in accordance with label cautions, warnings, and directions, and in conformity with Federal and State regulations.

DO NOT APPLY spray oil without consulting your State Agricultural Extension Service.

DO NOT COMBINE WITH SULFUR SPRAYS and **DO NOT APPLY** spray oil within 30 days before or after an application of sulfur unless trees are in dormant stage. Application during foliage stage will result in phytotoxicity.