

STABLE, CLEAR DRY POOL CHLORINE WITH BUILT-IN STABILIZER AND pH ADJUSTER

DIRECTIONS

Add **LESLIE'S POOL BRITE** at the rate of 2 oz. per 10,000 gallons daily or as needed to maintain a chlorine residual of 1.0 to 1.5 ppm. The amount to be added will vary with individual pool conditions such as water temperature, sunlight, organic content and bathing load. Use a **LESLIE'S 4-in-1 TEST KIT** and reduce or increase feeding rates accordingly.

IMPORTANT

Keep the pH of the water between 7.2 to 7.6. With water temperature above 75° superchlorinate once every 2 weeks with a liquid pool chlorine product (sodium hypochlorite) or **POWER POWDER** according to package directions. All superchlorination should be done when there are no swimmers present and swimming should not be resumed until the chlorine residual has dropped below 2.0 ppm. However, never permit the residual to go below 1.0 ppm at any time. If dry chlorine has not been used before or if the pool has been freshly filled, it is necessary to condition pool water with **LESLIE'S CONDITIONER** before following above DIRECTIONS.

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 to 1.5 ppm available chlorine. To accomplish this add 2 oz. **LESLIE'S POOL BRITE** concentrated pool chlorine per 1,000 gallons pool water.

CAUTION: IF USING THIS PRODUCT IN VINYL LINER OR PAINTED POOL DO NOT LET REST ON LINER. MAY CAUSE BLEACHING. ADD DIRECTLY THROUGH SKIMMER.

DANGER: KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hand after handling.

FIRST AID: If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

DANGER: STRONG OXIDIZING AGENT.

Mix only with water, use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well-ventilated area away from heat or flame. Decomposes at 150-475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not burn or dispose of equipment or disposal of wastes. Apply this product only as specified on the label.

Package designed especially for **LESLIE'S POOL MART, INC.**

SEP 29 1975

©1975 Leslie's Pool Mart, Inc.

ACCEPTED
114112
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO.



chlorinator tablets

**Designed for use in automatic flow through,
cannister type, and cartridge chlorinators.**

DANGER: KEEP OUT OF REACH OF CHILDREN. See other precautions and first aid on back panel.

ACTIVE INGREDIENT
Trichloro-s-Triazinetrione 100%

EPA Reg. No. 11411-3
EPA Est. No. 44466