

27543

# LIQUID SANITIZER

**DISINFECTANT - DEODORIZER - SANITIZER** 

**ACTIVE INGREDIENTS** 

n-Alkyl (60%C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>13</sub> ,	
5% C, dimethyl benzyl ammonium chlorides	5.0%
n-Alkyi (68% C <sub>17</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides	
ethylbenzyl ammonium chlorides	5.0%
INERT INGREDENTS	
TOTAL	100 00%

# KEEP OUT OF REACH OF CHILDREN DANGER

See side panels for additional precautionary statements.

NET CONTENTS 3.79 LITERS (1 GAL.)

EPA REG. NO. 11430-2 EPA EST, NO. 11430-CA-1

Manufactured by

RYKOFF-SEXTON, INC. LOS ANGELES, CA 90021

## **BACTERIAL ACTIVITY**

When diluted at a rate of 2 ounces per gation of water, SERCO LIQUID SANITIZER exhibits effective disinfectant activity against the organisms Pseudomonas aeruginosa PRD 10. Escherichia coli, Klebsiella pneumoniae, Salmonella schottmueller, Salmonella choleraesuis, Streptococcus salivarius, Brevibacterium ammoniagenes, Streptococcus faecalis, Shigella dysenteriae, Enterobacter aerogenes and Staphlococcus aureus and meets all requirements for hospital use.

#### **MILDEWSTAT**

To control mold and mildew on pre-cleaned, hard, non-porous surfaces add 2 ounces of SERCO LIQUID SANITIZER per gallon of water. Apply solution with a cloth, mop or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

## **FUNGICIDAL ACTIVITY**

At the 2 ounces per gallon dilution **SERCO LIQUID SANITIZER** is also fungicidal against the pathogenic fungi Trichophyton mentagrophytes EFFICACY TESTS HAVE DEMONSTRATED THAT **SERCO LIQUID SANITIZER** IS AN EFFECTIVE BACTERICIDE, FUNGICIDE AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

## VIRUCIDAL ACTIVITY

SERCO LIQUID SANITIZER when used on environmental, inanimate hard surfaces at 2 ounces per gallon of water exhibits effective virucidal activity against Influenza A2/Japan (representative of the common flu virus), Herpes Simplex Type 1 (causative agent of fever blisters), and Vaccina virus (representative of the pox virus group).

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

ACCEPTED FEBUL1995

Under the Federal Insecticate, Fungleide, and Rodenticide Act, as amended, for the pesticide registored under 1430 –2 EPA Reg. No. 1430

# **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

## SCHOOLS, OFFICES, HOUSEHOLDS

For sanitizing and disinfecting floors, walls and inanimate hard surfaces (garbage pails, sink tops etc.), first clean surfaces thoroughly. For sanitizing, make up solution of 1 oz. SERCO LIQUID SANITIZER to 4 gallons of water. For disinfecting, make up a solution of 3 oz. SERCO LIQUID SANITIZER to 4 gallons of water. Kills Staphylococcus aureaus and Salmonella choleraesuis. Apply solution with mop or cloth.

## HOSPITALS, NURSING HOMES, INSTITUTIONS, REST ROOMS

For floors, walls and other non-critical hard surfaces, as well as sink tops, garbage pails and telephones; first clean surfaces thoroughly. Use **SERCO LIQUID SANITIZER** at 3½ oz. per 5 gallons of water. At this level, **SERCO LIQUID SANITIZER** will be effective against Pseudomonas aeruginosa PRD-10.

## FOOD PROCESSING EQUIPMENT

For sanitization of food processing equipment and food utensils, first clean and rinse the equipment thoroughly. Dilute 1 oz. of **SERCO LIQUID SANITIZER** per 4 gailons of water to provide 200 ppm of active quaternary. At this level, NO POTABLE WATER RINSE is required

### **DAIRIES**

To sanitize dairy equipment, first clean and rinse equipment thoroughly. Apply sanitizing solution containing 1 oz. of SERCO LIQUID SANITIZER to 4 gallons water (200 ppm). At this level, NO POTABLE WATER RINSE is required. Follow recommendations of local Health Board.

### RESTAURANT AND BAR RINSE

Dishes, glassware, silverware, cooking utensils: wash with soap or synthetic detergent, rinse thoroughly, immerse in a sanitizing solution containing 1 oz. SERCO LIQUID SANITIZER to 4 gallons of water NO FINAL POTABLE RINSE is required.