ACCEPTED

1071

Fodoral Stock No. 6840-823-7849

INSECTIONE, REPOSOL, SYNTONE PYRETHRM

FOR USE AGAINST MOSQUITOES, FLIES, AND CERTAIN OTHER SMALL FLYING INSECTS

ACTIVE INGREDIENTS:	% BY WT.
Pyrethrins	0.60
*Piperonal bis [2-(2-butoxyethaxy)ethyl]	acetal 1.26
*Related compounds	0.14
Deodorized kerosene	13.00
INERT INGREDIENTS:	85.00

*TROPITAL SYNERGIST
12-OUNCE DISPENSER ovdp.

ADVANCE PACKAGING, INC. 6410 Mayfair Houston, Texas 77017

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE OTHER PRECAUTIONS ON THE BACK PANEL

CAUTION

Never spray directly on plastics. Avoid contamination of feed and foodstuff. Avoid prolonged or repeated inhalation of zerosol mist. Do not store at temperatures over 150° F. Do not puncture can or throw it into fire. WARNING:

Contents under pressure

Do not remain in treated areas and ventilate the area after treatment is completed.

DIRECTIONS FOR USE

For test results, close up the space to be treated and leave it closed for at least ten minutes after treatment. Release three feet from any surface, holding the dispenser above the head. Moving the dispenser about while spraying aids in dispersion. Dispense only for time indicated.

USE SPARINGLY. Seven seconds of spraying is ample for each 1,000 cubic feet (16'x10'x10'). Not necessary to spray directly on insects but merely release in the air since the zerosol will disperse throughout the enclosed space. Temporarily effective in sheltered outdoor area.

USDA Reg. No. 11454-2

ACCEPTED

ACT 1971

UNDER THE THE AL INSECTICIDE FUNGICIDE AND ACCEMTICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO. /1454 - 1

Federal Stock No. 6840-823-7849

ITSECTICIDE, AEROSOL, SYNERGIZED PYRETHRIN

FOR USE AGAINST MOSQUITOES, FLIES, AND CERTAIN OTHER SMALL FLYING INSECTS

ACTIVE INGREDIENTS:	% BY WT.
Pyrethrins	0.60
*Piperonal bis [2-(2-butoxyethoxy)ethyl]	acetal 1.26
*Related compounds	0.14
Deadorized kerosene	13.00
INERT INGREDIENTS:	85.00

*TROPITAL SYNERGIST

12-OUNCE DISPENSER over.

ADVANCE PACKAGING, INC. 6410 Mayfair Houston, Texas 77017

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE OTHER PRECAUTIONS ON THE BACK PANEL

CAUTION

Never spray directly on plastics. Avoid contamination of feed and foodstuff. Avoid prolonged or repeated inhalation of aerosol mist. Do not store at temperatures over 150°F. Do not puncture can or throw it into fire.
WARNING:

Contents under pressure

Do not remain in treated areas and ventilate the area after treatrent is completed.

DIRECTIONS FOR USE

For best results, close up the space to be treated and leave it closed for at least ten minutes after treatment. Release three feet from any surface, holding the dispenser above the head. Moving the dispenser about while spraying aids in dispersion. Dispense only for time indicated.

USE SPARINGLY. Seven seconds of spraying is ample for each 1,000 subic feet (16'x10'x10'). Not necessary to spray directly on insects but merely release in the air since the zerosol will disperse throughout the enclosed space. Temporarily effective in sheltered outdoor area. USDA Reg. No. 11454-2