



TOWER TREAT M

Control algae, bacteria and fungi in Industrial
recirculating and water cooling towers.

ACTIVE INGREDIENTS

Diammonium cyanimidom decarbonate	4.2%
Octasodium N-methyl diethoxycarbamate	5.8%
INERT INGREDIENTS	90.0%
TOTAL	100.0%

This product contains 0.89 lb. of active ingredient per gallon and weighs 8.90 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes or on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed give patient doses of powdered charcoal immediately or all he can swallow of raw egg white, milk, gruel or flour and water. Then induce vomiting with salt, soap or mustard in warm water. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TOWER TREAT M is used to control algae, bacteria and fungi in industrial and commercial water cooling towers. Prior to use, the tower must be cleaned to remove algal growth, microbiological slime and other deposits. An initial slug addition of 6.0 to 11.0 fluid ounces of TOWER TREAT M per 1000 gallons of water is recommended. Repeat initial dosing if algae is evident.

Subsequent slug additions of 2.0 to 4.1 fluid ounces of TOWER TREAT M per 1000 gallons of water should be employed every 1 to 5 days, depending on the frequency of addition depends upon the relative amount of biological activity and severity of the microbiological problem. Slug additions should be made to the sump of water cooling towers.

STORAGE & DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a sanitary manner or pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and either recycle, recondition, or dispose in an approved landfill or bury in a safe place. Metal containers over 30 gallons should be rinsed before offering for recycling.

GENERAL: Consult Federal, State or Local disposal authorities for additional alternative procedures.



Manufactured by
Schaefer Chemical Products Company

3000 Carrollton Road
Saginaw, MI 48602

EPA REG. NO. 11463-C EPA EST. NO. 11463-M

MICHIGAN STATE REG. NO. 2406

NET CONTENTS: 1 U.S. GALLON (3.785 L)

ACCEPTED

1 SEP 1979

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
LICEN. NO. 11463-6

BEST DOCUMENT AVAILABLE