

DIRECTION FOR USE

Lawn areas should be moved prior to application of OVER for hest results.

FOR LARGE AREAS. Apply OVER at the rate of one gallon of OVER for each 5000 square feet of area. apply evenly to the entire area, thoroughly wetting folicge to the PUINT OF RUM-OFF. Withhold watering for 48 hours.

FOR SMALL AREAS OR SPOT TREATMENT: Use a tank type sprayer, sprinkling can or other convenient container. Place 1 fluid once (2 tablespoons) in 1 quart of water and apply to 40 square feet of area (5' x 8'). Then withhold watering for 48 hours. Wilting will appear in one to three days, and browning of foliage in three to seven days.

Bermuda grass and other deep rooted perennials may require a repeat application after five days.

When foliage has turned brown, rake off matted or dead foliage. Approximately five days after last application, water thoroughly and seed at the recommended rate for new lawns, or plant flowers, shrubs or ground covers as desired.

Seller makes no warranty, expressed or implied, as to merchantability, fitness for a particular purpose, or otherwise concerning the use of this product, other than as indicated on the label. Seller shall not be liable for any injury, damage or loss resulting from handling, storing or use of this product not in start accordance with the directions given herein.

0

OVER

GRASS AND WEED KILLER NON-RESIDUAL — ALLOWS REPLANTING IN ONLY 5 DAYS

Active Ingredients:	By weight
Sodium Cacodylate Dimethylarsinic Acid (Cacodylic Acid	
Inert Ingredients:	89.13%
Total	100.00%
Total Arsenic (as elemental) all in water soluble form	5.20 %

CAUTION KEEP OUT OF REACH OF CHILDREN

E.P.A. Reg. No. 11474-13

Net contents _____gallons

Manufactured by:

SUNGRO CHEMICALS, INC. P. O. Box 24632 Los Angeles, California 90024 For effective control of a wide variety of unwanted vegetation around buildings, walkways, driveways or under trees and established ornamental shrubs, OVER is especially ideal for lawn renovation where replanting is desired. It is fast acting with non-residual effects. Lawn areas may be reseeded 5 days following application. OVER provides quick kill of all annuals including Brome, Bur Clover, Chickweed, Foxtail, Mallow, Morning Glory, Oxalis, and Wild Dats. The material top kills Bermuda Grass, Bluegrass, Clover, Dandelions, Fescues, Johnson Grass, Quackgrass, Plantain and other deep rooted perennials.

READ ENTIRE LABEL BEFORE USING. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

CAUTION: Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Wash hands after using. Avoid storage near feed or food products. Keep children and domestic animals off treated areas until material is washed into soil. Do not reuse container. Destroy by crushing or breaking. Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies. Do not apply OVER directly, or allow to come in contact with foliage, green bark, grafted unions, or scuffed, damaged or broken bark on trees and ornamentals.

ANTIDOTE: If taken internally, induce vomiting and call a physician at once.