PRECAUTIONARY STATEMENTS HAZARDS TO FUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists, or if swallowed. Do not induce vomiting.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas apply only when the facility is not in operation. Avoid contamination of feed or food stuffs.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Do not store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal, PESTICIDE DISPOSAL. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and disposal of in a sanitary landfill, or by other pro-edures approved by state and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NUMB BUG

FOGGING AND CONTACT SPRAY
READY TO USE - DO NOT DILUTE
FOR USE IN HOMES, INDUSTRIAL PLANTS
AND FOOD PROCESSING PLANTS

ACTIVE INGREDIENTS	190 %
d-trans Allethrin (allyl homolog of Cinerin I)	9.10%
*Piperonyl butoxide, technical	6.20%
N-octyl bicyclopheptene dicarboximide	0.33%
Inert Ingredients	# 37%
*Consists of 0.160% (butylearbityl) (6-propylpiperonyl) eth	er and 0.04% other
related compounds.	

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Side Panel for Additional Precautionary Statements
HARMFUL IF SWALLOWED

EPA Reg. No. 11474-6

EPA Est. No. 11474CAO1

MANUFACTURED BY: SUNGRO CHEMICALS, INC. P.O.BOX 24632 Los Angeles, CA. 90024

NET CONTENTS GALLONS

SPACE SPRAY TO KILL FLIES, MOSQUITOS, FLYING MOTHS AND GNATS: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventifating equippers. Apply with mechanical or compressed air sprayer, or with fogger will independent or room and ceiling. Apply at the rate of 1 fluid ounce per 1000 cu. ft. of space to be tested. Leave room closed for one-half hour. VENTILATE-ROOM THOROUGHLY BEFORE REENTRY. Repeat as means safe of ansact control.

CONTACT OR SURFACE SPRAY TO KILL ROACHES, WATERBUGS AND ANTS: Cover or remove food before application as described under space spray. Apply with a sprayer that gives large wetting droplets. Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other insect harborages. Use one gallon of spray per 1000 sq. ft. of surface to be treated. For ants, spray trails and all points of entry into building. Spray ant nests directly with a soaking application. In all cases contact as many insects as possible with spray. Repeat applications as necessary for control.

Seller guarantees that this material conforms to the chemical description on the label, and is effective for the purpose claimed when used in accordance with the label instructions. The buyer assumes all risks and responsibility for use and/or handling of this product when such use or handling is not in accordance with label instructions. No other warranty expressed or implied is authorized by seller.

011690

Not Reviewed. Registrant claims to be in accordance with Peregistration of Pesticide Pioduct Guidance for Phase 2 - Toome, Page 2.12, Active to Inert Change in Status.