

SUN-BUGGER #4

SBP-1382[®] INSECTICIDE SPRAY

FOR BAKERIES, FOOD PLANTS,
RESTAURANTS, SCHOOLS, HOTELS,
MOTELS, OFFICE BUILDINGS,

HOSPITALS AND FOOD HANDLING PLANTS

DIRECTIONS FOR USE

FOR FLIES, MOSQUITOES AND GNATS:
Close windows and doors. Spray freely toward ceiling in all directions until room is filled with mist, then leave the room. Keep doors closed for at least 15 minutes. Ventilate the room when treatment is completed.


WASPS: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Active Ingredients:	% by weight
** (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.050
Related compounds	0.007
Aromatic petroleum hydrocarbons	0.066
Petroleum distillate	99.875
Inert Ingredients:	0.002
	100.000

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

+U.S. Patent No. 3,465,007.

CAUTION
KEEP OUT OF REACH
OF CHILDREN



CAUTION:
KEEP OUT OF REACH
OF CHILDREN

Harmful if swallowed. Cover or remove fish-bowls. Do not store near heat or open flame.

Avoid contamination of feed and foodstuffs. Use in food processing plants only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

E.P.A. Reg. No. 11474-9 Net Contents — — gallons

Manufactured by:

SUNGRO CHEMICALS, INC.

P.O. Box 24632

Los Angeles, Calif. 90024