

Reg # 11474-10

PM-17

181

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Avoid exposing babies and small children to the fog. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush skin and eyes with plenty of water. Get medical attention if irritation persists. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Do not apply while food processing plant is occupied and in operation. Remove pets, birds, and cover fish aquarium before spraying. This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

STATEMENT OF PRACTICAL TREATMENT

IF swallowed: Do not induce vomiting because of aspiration hazard. Call a physician or Poison Control Center immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from areas treated. Do not spray on turf or plants.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Triple rinse(or equivalent), then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

SUNBUGGER #2

**A Synthetic Pyrethroid For Control Of Flies
Mosquitoes and Gnats In Warehouses,
Restaurants, Industrial Institutions,
and For Small Outdoor Areas.**

ACTIVE INGREDIENTS:	% BY WT.
*Resmethrin	0.200
Related Compounds	0.027
INERT INGREDIENTS	99.783
TOTAL	100.000

*Cis/trans isomer ratio: Max. 30%(+)cis and Min. 70% (+)trans.
+ U.S. Patent Nos. 3,465,007 AND 3,542,928

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED

See Side Panel For Additional Precautions.

E.P.A. Reg.No. 11474-10

E.P.A. Est. No. 11474CA01

Manufactured By:
SUNGRO CHEMICALS, INC.
P.O. BOX 24632
LOS ANGELES, CA.90024

NET CONTENTS _____ GALLONS.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use in Warehouses, Restaurants, Industrial Institutions, and for small outdoor areas.

This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particles sizes within the aerosol size range.

THERMAL APPLICATION INDOORS: For the control of Flies, Mosquitoes, and Gnats in Warehouses, restaurants and industrial institutions. Remove or cover exposed food and food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air conditioning equipment and close off room or area to be treated. Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1 1/3 fluid ounces per 1000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room or area to be treated areas. Ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat up and destroy fallen insects. Repeat as necessary.

THERMAL APPLICATION OUTDOORS: For reduction in annoyance from flies, mosquitoes, and gnats in yards, patios, around swimming pools, picnic areas, camp sites, drive-ins, and horse stables. Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3 3/4 gallons per acre which is equivalent to 11 ounces per 1000 square feet. Fog only when there is no breeze, or wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind lies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

011690

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for: Phase 2 Response, Page 2.12, Active to Inert Change in Status.