




DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To control algae and bacterial slimes, use PURGE WATER TREATMENT MICROBIOCIDES as directed. For best results, slug feed. The frequency of addition of microbiocide needed depends on many factors. To optimize your use of PURGE WATER TREATMENT MICROBIOCIDES, follow this procedure:

1. Initially use 1 quart per 1000 gallons of water to be treated (20ppm active quaternary).

Should the above dosage not give satisfactory results, use 1 1/2 quarts per 1000 gallons of water.

Repeat the initial dose every seven days or increase the frequency if needed.

2. When the above treatment level is successful, use 1/2 quart per 1000 gallons of water to maximize efficiency. Repeat weekly as needed.

Should slime develop again, go back to initial dosage. Cooling tower waters that are inherently low in algae growth and bacteria count may be adequately controlled by the lower range of these dosages, slug fed every seven days.

Dilute the appropriate amount of PURGE WATER TREATMENT MICROBIOCIDES in 1 or 2 gallons of water then add to the sump of the tower. Note: this product weighs 8 1/2 lbs. per gallon at 20°C.

SHOULD TOWER BE HEAVILY FOULED A PRE-CLEANING IS REQUIRED.

PRECAUTIONARY STATEMENTS

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: SKIN AND EYES: IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLenty OF WATER FOR AT LEAST 15 MINUTES. FOR EYES CALL A PHYSICIAN. INGESTION: IF SWALLOWED, DRINK MILK OR WHOLE GELATIN SOLUTION, OR IF THESE ARE NOT AVAILABLE,

SUNGRO



PURGE

Water Treatment Microbiocide

Twin-Chain Quaternary Ammonium Compound Concentrate
Water Treatment Microbiocide
For Building and Industrial Cooling Towers

ACTIVE INGREDIENTS

Didecyl dimethyl ammonium chloride

Isopropyl alcohol

INERT INGREDIENTS

10%

4%

86%

100%

DANGER

KEEP OUT OF REACH OF CHILDREN

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No.

EPA Est. No.

11474-14

11474CA01

Net Contents 9.47

SUNGRO CHEMICALS, INC.

P.O. BOX 24632 LOS ANGELES, CA 90021

LARGE QUANTITIES OF WATER. AVOID ALCOHOL. CALL A PHYSICIAN.

NOTE TO PHYSICIAN: PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. CAUSES SEVERE SKIN IRRITATION, ESPECIALLY TO BROKEN SKIN. CAUSES EYE DAMAGE. HARMFUL IF SWALLOWED. WEAR GOGGLES OR FACESHIELD AND RUBBER GLOVES WHEN HANDLING THIS PRODUCT. REMOVE AND WASH CONTAMINATED CLOTHING.

ENVIRONMENTAL HAZARDS

PRECAUTIONARY STATEMENT

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an E.D.S. permit. For guidance contact your Regional Office of the EPA.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or waste that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: (a) Reseal container and offer for recycling or (b) Triple-rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

GENERAL: Consult Federal, State, or local health authorities for approved alternative procedures.

30

Net Weight
11.47 lb.