SUNGRO RESIDUAL SPRAY

FOR USE IN APARTMENTS, FOOD & MEAT PROCESSING PLANTS, COMMERCIAL BUILDINGS, WAREHOUSES, OFFICE BUILDINGS. AND OUTDOORS AROUND THE PERIMETER OF STRUCTURES.

CONTAINS PROPOXUR

FOR INDUSTRIAL AND INSTITUTIONAL USE

Residual Spray is a highly effective ready to use formulation for control of the insects listed below, including those resistant to certain chlorinated hydrocarbons and phosphates. This product gives rapid kill and long residual activity.

KILLS: Ants, Brown Dog Ticks, Cockreaches, Clover Mites, Crickets, Earwigs, Fleas, Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, and Spiders, Saw-toothed Grain Beetles, Wasps and Hornets.

Active ingredients

2-(1-methylethoxy)phenol methylearhamate 1 0% Inert Ingredients 99 0%

Total 100 0%

CONTAINS PETROLEUM DISTILLATE

KEEP OUT OF REACH OF CHILDREN CAUTION

(See Side Panel for Additional Cautions)

EFA Reg No 11474 20 EPA Est No 11474CA01

Manufactured by SUNGROWNEMICALS, INC PIO BOX 24632 LOS ANGELES, CA 9004

NETCONTENTS _____ GAL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CALLION

May he harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate virtilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wear protective gloves when making applications. Wash thoroughly after using. Avoid contamination of food literails, and food preparation areas.

Do not contaminate feed or food. Keep out of reach of children.

Wash hands arms and face thoroughly with warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

Remove pets and cover fish aquations before spraying. Do not allow children or pets to contact treated surfaces until they are dry. Do not apply to animals

STATEMENT OF PRACTICAL TREATMENT

In case of poisoning, call a physician immediately. Have patient be down and keep outet.

iff on skin, was in immediately with soap and warm water if irritation occurs, get

If eyes are contaminated, wash with plenty of water. Get medical attention, if inhaled remove to fresh air if not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention. If swallowed, Call a physician or Poison Control Center. Do not induce vomiting Vomiting may cause an aspiration hazard.

SYMPTOMS OF POISONING: A sense of tightness' in chest. Sweating: Contracted pupils Stomach pains: Vomitting and diarrhea.

NOTE TO PHYSICIAN

ANT/DOTE- Administer atropine suifate in the rapeutic doses. Repeat as necessary to point of tolerance.

Compound inhibits coolinesterase resulting in stimulation of the central nervous system. The parasympathetic nervous system and the somatic motor nerves. Opinot give morphile. Watch for pulnionary edema which may develop in serious cases of poisoning even after 12 nous. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

ENVIRONMENTAL HA ARDS

This product is toxic to fish, birds, other wildlife, Do rist contaminate water by cleaning of equipment or i disposal of equipment wash waters. Use this product inly as directed by the Tabel.

PHYSICAL OR CHEMICAL PAZARDS

Doinctuse, pour spillor store near heat or opeliftame

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

IMPORTANT. Read these entire Directions and Conditions of Sale before using RESIDUAL SPRAY.

CONDITIONS OF SALE THE DIRECTIONS ON THIS LABEL WERE DITERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY. IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED INSUFFICIENT CONTROL OF PESTS MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS MY CAUSE INJURY TO ANIMALS. MAN, OR THE ENVIRONMENT SUNGRO CHEMICALS, INC OFFERS AND THE BUYER ACCEPTS AND USES THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER. OR FAILURE TO FOIL OW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF SUNGROCHEMICALS INC AND ARE HEREFORE THE RESPONSIBILITY OF THE BUYER.

RESIDUAL SPRAY is a highly effective formulation which provides rapid kill of the crawling insects as fisted on the front panel including those resistant to certain chlorinated hydrocarbon and phosphate insecticides.

In addition to rapid inflat kill, RESIDUAL SPRAY stays on treated surfaces and kills insects many weeks after the spray deposits have dried. Do not use as a 'space spray."

HOW TO USE RESIDUAL SPRAY is ready to use undiluted as it comes from the can and must be applied with either power operated or hand pressurized sprayers. This product shall not be distributed, or sold, or used with linger-operated or trigger type sprayers. Apply as a coarse spray to surfaces until wet, moving the spray stream lapidly enough to prevent excessive wetting of surfaces and waste of material. Direct spray away from people plants, and pets. Provide adequate ventilation or area, being treated. Avoid contamination of feed, food, food processing equipment and food handling surfaces.

indopruse

ANTS, COCKROACHES, CREGETS, SILVERFISH, SPIDERS, SCOPPINS, SAWTOOTH GRAIN BEETLES (EKPOSEDESTAGE), WATERBUGS, Spiray into etracks, crevices, around baseboards, and other pflices where these infects hide. Apply beignd and beneath cabinets refrigerators, sinks, stoves, and in and around waste containers. For ants, spray trails and places where ants enter premises. Repeat as needed. Do not spray foodstuffs or house plants. Remove pets and cover fish bowls before spraying. Applications may be made to floor surfaces along baseboards and ground auducts, however, do not treat entre area of floor or floor coverings. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS. Spray, sleeping quarters of acts, around baseboards, window and

BROWN DOG TICKS: Spray sleeping quarters of personal base base base such states and boor frames, wall cracks, and local areas to floor. Repeating indicate Fresh bedding should be placed in animal quarters after spraying.

Do not spray animals

Outdoor Use

ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, FLIES, HORNETS, MILLIPEDES, MOSQUITOES, SCWBUGS, WASPS, AND BROWN DOG TICKS. Spray thoroughly those areas where pests have been seen or found including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray runways. For control of wasps and hornet apply artu-dark when all of the insects have returned to the nest. Repeat as necessary. Do not spray vegetation.

RESTRICTIONS: Do not apply to rugs, carpets, drapenes, wallpaper, or similar materials that may be stained. Avoid excessive wetting of plastic, rubber and asphalt surfaces and tiles and floor coverings.

FOR USE IN MEAT PACKAGING & FOOD PROCESSING PLANTS. Use only in the inedible areas of meat packing plants. Any exposed food products, equipment or packaging materials must be removed or covered. Lethic spraying. Wash all equipment with an effective ceaning compound followed by a trial with potable water before resuming operations. Treat food processing plants early in the season before canning or other processing begins. Repeat applications if necessary, when plant is not in operation. Spraying unloading docks and outside areas where injects congregate will aid in preventing reinfestation. Sood sanitation and proper dispose of wastes is essential in any effective insectionitrol program.

STORAGE AND DISPOSAL

Pesticide Disposal Do not contaminate water, food or feed by storage or disposal Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Store in a coof, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If container is leaking invert to prevent leakage, if the container is leaking or material is spilled for any reason or cause, carefully dam up spills in material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides above. In spill or leak incidents, keep unauthor zed people away. You may contact. Sungro. Chemicals. Emergency. Response. Team for decontamination procedures or any other assistance that may be necessary. The Sungro Chemicals. Inc., Emergency. Response Telephone Number is. 1-213-747-4125. or contact Chemitrec. at. 1-800-535-5053.

031894 hbi



JUN 2 4 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended, for the pesticide registered under EPA Reg. No. 11474-20

