

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid inhalation of spray mist. Wash thoroughly after handling. Wear long pants, long sleeved shirts, shoes and gloves when mixing, loading or applying this product. Persons applying liquid MCPP products such as sprays are required to use goggles to cover their eyes. "Wear face shield or goggles when mixing, loading or applying this product."

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply when weather conditions favor drift from target area. Although highly mobile, in general phenoxy herbicides such as MCPP are not sufficiently persistent to reach groundwater from use as specified on product labels. Most cases of ground water contamination involving phenoxy herbicides have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Drift or run-off may adversely affect nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Do not contaminate water when disposing of equipment washwaters.

FIRST AID:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 9-1-1 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Questions? 1-800-463-9179 or call poison control center.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store container, tightly closed, away from greenhouse, seeds, plants, fertilizers and water supplies. Protect from freezing. Do not contaminate water, food or feed by storage or disposal.

DISPOSAL INSTRUCTIONS:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any drain or outdoor drain.

**SUNGRO
TREAT-TURF
HERBICIDE**

**CLOVER -CHICKWEED KILLER FOR TURF,
FAIRWAYS AND GOLF COURSES**

TREAT-TURF HERBICIDE is a stable aqueous solution containing the potassium salt of MCPP, equivalent to 11.5 ounces of acid per gallon. It is non-flammable.

Treat Turf Herbicide may be used on grasses such as blue grass, bentgrass, bermudagrass, fescue, for control of many broadleaf weeds as :

Common Chickweed (<i>Stellaria media</i>)	Dichondra (<i>Dichondra repens</i>)
Mouse-ear Chickweed (<i>Cerastium Vulgatum</i>)	Pigweed (<i>Amaranthus spp.</i>)
Ground Ivy (<i>Glechoma Hederacea</i>)	Plantains (<i>Plantago spp.</i>)
Lambsquarters (<i>Chenopodium album</i>)	Ragweed (<i>Ambrosia spp.</i>)
Knotweed (<i>Polygonum aviculare</i>)	Clover (<i>Trifolium spp.</i>)

ACTIVE INGREDIENTS:

Potassium salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid*	10.6%
INERT INGREDIENTS	89.4%
TOTAL	100.0%

(+)-(R)-2-(2-Methyl-4-chlorophenoxy)propionic acid 8.98%

*Contains equivalent of 0.82 lbs. of acid per gallon

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY
STATEMENTS**

BEFORE USING STOP AND READ ENTIRE LABEL.

E.P.A. EST. NO. 11474CA01

E.P.A. REG. NO. 11474-26

MANUFACTURED BY:
SUNGRO CHEMICALS, INC.
P.O. Box 24632
Los Angeles, CA 90024

NET CONTENTS GALLONS (LITERS)

**ACCEPTED
APR 3 2007**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

11474-26

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Do not spray flower beds, borders or shrubbery. Treat-Turf Herbicide is a plant killer. Avoid allowing spray to drift over flowering plants, vegetable gardens, etc. Coarse sprays are less likely to drift. The first mowing after treatment should not be used as mulch for flowers and vegetables.

Time of application: Apply in warm weather under good growing conditions. Some injury to turf may result if this product is applied in very hot weather (over 90 degree F.) or in drought conditions. For established greens apply 1.5 - 2.0 fluid oz. in 1/2 - 4 gallons of water per 1000 sq. ft. (4 - 5 pints in 22-174 gals. of water per acre). For established turf and fairways use 2 1/2 - 3.0 fluid oz. in 1/2 - 4 gallons of water per 1,000 sq. ft. (6 1/2 - 8 pints in 22-174 gals. of water per acre).

Mixing: In order to ensure even mixing fill half the spray tank with clean water. Add required amount of herbicide, mix thoroughly and finally add more water as required. It is not necessary to add a sticking agent.

Application: Always use equipment which applies the product uniformly. A boom type sprayer is recommended. To allow for best absorption of the chemical by the weeds, avoid cutting or mowing turf for at least one day before and after spraying. Water sprinklers should not be used for 24 hours after spraying.

"Do not re-enter or permit workers to re-enter treated areas until sprays have dried or dusts have settled."

IMPORTANT - Wash out spray equipment before using herbicide. After use, rinse equipment including nozzles thoroughly with water containing a wetting agent or detergent fluid; refill with clean water and let stand overnight. Empty spray equipment the following day. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources." Ponds, streams, rivers and water sources MUST NOT be contaminated with the concentrate solution or spray washing.

"Do not apply this product through any type of irrigation system."

Seller guarantees that this material conforms to the chemical description on the label and is effective for the purposes claimed when used in accordance with the label instruction. The buyer assumes all risk and responsibility for use and/or handling which is not in accordance with label instructions. No other warranty expressed or implied is authorized by the seller.

110606

11474-26

04/03/2007

111