

NOV 20 1991

Harold B. Igdaloff
SUNGRO Chemicals, Inc.
P.O. Box 24632
Los Angeles, CA 90024


Dear Mr. Igdaloff:

Subject: Resubmission of Labels and CSF
Sunbugger Waterbase Insecticide
EPA Reg. No. 11474-30
Submission: November 5, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. The Confidential Statement of Formula is acceptable and has been made a part of your record.

Change the ingredient statement by deleting ^{from the statement the} related compounds and percentages at the next reprint of this label (as indicated in the Resmethrin Registration Standard).

Sincerely,


for Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

RSB

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing of vapor or contact with skin, eyes, or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Do not smoke while spraying. Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas.

For Household Use Only: Cover or remove exposed foods. All food preparation surfaces should be covered during treatment or thoroughly cleaned before using.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

INDOORS: For control of house flies, mosquitoes and gnats. Close all doors and windows. Direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS: For control of cockroaches, earwigs, grain mites, sowbugs, spiders and beetles.

Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings and the pipes, under refrigerators, baseboards and storage areas.

Spray directly on insect where possible. Repeat as necessary.

ANTS: Spray trails, nest and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS: To reduce annoyance from flying insects. To kill mosquitoes, gnats, midges, house flies, biting flies and flying moths (moths).

Follow precautions listed above. Apply the spray 18 to 24 inches from shrubs, vines and grassy areas. Spray these areas with a slow sweeping motion while moving away from the treated areas. To reduce annoyance from these flying insects, treat open patches and patios in a similar manner. Spray only when the insects are active. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS: For ornamental plants.

Apply using a garden hose to deliver a fine mist, spraying plants from 18 to 24 inches.

Do not apply this product through an irrigation system.

SUNBUGGER WATER BASE INSECTICIDE SPRAY

ACTIVE INGREDIENTS

*Resmethrin

% BY WEIGHT

0.250

Related Compounds

0.034

INERT INGREDIENTS

99.716

TOTAL

100.000

*Cis/trans isomer ratio: max.30% cis and min.70% trans

KEEP OUT OF REACH OF CHILDREN CAUTION

(SEE SIDE PANEL FOR ADDITIONAL CAUTIONS)

EPA Reg. No. 11474-30

EPA Est. No. 11474CA01

Manufactured By:
SUNGRO CHEMICALS, INC.
P.O.Box 24632
Los Angeles, Ca.90024
(213) 747-4125

Net Contents _____ Gallons

ACCEPTED
with COMMENTS
in EPA Letter Dated

NOV 20 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

114-74-30

ORNAMENTALS

Smaller Rhododendrons

Pines	Viburnum	Mimosa
Spruce	Euonymus	(on Mimosa)
Hemlock	Oaks	Aphids
Spirea	Maples	Exposed
Dogwood	Locust	White F
Palm	Forsythia	Leafhop
Mimosa	Althea	Plant Bu
Toyon		Japanese

Ornamental Quince, Juniper, Cypress, Cotoneaster, Rose, Camellia, Azalea, Pyracantha. To control the above pests, buy varieties have shown some leaf burn under a heavy dosage.

Repeat as necessary to obtain control.

OUTDOORS: To protect house plants.

Spray infected African Violets, Philodendrons for control of listed pests. Repeat as necessary.

OUTDOORS: To control nuisance pests on plants.

ANTS: Spray trails, nests and points of entry. Repeat as necessary.

WASPS: Application should be made in late afternoon. Spray liberally into hiding and breeding places. Repeat as necessary.

SPIDERS: Spray directly on spiders and webs.

STORAGE AND

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product should be disposed of by an approved waste disposal facility.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or puncture and dispose of in a sanitary landfill, by state and local authorities, by burning, etc.

WARRANTY

Buyers assume all risks of use, storage or disposal in strict accordance with directions given hereon.