

Date: 2-28-89

# SUNGRO RESIDUAL ROACH DOPE

A QUICK ACTING SURFACE SPRAY  
FOR INDOOR AND OUTDOOR USE IN  
HOMES, INSTITUTIONS, RESTAURANTS  
AND FOOD PROCESSING PLANTS

READY TO USE

FOR COMMERCIAL/INDUSTRIAL USE ONLY

Roaches, ants, flies, mosquitoes, fleas(outdoors), waterbugs,  
wasps, brown dog ticks, silverfish, spiders, crickets, chiggers,  
small flying moths and carpet beetles

ODORLESS-STAINLESS

ACTIVE INGREDIENTS	% By wt
Diazinon(O,O-diethyl-O-(2-isopropyl-6-methyl-4-pyrimidinyl)phosphorothioate)	0.500
Pyrethrins	0.052
Piperonyl Butoxide*	0.261
Inert Ingredients**	99.187

\*Equivalent to 0.209% (butylcarbityl)(6-propyl piperonyl)ether  
and 0.052% related compounds

\*\*Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions

EPA REG NO 1147431 EPA EST NO 11474CA01

Manufactured By SUNGRO CHEMICALS,INC.  
P.O.BOX 24632

LOS ANGELES, CA 90024

NET CONTENTS \_\_\_\_\_ GAL

## PRECAUTIONARY STATEMENTS STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting give victim one to two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. Apply respiration if indicated.

If on Skin: Wash contaminated skin with soap and water.

If in Eyes: Flush eyes with plenty of water. Get medical attention immediately.

Note to physician: Solvent present aspiration hazard. Gastric lavage is indicated if material was taken internally. Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation of mist and contact with skin. Wash thoroughly after using and before smoking or eating. Avoid contamination of food feed products, and utensils.

Do not use on household pets or humans. Do not allow children in treated areas until surfaces are dry. Remove pets, birds and cover fish aquariums before spraying.

## PHYSICAL HAZARDS

Do not store or use near heat or open flame.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of reach of lakes, streams, and ponds. Apply this product only as specified on this label.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use as space spray. For spot application only. Do not use in edible product areas of federally inspected meat and poultry plants.

FOOD AREAS OF FOOD HANDLING ESTABLISHMENT  
Food handling establishments are defined as places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS- APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY.

Includes areas for receiving, storage, packing(canning, bottling, wrapping, boxing) preparing edible waste storage and enclosed processing systems(mills, dairies,edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

To control roaches, ants, waterbugs, silverfish, spiders and crickets, apply in small amounts directly into crack's and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings heading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housings, junction or switch boxes. Prior to application de-energize electrical equipment. After application

allow time for oil to evaporate before starting motors or placing switches in "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces. APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

## SERVING AREAS-SPOT TREATMENT

Facilities where food are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. DO NOT APPLY WHEN FACILITY IS IN OPERATION OR FOODS ARE EXPOSED.

IN NON FOOD AREAS OF INSTITUTIONS, RESTAURANTS, FOOD PROCESSING PLANTS; AND IN AND AROUND HOMES.

Includes garbage rooms, lavatories, floor drains(to sewers)entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). To control cockroaches, ants, waterbugs, silverfish, spiders and crickets apply to baseboard areas around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

## INSTRUCTIONS FOR ADDITIONAL PESTS

Carpet beetles, Indoors: Spray edges of carpeting and under carpeting and rugs. Make localized application to the floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat as necessary.

Brown Dog Ticks: Thoroughly spray sleeping quarters of animals. Spray infested areas around baseboards, windows, door frames, and wall coverings. Application should be repeated as necessary. Fresh bedding should be placed in animal quarters following treatment. DO NOT TREAT ANIMALS WITH FORMULATION.

House flies, Mosquitoes, wasps and small flying moths, Outdoors: For outdoor use only as an aid in reducing annoyance from this insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate.

Fleas, Chiggers, Ants, Outdoors: For treatment of localized infestation of these insects in outdoor areas, spray weeds and bushy non crop areas around the home thoroughly. Avoid spraying desirable plants. For ants, thoroughly wet hills and runways. Repeat application as infestations occur.

## STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. Keep container closed. Do not contaminate water, food, or feed by storage or disposal. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse(or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOT REVIEWED

In Accordance with PR Notice 82-2  
Base on Draft Labeling Dated 3/11/87