

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

28 MAY 1992

Mr. Harold B. Igdaloff
Sungro Chemicals, Inc.
P.O. Box 24632
Los Angeles, CA 90024

Dear Mr. Igdaloff:

Subject: Revised Labeling and Confidential Statement of Formula
Sungro Kitchen & Can Insecticide, EPA Reg. No. 11474-33
Submission dated April 27, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

Add the phrase --"Contains petroleum distillate"-- as a substatement to the ingredient statement on the label.

Incorporate the following as part of your Precautionary Statements text:

"Do not apply directly to food. As a fogger or space spray, do not apply while food processing is underway. In commercial food handling facilities, cover or remove any food during treatment. All food processing surfaces should be thoroughly cleaned with an effective cleaning compound followed by a potable water rinse before using."

This will also acknowledge receipt of the revised basic Confidential Statement of Formula dated April 27, 1992. This amendment is acceptable and a copy of the Confidential Statement of formula has been placed in the file as a matter of record.

Sincerely,

for
SP
Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

SYMBOL							
SURNAME							
DATE							

PRECAUTIONARY STATEMENTS HARMFUL TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not pour or spill near heat or open flame. Remove pets, birds and cover fish aquaria before spraying. Do not breathe spray mist. Wear mask or respirator of a type recommended by the Mine Safety and Health Administration to give adequate protection against this material. Wear protective clothing. Wash exposed skin surfaces with soap and water.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving 1 or 2 glasses of water and touching back of throat with finger. Never give anything by mouth to an unconscious person.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush eyes with water for 10-15 minutes. Contact a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Contact a physician if irritation persists. Wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

User assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

STORAGE AND DISPOSAL

For containers larger than one gallon:

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved State and local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer to recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

For containers one gallon and smaller:

STORAGE: Store in original container in a cool dry area, inaccessible to children and pets and away from heat and direct sunlight. Protect from freezing.

DISPOSAL: Wrap container in several layers of newspaper and discard in trash. Do not reuse empty container.

DIRECTIONS FOR USE

It is a violation of Federal law use this product in a manner inconsistent with its labeling.

INDOOR APPLICATION

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.

SPACE SPRAYING: For rapid control of Roaches, Ants, Spiders, Crickets, Silverfish, Centipedes, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Mites (Clover, cheese, grain), Meal Worms, Grain Beetles, Confused flour beetles, saw toothed grain beetles, Spider Beetles, Cigarette Beetles, Drugstore beetles, meal worms, Weevils (Granary Weevils, Rice Weevils) and Caddisflies apply in a good spray adjusted to deliver a coarse wet spray at the rate of 1 gallon to 750 square feet of surface.

KITCHEN AND CAN INSECTICIDE

**SPECIAL LOW OIL FORMULA
FOR USE IN HOMES, INSTITUTIONS, RESTAURANT, FOOD PROCESSING PLANTS, DAIRIES, LIVESTOCK, AND OTHER OUTDOORS FOR MOSQUITO CONTROL.**

ALSO FOR USE IN INDUSTRIAL, AND RESIDENTIAL GARAGE COMPACTORS, GARAGE CHUTES, KITCHEN GARBAGE CANS AND OTHER KITCHEN LOCATIONS.

A PYRENONE[®] Insecticide-leaves no objectional residues.

ACTIVE INGREDIENTS:

Pyrethrins	0.12%
*Piperonyl butoxide, technical	1.20%
INERT INGREDIENTS	98.68%
	100.00%

*Equivalent to 0.96% (butylcarbityl) (6-propylpiperonyl) ether and 0.24% related compounds.

A PYRENONE[®] - Registered trademark of FAIRFIELD AMERICAN CORP.

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautionary Statements

Do not transport or store under 32 Deg. F.

EPA Reg. No. 11474-33

EPA Est. No. 11474CA01

MANUFACTURED BY:
SUNGRO CHEMICALS, INC.

P.O. BOX 24632 Los Angeles, CA. 90024

NET CONTENTS _____ GALLONS

ACCEPTED with COMMENT
28 MAY 1992
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 11474-33

Direct spray into locations where the insects are present, into crack & crevices, dark corners, refrigerator, and cabinets, along frames. For silverfish spray bookcase. To control Carpet Beetles: Spray rugs. Make localized application to cracks, closets and infested areas of floors. To control Bedbugs: Spray mattresses. Take beds apart and spray to all joints. Repeat treatment as needed.

To control fleas, and brown dog ticks: Resting quarters, nearby cracks and crevices, window and door frames, and fresh bedding should be placed in a recent treatment of animals with an appropriate treatment as needed.

To control clothes moths: Remove clothing thoroughly and air for several hours to empty chests, closets, bureaus and joints and crevices. After airing, in nozzle at least three feet from fabric. In case of infested foods in cabinets, contents and clean thoroughly. After otherwise protect foods from direct treatment if reinfestation occurs.

SPACE SPRAYING: To kill flies, moths, Hornets, skipper flies, Angou Indian meal moths, & tobacco moth. Apply as a fine mist at an upward angle distributing it uniformly at the rate of 4.5 gallons per 1000 cubic feet of space.

FOGGING: To kill exposed or accessible insects, use at a rate of one gallon to 2000 cubic feet of space. Treat directly whenever possible.

ON ANIMALS: To protect cattle & horses, apply a light mist sufficient to wet hair, horse, sufficient to wet hair thoroughly. Necessary to give continued protection.

To control blood sucking lice, apply brush to get the spray to the base of the hair.

OUTDOOR ADULT MOSQUITO CONTROL: Treat the entire area. For best results, apply at the rate of 4.5 gallons per acre (4.5 ounces per 1000 square feet) or 100 HT traveling at 5 m.p.h. to deliver 4.5 gallons per minute.

BEST AVAILABLE COPY