

PRECAUTIONARY STATEMENTS
HARMFUL TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Do not pour or spill near heat or open flame. Remove pets, birds and cover fish aquaria before spraying. Do not breathe spray mist. Wear mask or respirator of a type recommended by the Mine Safety and Health Administration to give adequate protection against this material. Wear protective clothing. Wash exposed skin surfaces with soap and water. Do not apply directly to food. As a fogger or space spray, do not apply while food processing is underway. In commercial food handling facilities, cover or remove any food during treatment. All food processing surfaces should be thoroughly cleaned with an effective cleaning compound followed by a potable water rinse before using.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law use this product in a manner inconsistent with it's labeling.

Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

INDOOR APPLICATION

Vacate treated areas and ventilate before reoccupying. For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.

SURFACE SPRAYING: For rapid control of Roaches, Ants, spiders, Crickets, Silverfish, Centipedes, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Mites (Clover, cheese, grain), Meal Worms, Grain Beetles, (confused flour beetles, saw toothed grain beetles), Spider Beetles, Cigarette Beetles, Drugstore beetles, meal worms, Weevils (Granary Weevils, Rice Weevils) and Caddisflies: apply in a good spray adjusted to deliver a coarse wet spray at the rate of 1 gallon to 750 square feet of surface. Direct spray into locations where these insects are found: garbage chutes and cans, into crack & crevices, dark corners, behind and beneath sinks, stoves and refrigerators, and cabinets, along baseboards, and around door and window frames. For silverfish spray bookcases. Spray insects directly when possible.

To control Carpet Beetles: Spray edge of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control Bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray to all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control fleas, and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining. In case of infested foods in cabinets, dispose of the infested material. Remove all contents and clean thoroughly. After spray has dried cover shelves with paper or other use protect foods from direct contact with sprayed surfaces. Repeat treatment if reinfestation occurs.

KITCHEN AND CAN INSECTICIDE

SPECIAL LOW OIL FORMULA
FOR USE IN HOMES, INSTITUTIONS,
RESTAURANTS, FOOD PROCESSING PLANTS,
DAIRIES, LIVESTOCK, AND OTHER OUTDOORS
FOR MOSQUITO CONTROL.

ALSO FOR USE IN INDUSTRIAL, AND
RESIDENTIAL GARAGE COMPACTORS,
GARBAGE CHUTES, KITCHEN GARBAGE CANS
AND OTHER KITCHEN LOCATIONS.

ACTIVE INGREDIENTS:

Pyrethrins 0.12%

*Piperonyl butoxide, technical 1.20%

INERT INGREDIENTS 98.68%

Total 100.00%

Contains Petroleum Distillate

*Equivalent to 0.96% (butylcarbityl) (6-propylpiperonyl) ether
and 0.24% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Additional Precautionary Statements


Do not transport not store under 32°F.

EPA Reg. No. 11474-33

EPA Est. No. 11474CA01

MANUFACTURED BY:
SUNGRO CHEMICALS, INC.
P.O. BOX 24632 Los Angeles, CA. 90024

NET CONTENTS (GALLONS) (LITERS)



SPACE SPRAYING: To kill flies, including Fruit flies, Gnats Mosquitoes, Flying moths, Hornets, skipper flies Angoumois grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths. Close windows and doors and shut off ventilating system. Apply as a fine mist using a non-thermal sprayer. Direct spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space.

FOGGING: To kill exposed or accessible stages of the above named crawling insects, use at a rate of one gallon to 20,000 to 40,000 cubic feet of space. Contact insects directly whenever possible.

ON ANIMALS: To protect cattle and horses from horn flies, mosquitoes and gnats, apply a light mist sufficient to wet the surface of the hair. To control stable flies, horseflies, and deerflies, apply at the rate of 2 ounces per adult cow or horse, sufficient to wet hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

To control blood sucking lice, apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat treatment every two to three weeks if required.

OUTDOOR ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may rest, low marshy places, stagnant pools or ponds and shore lines. Apply at the rate of 1 1/2 gallons per acre (4.5 ounces per 1000 square feet). Using truck-mounted conventional misting equipment such as Rotomist Models 51c, 91 or 100 HT traveling at 5m.p.h. to treat a 300 foot swath calibrate equipment to deliver 4.5 gallons per minute.

Do not apply directly to food. As a fogger or space spray, do not apply while food processing is underway. In commercial food handling facilities, cover or remove any food during treatment. All food processing surfaces should be thoroughly cleaned with an effective cleaning compound followed by a potable water rinse before using.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth etc. Dispose of with chemical waste.

DISPOSAL INSTRUCTIONS:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. 415021am

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 9-1-1 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

11474-33

5/6/2002

1/